



MORGAN-WIGHTMAN

Supply Co.

Guaranteed Building Products

from MORGAN-WIGHTMAN

means **SPEED . . . SAVINGS . . . SERVICE**



Every Order Shipped Within 24 Hours from our complete St. Louis stocks.



Direct at Wholesale Prices! Direct factory distributor on all lines. Our wholesale price is the **DISTRIBUTOR** price . . . Nothing sold by mail to retail customers!



We'll Handle the Detail Work . . . Our staff of trained hardware consultants are always happy to help you with technical points, exacting problems or baffling specifications. Estimates or "specs" can be removed directly from your drawings, releasing the blueprints back to you the same day together with our quotation.



We Back You Up! Liberal Morgan-Wightman **ONE YEAR** guarantee. Every product must satisfy.

An Order Today — by Wire or Phone — Will Show You What We Can Do!

1541 SALZMAN AVE.

ST. LOUIS 20, MO.



MORGAN-WIGHTMAN

NATIONAL DISTRIBUTORS OF QUALITY PRODUCTS
AT LOWEST PRICES TO THE CONSTRUCTION INDUSTRY

NAMES YOU KNOW

KWIKSET LOCKS - SCHLAGE LOCKS - HAGER HINGES
MCKINNEY FORGED IRON - U S MENGEL - HASKO DOORS
READY HUNG DOOR UNITS - PHILIP CAREY PRODUCTS
K-VENIENCE'S - HALLMACK - NATIONAL LOCKS &
CABINET HARDWARE - LEIGH BUILDING PRODUCTS
KENNATRACK - WASHINGTON STEEL PRODUCTS
HUNTINGTON STAIRWAYS - FRANTZ OVER-THE-TOP
STERLING HARDWARE - SOSS HINGES - NU TONE, INC
L.O.F. THERMOPANE-CALDER GARAGE DOORS-TEGCO LOCKS

GENERAL INFORMATION

SHIPPING CHARGES - All delivery charges are prepaid on orders exceeding \$25.00 with the following exceptions - House Doors, Garage Doors and Hardware, Ready Hung Units, Hasko-Novo Units, Thermopane Units, and Metal Awning and Canopies which are F.O.B. St. Louis or factory as listed.

TERMS - Deduct 2% cash discount when check accompanies your order, or if you would rather remit when your order is ready for delivery, so advise, and we will send you acknowledgement showing amount due and hold delivery until your check is received - Monthly Charge accounts are available to customers who are satisfactorily rated with Dun and Bradstreet or supply us with three business references with whom they are regularly doing business. However, terms are net and payable within 30 days from date of invoice. - Orders may be shipped on a C.O.D. basis, but are net on delivery with the consignee paying all C.O.D. Collection Fees.

TAXES - 2% Sales tax added to Missouri orders only, unless tax exemption number is given, Customers in all other states having sales or use tax make the additional saving - by Interstate Purchasing.

MINIMUM ORDER - Net \$5.00 if you desire a smaller order, please authorize us to add a 50¢ packing and handling charge.

CLAIMS - All shipments are insured by us. Do not except shipments which are damaged or have shortages without first noting same on Transportation Companies freight bills, if damage is found after opening shipment immediately call carrier and have concealed damage claim report written. Filing of claims with carrier must be done by person receiving shipment. However, we will supply shipping proof and facts to aid you. All claims for shortages in our packing must be made within 5 days after receipt of goods.

PRICES - All prices prior to this date are hereby cancelled. We certify that the prices charged do not exceed the maximum ceiling prices permitted under CPR93 or any other applicable price regulation. All prices are subject to change without notice.

BACK ORDERS - All merchandise listed in this catalog and on subsequent mailings is stock merchandise, unless otherwise stated. There are times however, when due to circumstances beyond our control, certain items will be out of stock. These items when ordered, will be held on back order and forwarded to you when received unless we are otherwise instructed.

MATERIAL TO BE RETURNED - Do not return any material until you have authority from us. Any material returned will be credited at invoice price less return freight and a 10% handling charge.

SERVICE - When this catalog was issued, all items were in stock for immediate shipment and we endeavor to keep a supply on hand. However, our stock is subject to prior sale and due to Government regulations on all basic metals we reserve the right to reject any order in full or in part.

MORGAN-WIGHTMAN *Supply Company*

1541 SALZMAN AVE.

ST. LOUIS 20, MO.


Phone Flreside 9880

COPYRIGHT 1952 BY MORGAN-WIGHTMAN SUPPLY CO. ALL RIGHTS RESERVED



Thermopane

NOW IN STOCK



THERMOPANE Insulating Glass

Manufactured by Libbey-Owens - Ford Glass Company. This factory built transparent insulating glass unit is composed of two lights of 1/4" plate glass with 1/2" dehydrated air space, and hermetically sealed around the edges at the factory with the L.O.F. metal to glass bond. Either dimension can be the width or the height but units cannot be cut down in size.

OVER 40 SIZES AVAILABLE FOR RUSH SHIPMENT

Don't accept delays - We have all sizes listed for immediate shipment from our St. Louis stock.

SIZE	LPC	WPL	PRICE	SIZE	LPC	WPL	PRICE	SIZE	LPC	WPL	PRICE	SIZE	LPC	WPL	PRICE
35 1/2 x 36	15	73	\$29.93	47-7/8 x 50-3/8	8	144	55.09	50 x 72 1/2	5	225	82.11	58 x 64 1/2	5	234	84.20
35 1/2 x 48-1/8	10	100	40.63	48 x 48	9	125	51.48	50 x 80 1/2	5	246	90.04	58 x 72 1/2	4	273	93.17
35 1/2 x 60-3/8	8	128	50.73	48 x 60	7	165	62.27	50 x 96 1/2	4	310	105.92	58 x 80 1/2	4	305	102.16
36 x 55 1/4	8	120	44.76	48 x 72	5	220	73.06	50-3/8 x 60 1/4	6	180	68.50	58 x 96 1/2	3	400	120.12
36 x 75	7	170	60.78	48-1/8 x 55 1/4	7	157	60.72	52 1/2 x 58-1/8	6	186	68.75	58 x 116 1/2	2	580	145.65
42 x 66	7	156	60.65	48-1/8 x 75	5	227	84.09	52 1/2 x 70-1/8	5	230	85.54	60 x 72	4	275	93.64
42 x 72	6	175	65.49	48 1/2 x 50	8	140	55.14	55 1/4 x 60-3/8	6	195	72.95	60 1/4 x 66-5/8	5	247	91.59
46 x 48 1/2	8	125	51.44	48 1/2 x 58	7	193	62.58	56 1/2 x 58-1/8	6	190	73.08	60-3/8 x 75	4	290	101.10
46-1/8 x 52 1/2	8	140	56.88	50 x 56 1/2	7	162	62.58	56 1/2 x 66	5	210	84.20	64 1/2 x 66	5	280	94.24
46-1/8 x 56 1/2	6	155	60.47	50 x 64 1/2	5	197	70.01	56 1/2 x 70-1/8	5	243	90.93	66 x 84	3	393	116.82
												72 x 96	2	545	145.25

LPC = LIGHTS PER CASE - WPL = WEIGHT PER LIGHT

SPECIAL 10% DISCOUNT ON FULL CASE ORDERS ALL SHIPMENTS F.O.B. ST. LOUIS, MO.

NOTE: New Double Strength Window Glass Thermopane with 1/4" Air Space now available in all Standard Sizes \$2.60 per Sq. Ft.


INDEX

A	Access Doors	59	Accessories - Bath	54-55-56	Acme Sliding Hdwe.	14	Anchor - Lead	49	Attic Vents	53	Awnings	50																
B	Basement Wdw. Units	41	Bathroom - Cabinets	57-58-59	Fixtures	54-55-56	Heaters	60-61	Blinds	51	Bolts - Door	29	Brackets - Iron	68-69	Sawhorse	51	Shelf	17	Bridging - Steel	65								
C	Cabinet Hardware	31-32-34	Hinges	20-32-34	Cabinets - Steel	57-58-59	Canopies	50	Chain Door Fast.	47	Chan-L-Cros	63	Chimes	60-62-63	Closet Fronts	44	Closet Rods	18	Clothes Carrier	18	Clothes Chutes	51	Coat & Hat Hooks	29	Columns - Porch	68-69	Combination Doors	41
D	Dead Locks	6-10-23	Disappearing Stairs	72	Doors - Combination	41	Flush	39	French	40	Garage	42-43	House	39-40-41	Ready-Hung	35-36-37-38	Door Closers	23-28	Door Stops	29	Double Acting Hdwe.	26	Drawer - Rollers	21	Slides	20	Dust Chutes	51


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


SCHLAGE *Cylindrical Locks*




A10S PLYx3 PASSAGE DOOR LOCK SET . . . Polished brass. Operation—latch bolt by knob from either side. Reversible.



A51WD PLYx3 ENTRANCE or CORRIDOR LOCK SET . . . Polished brass "key-in-knob" wafer tumbler lock set. Operation—latchbolt by knob from either side. By key from outside when outer knob is locked by turn button in inner knob. Latchbolt deadlocks automatically when door is closed. Two keys. Reversible.




A51PD PLYx3 ENTRANCE or CORRIDOR LOCK SET . . . Polished brass "key-in-knob" pin tumbler lock set. Operation—latchbolt by knob from either side. By key from outside when outer knob is locked by turn button in inner knob. Latchbolt deadlocks automatically when door is closed. Specify hand when ordering. Two keys.




A40S PLYx3 BEDROOM DOOR LOCK SET . . . Polished brass. Operation—latchbolt by knob from either side. By emergency key, screwdriver, etc., from outside (in case of emergency) when outer knob is locked by automatic button in inner knob. Button is automatically released by turning inner knob. Automatic latch feature prevents accidental locking out. Reversible.

A40S PLYx3x26 BATHROOM DOOR LOCK SET . . . Polished brass. Same as above except lock front, inside knob and roses are chrome plated.




A30D PLYx3 EXTERIOR DOOR LOCK SET . . . Polished brass. Operation—latchbolt by knob from either side. Outer knob is locked by automatic button in inner knob. Button is automatically released by turning inner knob. Automatic latch feature prevents accidental locking out. Latchbolt deadlocks automatically when door is closed. Reversible.



NOVO DESIGN LOCKS

All locks shown in Plymouth design also available in Novo design in dull bronze or aluminite finish. All prices the same as Plymouth.



Barrington

Entrance Lock
No. D51PD - BARR
Polish Brass \$21.25

No.	Design	Finish	Price Ea.
A10S	Ply or Novo	Pol. Brass - Dull Bze. - Alum.	\$3.10
A10S	Ply or Novo	Above finishes x Pol. Chrome	3.35
A40S	Ply or Novo	Pol. Brass - Dull Bze. - Alum.	3.65
A40S	Ply or Novo	Above finishes x Pol. Chrome	3.90
A30D	Ply or Novo	Pol. Brass - Dull Bze. - Alum.	4.15
A30D	Ply or Novo	Above finishes x Pol. Chrome	4.35
A51WD	Ply or Novo	Pol. Brass - Dull Bze. - Alum.	5.60
A51PD	Ply or Novo	Pol. Brass - Dull Bze. - Alum.	8.75
Extra 5% Discount in case lots			
20 Sets per case each type			

Separate Escutcheon plates for "A" series locks with 5" backset link units.



803 Darien 5 1/2" diam. escutcheon with plymouth design lock. Price - either Darien or Riviera \$1.65 Ea.
Polish Brass - Dull Bronze - Aluminite



803 Riviera 5 1/2" Diam. Escutcheon
Illustrated is 5" backset installation with Novo design lock.



MORGAN-WIGHTMAN *Supply Company*

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI



ASTRA DESIGN

"C" and "D" locks only. Shown at left is striking effect of Astra lock installed on entrance door with 7" backset.

Exclusive SCHLAGE "Long Backset"

New door beauty is realized through the use of the Schlage "long backset". The "long backset" permits placing the lock in a more balanced position away from the door edge. Beautiful large escutcheon plates can then be used to give dramatic emphasis to the door. "C" and "D" locks are available in 5", 7", 10" backsets (up to 24" on special order). "A" locks are available in 5" backset.

The "long backset" also makes the lock easier to use by placing it in a more accessible position. The extra clearance gained between knob and door edge prevents scraping knuckles on the jamb.

Installation is the same as for any Schlage cylindrical lock. A template is furnished to show position of holes required.



Mercury Design with 5" Backset

PRICES BACKSET LINKS ONLY

5"	"A" Series	\$.75 Ea.
5"	"D" Series	1.25 Ea.
7"	"D" Series	1.85 Ea.
10"	"D" Series	2.50 Ea.
18"	"D" Series	15.50 Ea.

18" Link Is For Center of 3 Ft. Door

Above prices must be added to lockset desired.

No.	Design	Price
D51PD	Astra	\$20.75 Ea.
D51PD	Mercury	\$24.50 Ea.
D51PD	Pantheon	\$31.25 Ea.

All above sets stocked in polish brass finish with Plymouth design knob and rose on inside. Other finishes available.



Pantheon (cast)
8" Esc.

Illustrated is center of door installation


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Schlage Entrance Handle Locks

(COMPLETELY REVERSIBLE)

Outside
Trim



Waverly

Plymouth

Parthenon



Dorchester



Sussex



Plymouth



For Entrance Doors on Residential and Light Commercial Buildings

'E' LOCKS

Entrance handle locks in a wide choice of impressive designs.

Standard Specifications:

EXPOSED TRIM . . . Solid brass, bronze, or aluminum

MECHANISM . . . Cold-rolled steel, zinc-plated and dichromated for maximum resistance to corrosion. Fits cut out, $1\frac{3}{4}$ " x $4\frac{1}{4}$ ", formed by boring three $1\frac{3}{8}$ " holes.


REVERSIBLE . . . for Right or Left Hand doors, swinging in or out.

KEY UNITS

Cylinder can be masterkeyed or grandmastered with all other Schlage pin tumbler locks. Two keys furnished for each lock.

ADJUSTABLE . . . for $1\frac{3}{4}$ "— $2\frac{1}{4}$ " doors (Other sizes to order)

INSTALLATION CUT-OUT



PRICES ENTRANCE HANDLES No. E51PD


Design	Finish	Price
Waverly	Pol. Brass	\$19.75
Parthenon	Dull Bronze	18.75
Dorchester	Pol. Brass	19.00
Sussex	Dead Black	19.00
Plymouth	Pol. Brass	19.00

All inside trim polish brass plymuth

DEADLOCKS


Polish Brass or Alumilite

B250PD	1 Cyl.	\$ 5.40
B260P	1 Cyl.	4.90
B262P	2 Cyl.	8.25



B260P DEADLOCK . . . Pin tumbler. Deadbolt. Operation — deadbolt from outside by key, inside by thumb turn. Reversible.

B262P DEADLOCK . . . Same as above but with two cylinders.




B250PD DEADLOCKING LATCH

Pin tumbler, holdback catch, deadlocking latchbolt. Operation — latchbolt from outside by key, inside by thumb turn. Latchbolt may be held retracted by holdback catch. Latchbolt deadlocks automatically when door is closed.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

YES SIR! ALL BRASS!



No. 200X3

Polished Brass Inside passage set. Operates by knob both sides.

\$ 2.00 Ea.

No. 300X3

Polished Brass Emergency entry set for bedroom doors.

\$ 2.45 Ea.

No. 300X3X26

Emergency entry set for bathroom doors. Polished Brass outside and Polished Chrome inside. (Both sets operate inside by turnknob and outside by emergency key.)

\$2.65 Ea.

SAVE TIME!

With These Money Making Precision Tools





KWIKSET JIG

Clamps on quickly and holds tight. Assures exact right-angle holes for perfect lock fit. Cuts installation time to a minimum.

\$ 5.75 Ea.

2" Boring Bit
\$ 2.25 Ea.

FACE MORTISER
\$ 1.35 Ea.



No. 400XH59SX3
Polished Brass 5-pin tumbler Front Door Set with No. 400X3 lockset and No. H59SX3 handle. Operates inside by turnknob and outside by key.

\$ 6.25

No. H59SX3
Front Door Handle only.

\$ 1.40




No. 1333X3

ESCUTCHEON — 3 3/4"

Solid Brass escutcheon. Can be used with all Kwiksets to enhance the beauty of the set.

60¢ Ea.



No. 100X3

Polished Brass Exterior keyless locking set. Can be locked from the inside only.

\$ 2.45 Ea.

FIRST CHOICE FOR AMERICA'S LEADING CONTRACTORS

STURDILY BUILT! Kwikset lock parts are of brass stampings and pressure cast from Zamak No. 5 . . . the same kind of tough, high-test alloy used for precision tools. Pin tumbler, cylinder locks assure top security.


CLEANLY DESIGNED! These locksets are strikingly clean and attractive in design . . . beautifully hand-finished in polished brass. They are authentic for all modern and traditional type residential structures. Kwikset locksets are packed individually boxed. Boxes are individually colored for ready identification of the lockset and its finish.

Any Of These Locks With One Side Polish Chrome Add 20¢ Per Set. Any Of These Locks With Both Sides Dull Or Polish Chrome Add 40¢ Per Set.

SPECIAL DISCOUNTS

Applying To All Lock Sets

5% When Full Case Of One Type Of Lock Is Ordered
10% When 5 Cases Of Locks Are Ordered
30 Locks To A Case On All Types
No Single Case May Be Mixed



No. 400X3

Polished Brass 5-pin tumbler entry locking set for all exterior doors. Operates inside by turnknob outside by key.

\$4.85



FREE KEYING ALIKE

Kwikset Locks Can Be Had Keyed Alike In Any Group Without Charge.

All Orders Shipped Within 24 Hours Free Delivery, If Order Exceeds \$25.00.

MORGAN-WIGHTMAN Supply Company


1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

NATIONAL LOCK *set* newest in design...

Series "410" provides a complete selection of precision-built locks for every door


No. 411D KEY LOCK (exterior)

For exterior entrances to the home. Has 5-pin tumbler lock construction. Equipped with turnbutton, permitting free use of interior knob at all times while locking door against opening from outside. Dead latch prevents opening with knife or screwdriver. Added safety. No. H59 Handles only for above sets.




No. 412 TURNBUTTON LOCK (porch, patio)

For French doors or other doors between interior of home and porch or patio. Turnbutton on inside locks door on opposite side. Once turnbutton is placed in locked position, door is always locked against outside entry. Yet exit can be made by simply turning knob.




No. 414 PRIVACY LOCK (bathroom, bedroom)

Designed especially for use on bathroom and bedroom doors. Pushbutton on inside knob provides complete privacy. Turning inside knob disengages locking mechanism. Simple release feature on outside knob permits emergency entrance by use of pencil, hairpin, etc.



No. 418 KNOB LATCH (interior passage)

Ideal for use on closet doors, storage room doors, all interior passage doors where locking is not desired. Has no locking mechanism. This high-quality latch positively holds door shut, yet permits easy passage into and out of room as desired. A high quality unit.




NO. 419 DUMMY KNOBS

Perfect for closet doors with our No. 520 or 234 friction catches. Ideal for center of door installation. Packed as single units.



EASIER, FASTER TO INSTALL!



1 Mark hole centers by template. Drill for bolt and lock mechanism.



2 Mortise for face plate and strike plate.




3 Position lock and latch by slot-engagement.



4 Fasten face plate with 2 wood screws.



5 Add clamp plate by turning to engage keyway. Tighten screws.



6 Snap on escutcheon. Depress spring-retainer and apply knob.



7 Fasten strike plate with 2 wood screws.

NO.	FINISH	PRICE
411D	POLISH BRASS	\$6.15
411D	POLISH BRASS X CHROME	6.35
412	POLISH BRASS	3.05
412	POLISH BRASS X CHROME	3.25
414	POLISH BRASS	3.05
414	POLISH BRASS X CHROME	3.25
418	POLISH BRASS	2.60
418	POLISH BRASS X CHROME	2.70

419	Polish Brass	.95
419	Polish Chrome	1.10
H59	Polish Brass	1.50

Handles for 411D - Not shown.


Extra 5% discount in case lots.

20 set per case each type.

Locks keyed alike - no charge


Tubular LATCH AND LOCK SETS

FLUTED GLASS KNOBS
WITH SOLID BRASS TRIM




No. 361 x 55 PASSAGE SET

Pol. Brass \$1.75
Pol. Nickle 1.95



No. 361 x 56 CLOSET SET

Pol. Brass \$1.70
Pol. Nickle 1.90



No. 361 x 57 BEDROOM SET

Pol. Brass \$2.15

No. 361 x 57 BATHROOM SET

Pol. Brass & Nickle 2.25

Extra 5% Discount in Case Lots 36 Sets Per Case Each Type

Fool proof—shock proof—wear proof—easily installed. Requires the drilling of only TWO holes: one for latch bore, $\frac{1}{8}$ " diameter by $\frac{3}{8}$ " deep; one for spindle bore, $\frac{5}{8}$ " diameter with a $2\frac{3}{8}$ " backset. Reversible for either right or left hand doors. LATCH: Face plate, bolt and strike, wrought brass. All other parts heavy gauge stamped

steel—zinc plated and dichromated for definite rust prevention. STANDARD ROSE: Two-holed wrought brass or bronze. LOCKING UNIT: Two-holed wrought brass or bronze rose—with stamped steel internal parts, zinc plated and dichromated for definite rust prevention.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI



DEPENDABLE ENTRANCE DOOR LOCKS



\$11.40

HAMMERED
IRON

GR2838 ENTRANCE DOOR HANDLE SET . . . Outside handle, cylinder rose and face of cylinder are cast brass, black hammered iron finish. Inside knob and face of lock are polished brass. Overall size—15-5/8" x 2-5/8". Cylinder collar—2-1/2" x 2-1/2".



\$12.85

POL.
BRASS

BA2838 ENTRANCE DOOR HANDLE SET . . . Outside handle, cylinder rose, cylinder face, inside knob and face of lock are polished brass. Overall size—16-1/8" x 2-1/4". Cylinder collar—4" x 2-1/8".



\$14.50

POL.
BRASS

SM2838 ENTRANCE DOOR HANDLE SET . . . Outside handle, cylinder rose, face of cylinder, inside knob and face of lock are polished brass. Overall size—16-1/2" x 2-5/8". Cylinder collar—2-5/8" x 2-5/8".




\$18.75
Dull or Pol.
Brass

\$21.10
Pol. or Dull
Chrome

MD4848 CYLINDER STORE DOOR HANDLE SET . . . Escutcheons, handles and face of lock are polished brass. Cast iron, black wrinkle lacquer case. Cast bronze cylinder. Cast bronze bolts—1/2" throw. Phosphor bronze hubs. Knob hub for 5/16" spindle. Turn knob for 3/16". Strike—wrought bronze, 1-5/16" lip to center. Escutcheons—14-1/2" x 3". Pin tumbler cylinder. Operation—latch bolt and thumb piece from either side. Dead bolt by key from either side at all times. Reversible. Two keys.


Case—5-1/2" x 3-3/4" x 3/4"
Backset—2-1/2" Changes—unlimited
Front—7-11/16" x 1" flat



\$5.10
DULL
BRASS

MD6104 BIT-KEY FRONT DOOR LOCK SET . . . Escutcheons, knobs and face of lock are brass plated. Cast iron, japanned case. Escutcheon—10" x 2-3/4". Knobs—2-1/4" diameter. 1-3/16" lip to center strike. Cast bronze bolts. 5/16" iron, swivel hub. Operation—latch bolt by knob from either side. Outside knob is locked by stop in face. Dead bolt is operated by key from either side. Both bolts by key from outside at all times. Reversible. Two keys.

Case—5-1/4" x 3-9/16" x 21/32"
Front—7-1/4" x 1" Tumbler 1
Spacing 3-1/8" Backset—2-1/2" Changes 12



\$10.98

Dull or Pol.
Brass


MD4011 FRONT DOOR CYLINDER SET . . . Escutcheons, knobs and face of lock are polished brass. Cast iron, black wrinkle lacquer finish case. Cast bronze cylinder. Semipoise, knob action lock. Operation—latch bolt by knob from either side. Both bolts by key from outside at all times. Dead bolt by turn knob from inside. Outside knob is locked by stop in face. 1-5/16" to center wrought bronze strike. Forged brass bolts, 1/2" throw. Phosphor bronze hubs for 3/8" swivel spindle. Reversible. Two keys.

Case—5-5/8" x 3-3/4" x 3/4"
Front—7-11/16" x 1" flat
Backset—2-1/2"
Spacing—1 knob to cylinder, 3-11/16"
Cylinder—pin tumbler Changes—unlimited
Knobs—2-1/4" diameter



MD 6204 Broad Bevel Lock set. Brass plated steel 2 1/4" knob, 2 1/4" x 7" escutcheon. Dull brass.


\$1.69 Set \$18.00 Doz.
with 3 tumbler lock
\$2.65 Set



7536S Upright Rim Lock set. Black Japan finish. Cast iron case 3-7/8" x 3-1/8". Reversible. Complete with two knobs—rose and key plate. All trim steel.

\$1.29 Set

\$14.00 Doz.



TBL 480 French door lockset. For doors with narrow stile. Available in solid brass or steel. 2" knob, 2 1/4" long lever, 1 1/4" rose cast brass face lock, 1 tumbler.

Steel
Dull Brass
\$3.15 set


Brass
Polish Finish
\$4.50 set

MORGAN-WIGHTMAN

Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

New ideas in Locks...



Series 500


THE RITE-LOCK IS REVERSIBLE

The thumb button, emergency, or blank discs, or cylinder in each escutcheon are removable when the lock is off the door, and can be interchanged from side to side on the job.

RITE-LOCK FOR SLIDING DOORS

This extremely versatile lock for all sliding door applications is adaptable to any requirement as to hand, security, and finish. Available in 3 standard adjustable sizes, alike except for face width, to fit any door thickness from 1 1/8" to 2". A 3/4" wardrobe type is also available. Edge and flush pulls are built in. Easily installed as a single assembly by merely notching the door.

The door is securely locked by concealed steel locking jaw. A slight pressure on either finger bar unlatches the door.




Series 970

Series 980

MINIMUM BACKSET DEADLOCKS

For use on doors having the narrowest extruded aluminum, rolled steel or wood stiles. Series 970 takes any standard 1 1/8" diameter cylinder without modification or change of cams one or both sides. Standard thumb turns can also be used opposite cylinder. (Adams-Rite Thumb Turn No. 990 or 118, not shown.)



NEW PRODUCT

Series 1631

CYLINDER DEADLOCK

For use on heavy sliding doors as a cylinder mortise deadlock only. Has no latch action. This lock takes any standard 1 1/8" diameter without modification or change of cams one or both sides. Standard thumb-turns can also be used opposite cylinder. (Adams-Rite Thumb Turns No. 990 or 118, not shown.)

SERIES	500*	970	980	1631
CASE SIZE	3-5/16 x 2 5/8"	3-9/16 x 1 x 1 3/8"	3-9/16 x 1 x 1 3/8"	3 3/8 x 1 1/16 x 1 5/8"
MOUNTING FACE		5 x 1 1/8"	5 x 1 1/8"	
*MATERIAL	Case brass, mech. steel	Steel	Steel	Steel mech., bronze face plate & strike
CYLINDER TYPE	3/4" dia. 5-pin tumbler available	Std. 1 1/8" dia. not furnished but available.	Two 3/4" dia. 5-pin tumbler furnished.	Std. 1 1/8" dia. one or both sides without modification or change of cams (not furnished)
BACKSET		7/8"*	15/16"†	1", 1 1/2"*, 2 1/2"*
FACE PLATE & ESCUTCHEONS	Escutcheons 4 1/2 x 2 7/8"	Face plates interchangeable flat (No. 970), rounded (No. 971), or bevelled (No. 972) bronze.	Face plates interchangeable flat (No. 970), rounded (No. 971), or bevelled (No. 972) bronze.	Face Plate 5 3/4 x 15/16"
BOLT		Hardened steel 1 x 1/2". 5/8" throw.	Hardened steel 1 x 1/2". 5/8" throw.	1 1/4 x 7/16". 3/4" throw. Jaws project 5/16"
STRIKE	1 3/8 x 5/8 x 9/16"	2 3/4 x 1"	2 3/4 x 1"	5 3/4 x 15/16"
FINISH	Polish Brass - Dull Bronze	Brass - Bronze - Chrome		Brass - Bronze - Chrome

*All steel parts are cadmium plated for rust resistance.

*No. 500 adjustable from 1 1/8" to 1-5/16"; No. 501 adjustable from 1-5/16" to 1 5/8"; No. 502 adjustable from 1 5/8" to 2"; No. 503 for doors 2" up — specify width; No. 500 3/4 adjustable from 3/4" to 7/8" for wardrobes, etc., operates one side only.

*Without face plate lock has 1/8" less backset and depth — order No. 973; for special thin face plate which reduces backset and depth 1/16" order No. 970 — 13/16". Fourteen other backsets available to 1 3/4"

†With this backset lock will avoid 1/2" stop. Thirteen other backsets available to 1 3/4"

*With these backsets the depth of case is increased to 2 1/8" and 3 1/8" respectively.

Bedroom Lock \$ 5.95
Bathlock (Chrome one side) \$ 6.55
1 Cylinder Lock \$ 8.55
2 Cylinder Lock \$11.20

No. 970
\$6.60

No. 980
\$11.85

No. 1631 Lock \$12.75
1 1/8" Cylinder \$ 3.00
Thumb Turns \$ 1.00

Note: Specify Hand of Lock on Bath Lock

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Now! For The Very First Time!

SLIDING SIDE DOOR FOR HOME GARAGES


with



in a Complete Packaged Set!

HINGED SIDE DOORS IN HOME GARAGES ARE ALWAYS IN THE WAY


Now, Sterling offers an easy solution to this problem. The new Sterling No. 890 Sliding Door Set is designed especially for sliding side doors in home garages. Here is a side door that is never in the way as it slides along the wall. The door can be made as wide as desired so lawn mowers and large equipment can be taken in and out of the garage easily.



Drive in Easily without Bumping!

Here Is The Package!

Sterling No. 890 Sliding Door Set



No. 890 Sliding Door Set
\$5.75 without Cylinder Lock
\$9.95 with Cylinder Lock
\$4.75 for No. 1025 Lock

Special prices on quantity orders. Write for complete Sterling 24 page catalog - Free.

STERLING SLIDING DOOR LOCK

No. 1025 Rim Type Lock with Cylinder. This new lock is designed for sliding side doors. Not included in Set but available as an extra.



No. 44
3-7/8" x 3/4" x 1-5/8"

SLIDING DOOR HARDWARE ACCESSORIES

Edge Pulls
Polish Brass
or
Dull Bronze
No. 44 \$1.25 Ea.
No. 450 \$1.55 Ea.



No. 450
2-1/4" x 1-1/16" x 7/16"

EITHER PULL is used on wall pocket installations. Its function is to provide a means of retracting the door from the wall pocket when the door is completely open.



No. 621
FLUSH PULL

Ideal for small cabinets. Made of solid brass. 1" O.D. x 3/8" deep. Fits 3/4" hole.

Brass or Nickel Finish
.02¢ Ea. - .20 Doz.



No. B286
Rectangular quick mortice 3-1/16" x 1-3/8". Depth 3/8". Solid brass. 3 doz. per box.
Polish Brass \$.20 Ea.
\$.15 Ea.*
Polish Chrome \$.25 Ea.
\$.20 Ea.*
Dull Bronze \$.25 Ea.
\$.20 Ea.*
*Full Box Price

No. B 286


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI



600 SERIES SLIDING DOOR HARDWARE

No. 630 HANGERS FOR 1 3/8" BY-PASSING WARDROBE DOORS ON No. 606 TRACK




Designed for quick and easy installation on by-passing wardrobe doors. Only one inch headroom required. Slotted mounting holes make it easy to plumb door with jamb. Smooth and quiet action.


\$2.50 Per Pair
\$2.40 Pr. in doz. lots

SPECIFICATIONS

For doors 1 3/8" thick weighing up to 60 lbs. Made of steel, cadmium plated. Rollers are nylon, self-lubricating and very quiet. Use No. 606 Track.



No. 620 HANGERS




FOR 3/4" BY-PASSING WARDROBE DOORS ON No. 602 TRACK

These hangers are similar to No. 630 Hangers except that they are for 3/4" doors. They offer the same simplicity of installation and ease of adjustment.

\$2.50 Per Pair
\$2.40 Pr. in Doz. lots

SPECIFICATIONS

For doors 3/4" thick weighing up to 60 lbs. Made of steel, cadmium plated. Rollers are nylon, self-lubricating and very quiet. Use No. 602 Track.




No. 602 and No. 606 ALUMINUM TRACKS

FOR BY-PASSING DOORS

Double track of extruded aluminum with apron to conceal hangers. Etched and anodized to give a beautiful, silvery appearance. Carefully wrapped for protection. Apron may be painted to match woodwork. Anodizing provides perfect base for paint. No. 602 is for 3/4" by-passing doors. No. 606 for 1 3/8" by-passing doors. To install, simply cut track to fit opening and screw to header. No special header construction is needed.


All track less 5%
in doz. cartons per size



No. 602 TRACK FOR 3/4" DOORS

NO. 602

SIZE	PRICE	SIZE	PRICE
48"	\$2.50	96"	\$5.15
60"	3.00	120"	6.50
72"	3.70		



No. 606 TRACK FOR 1-3/8" DOORS

NO. 606

SIZE	PRICE	SIZE	PRICE
48"	\$3.15	96"	\$6.60
64"	4.20	120"	8.25
72"	4.75		

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI



SLIDING DOOR HARDWARE ACCESSORIES

No. 876 GUIDE STRIPS FOR BY-PASSING DOORS

Four Sizes

24"	30"	32"	36"
55¢ Ea.	65¢ Ea.	70¢ Ea.	75¢ Ea.
\$6.00 Dz.	7.20 Dz.	7.80 Dz.	8.40 Dz.

These Guide Strips save installation time by eliminating need for grooving bottom of the door. Easily screwed to back of door. Not visible from outside. Made of steel, cadmium plated. Door Guides for use with Guide Strips are supplied with all Sterling hangers.




COMBINATION GUIDE AND FRICTION LATCH NO. 302

The purpose of this guide is to bring the sliding doors into alignment so that the lock may engage. It also serves as a latch.

No. 302 Polish Brass 40¢ Ea. - \$4.20 Dz.

SERIES 900 KENNAFRAME

with metal split jambs, wood header, track installed with adjustable hangers.



KENNAFRAME SERIES 900
Closed Pocket Installations
1 3/4" doors

Part Number	Rough Opening	Price	Shipping Weight
920 for 2'0" x 6'8" Door	4'1" x 7'1 1/2"	\$17.10	45 lbs.
924 for 2'4" x 6'8" Door	4'9" x 7'1 1/2"	17.10	47 lbs.
926 for 2'6" x 6'8" Door	5'1" x 7'1 1/2"	17.40	48 lbs.
928 for 2'8" x 6'8" Door	5'5" x 7'1 1/2"	17.40	50 lbs.
930 for 3'0" x 6'8" Door	6'1" x 7'1 1/2"	17.70	51 lbs.

Recommended Door Weight—60 lbs.

All Complete with Hardware to Hang 1 Door.

Note - Both Acme and Kennaframes less 10% in lots of 10 or more all prices F.O.B. St. Louis, Mo.


ACME SLIDING DOOR FRAMES

Frames are completely assembled except for header and Jamb piece. Hardware is installed in header. This is not a 'K-D' unit. You save time and money.

The doors in ACME Frames are easily hung, with a vertical adjustment made possible by the turn of an eyebolt ... to raise or lower either end of the door.

Dimensions shown on sectional details are for standard 4" stud plaster walls with outside measurement 5 1/4" out to out. Frames for dry wall are furnished with jamb widths of 4 1/4" and for bull nose construction with 4 3/4" jamb.

Another feature of ACME Frames is the heavy 16-gauge hot-rolled steel angle iron with the long leg at right angle to the door which provides needed strength at this important point. All spreaders are clincher nailed and the split jambs are screwed to these angles when the frame is shipped.



Catalog Nos.	420	424	426	428	430
Finish Door Size	2'0"	2'4"	2'6"	2'8"	3'0"
Opening Height (from sub-floor)	7'1"	7'1"	7'1"	7'1"	7'1"
Opening Width	4'2"	4'10"	5'2"	5'6"	6'2"


All sizes \$17.75 each wts. 46 lbs.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

ACME SLIDING DOOR HARDWARE

Test proven by 20 years actual use — all hardware for 48" closet \$3.50



For wardrobe doors 3/4" and 1-3/8" thick. All hangers utilizes the special acme wheel made of 100% natural rubber. Center of wheel has graphite core. Guaranteed for the life of the building. Acme track is made of heavy galv. steel.

HANGERS PACKED IN SETS
EACH SET SUFFICIENT TO HANG
2 BY-PASSING DOORS
INCLUDES SCREWS & FLOOR GUIDES


No. 3075
For 3/4" Doors
\$1.85 Set

No. 3375
For 1-3/8" Doors
\$1.85 Set

Above prices less 10% on orders for 72 sets or more

No. 642 HANGERS

FOR POCKET DOORS ON No. 601 TRACK



These hangers are ideal for pocket doors. Hangers are fully adjustable. Minimum headroom is only 1 1/2" They are easy to install and adjust.

\$3.50 Per Pair \$3.40 Pr. in Doz. Lots



SPECIFICATIONS

For top mounting on doors weighing up to 75 lbs. Made of steel, cadmium plated. Rollers are nylon, self-lubricating and quiet. Use No. 601 Track.


No. 601 Steel 60" \$1.20 Ea. 60" \$1.45 Ea.
72" 1.55 Ea. 72" 1.88 Ea.

No. 878 GUIDE STRIP FOR POCKET DOOR


The No. 878 Guide Strip eliminates the need for grooving the bottom of the door. Guide Strip is 1 3/4" wide and fits 1 3/8" doors only. Made of extruded aluminum.



DIMENSIONS



No. 38 Track fits both 3/4" and 1-3/8"
4 Ft. 5 Ft. 6 Ft. 7 Ft. 8 Ft. 10 Ft.
\$1.65 Ea. 2.10 Ea. 2.50 Ea. 2.95 Ea. 3.35 Ea. 4.20 Ea.



No. 880 DOOR STOP FOR BY-PASSING DOORS



Makes doors easier to operate. Limits sliding action so fingers can't get pinched. Flush Pulls are always accessible.



MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SLIDING DOOR TRACK AND HANGERS

Kennatrack

SERIES 250

Width Opening	Number Doors	Width of Each Door
24"	2	12 inches — Complete Set
32"	2	16 inches — Complete Set
36"	3	12 inches — Complete Set
48"	2	24 inches — Complete Set
48"	3	16 inches — Complete Set
48"	4	12 inches — Complete Set
58"	2	30 inches — Complete Set
64"	4	16 inches — Complete Set
70"	2	36 inches — Complete Set
70"	3	24 inches — Complete Set
96"	4	24 inches — Complete Set

3/4" — 1 1/8" BY-PASSING DOORS NYLON WHEEL HANGER


PRICE EACH	Shipping Weight
\$ 4.70	2 lbs.
5.07	2 lbs.
7.13	2 lbs.
5.73	3 lbs.
7.88	3 lbs.
9.38	3 lbs.
6.75	3 lbs.
10.13	4 lbs.
7.70	4 lbs.
9.20	4 lbs.
12.57	5 lbs.

EXTRA PARTS

Hangers — Two to a Door	\$1.35 Pair
Universal Door Guide — One to a Door	.15 Each
For 1 1/8" or 1 1/4" Doors Specify Offset Hanger No. 250-38.	
Maximum Door Weight Recommended for Series 250 is 38 lbs.	

Extra 10% Discount

For two case order of any type or size
Kennatrack (12 per case) no cases mixed



Flush mounting "250" is the only top-mounted by-passing sliding door track that permits doors to be fitted flush with face of unit.


SERIES 300

3/4" — 1 3/8" DOORS PLAIN BEARING CARRIAGE

Track Length	Complete with Hardware to Hang 1 Door	PRICE EACH	Shipping Weight
48"	Complete with Hardware to Hang 1 Door	\$ 4.38	2 lbs.
64"	Complete with Hardware to Hang 1 Door	5.06	2 lbs.
72"	Complete with Hardware to Hang 1 Door	5.40	3 lbs.
84"	Complete with Hardware to Hang 1 Door	6.08	3 lbs.
96"	Complete with Hardware to Hang 1 Door	6.93	4 lbs.
10'	Complete with Hardware to Hang 1 Door	9.38	4 lbs.
12'	Complete with Hardware to Hang 1 Door	10.32	5 lbs.
14'	Complete with Hardware to Hang 1 Door	11.25	6 lbs.
16'	Complete with Hardware to Hang 1 Door	11.82	6 lbs.
18'	Complete with Hardware to Hang 1 Door	12.57	7 lbs.
20'	Complete with Hardware to Hang 1 Door	13.32	8 lbs.

EXTRA PARTS

Hanger — Two to a Door	\$2.70 Pair
Expansion Sleeve — Two to a Door	.45 Pair
Universal Door Guide — One to a Door	.15 Each
Metal Drill Jig	.75 Each
Maximum Door Weight Recommended for Series 300 is 47 lbs.	



Most versatile of all — being practical for pocket or by-passing doors. Minimum headroom space — only 1" exclusive expansion sleeve mounting plug.


SERIES 400

1 3/8" — 1 3/4" DOORS BALL BEARING CARRIAGE

Track Length	Complete with Hardware to Hang 1 Door	PRICE EACH	Shipping Weight
48"	Complete with Hardware to Hang 1 Door	\$ 6.93	3 lbs.
64"	Complete with Hardware to Hang 1 Door	7.43	3 lbs.
72"	Complete with Hardware to Hang 1 Door	7.76	4 lbs.
84"	Complete with Hardware to Hang 1 Door	8.43	4 lbs.
96"	Complete with Hardware to Hang 1 Door	9.45	5 lbs.
10'	Complete with Hardware to Hang 1 Door	12.38	5 lbs.
12'	Complete with Hardware to Hang 1 Door	13.13	6 lbs.
14'	Complete with Hardware to Hang 1 Door	13.88	7 lbs.
16'	Complete with Hardware to Hang 1 Door	14.63	7 lbs.
18'	Complete with Hardware to Hang 1 Door	15.38	9 lbs.
20'	Complete with Hardware to Hang 1 Door	16.13	9 lbs.

EXTRA PARTS

Hanger — Two to a Door	\$4.00 Pair
Universal Door Guide — One to a Door	.15 Each
Maximum Door Weight Recommended for Series 400 is 85 lbs.	




For 1-3/8" by-passing doors only 1" headroom required same installation as "300"

1 3/8" BY-PASSING DOORS NYLON WHEEL HANGER

Length of Opening	Complete with Hardware to Hang 2 — 2'0" Doors	PRICE EACH	Shipping Weight
48"	Complete with Hardware to Hang 2 — 2'0" Doors	\$ 7.76	4 lbs.
64"	Complete with Hardware to Hang 2 — 2'8" Doors	9.10	5 lbs.
72"	Complete with Hardware to Hang 2 — 3'0" Doors	9.78	6 lbs.
72"	Complete with Hardware to Hang 3 — 2'0" Doors	14.63	6 lbs.
72"	Complete with Hardware to Hang 4 — 1'6" Doors	18.38	7 lbs.
84"	Complete with Hardware to Hang 3 — 2'4" Doors	13.83	7 lbs.
96"	Complete with Hardware to Hang 4 — 2'0" Doors	18.23	8 lbs.
10'	Complete with Hardware to Hang 2 Doors	15.00	9 lbs.
12'	Complete with Hardware to Hang 2 Doors	16.88	10 lbs.
14'	Complete with Hardware to Hang 2 Doors	19.13	12 lbs.
16'	Complete with Hardware to Hang 2 Doors	21.00	13 lbs.
18'	Complete with Hardware to Hang 2 Doors	23.25	15 lbs.
20'	Complete with Hardware to Hang 2 Doors	24.75	16 lbs.

SERIES 650



Best for Pocket Installation
3/4" Vertical Adjustment on Door

EXTRA PARTS	PRICE EACH	Shipping Weight
Hangers — Two to a Door	\$3.00 Pair	
Universal Door Guide — One to a Door	.15 Pair	
Expansion Plug and Sleeve — Two to a Door	.45 Pair	
Recommended Door Weight — 60 lbs.		

WRITE — FOR THE COMPLETE 16 PAGE KENNATRACK CATALOG

MORGAN-WIGHTMAN
Supply Company



1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SLIDING DOOR SHEAVES AND TRACK

No. 455 Wrought Steel Track


Plain finish 5/8" wide, 5/16" high, 1/2" nails furnished.
Stock lengths 6 and 12 ft. All sheaves fit this track.

\$.06 Per Ft. — \$5.50 Per 100 Ft. — \$47.50 Per 1000 Ft.



No. 402 Ball Bearing Sheaves. Case, 1 1/4" x 1 1/8". Flange, 2 1/4" x 1 1/8".

\$.15 Each — \$13.83 Per 100



No. 427 Ball Bearing Sheave—Frame 2 1/8" x 1 1/8". Wheel 1 1/8" in diameter.

\$.30 Each — \$26.64 Per 100



No. 400 Ball Bearing Sheaves—Case, 1 1/4" x 1 1/8"


\$.10 Each — \$9.41 Per 100

All Sheave Prices Less 10% in 500 Lots

FIBER TRACK AND SHOE FOR SLIDING DOORS, DRAWERS AND SASH

Tracks and shoes are rust-proof as well as corrosion-proof. There are no moving parts. When necessary they can be cut on the job, to any length desired and are quickly and easily

installed. Doors are removable without tools. The action is always sure, easy and completely quiet. Long life is combined with quality appearance assuring lasting satisfaction.





- Low in Cost
- Easy to Install
- Quiet Smooth Operation
- No Moving Parts

No.	Sizes	Prices
801	Track 1/8" x 1/2" x 6' or 4'	\$.12 Ft.
802	Track 3/16" x 3/8" x 6' or 4'	.21 Ft.
803	Track 1/4" x 3/4" x 6' or 4'	.30 Ft.
1801	Shoe 3/8" x 3/8" x 1 1/2" (for 801 Track)	.15 Ea.
1802	Shoe 3/8" x 3/8" x 1 1/2" (for 802 Track)	.15 Ea.
1803	Shoe 1/2" x 1/2" x 2 1/2" (for 803 Track)	.25 Ea.

SHOES CAN ALSO BE FURNISHED IN 4' AND 6' LENGTHS AS FOLLOWS:

2801	Shoe 3/8" x 3/8" x 6' or 4' (for 801 Track)	.48 Ft.
2802	Shoe 3/8" x 3/8" x 6' or 4' (for 802 Track)	.48 Ft.
2803	Shoe 1/2" x 1/2" x 6' or 4' (for 803 Track)	.66 Ft.

10% Discount When Over \$100.00 Order is Placed
USE SIMONIZE WAX FOR LUBRICATION



ADD "SALES APPEAL" To Your
Kitchen Cabinets with The New. . . .

WASHINGTON LINE

MIXER SHELF HARDWARE

- FACTORY ASSEMBLED FOR EASY INSTALLATION
- POSITIVE ACTION, RIGID SUPPORT
- COMPLETELY ADJUSTABLE FOR ANY WIDTH SHELF
- ADJUSTABLE SPRING TENSION FOR VARIABLE WEIGHTS

No. M-15 (Hardware Only) \$11.35 Each
On Order for 12 or More \$10.50 Each

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

K-V 1 $\frac{5}{8}$ " Adjustment Showcase Standards and Brackets

Patented


Center to center of key holes, 1 $\frac{5}{8}$ ".

Acme Standards and Brackets are known to the industry for superiority in construction, finish, and original improved features.



No. 51 Standard
3 $\frac{1}{4}$ " wide.
3 $\frac{3}{8}$ " high.
1 $\frac{5}{8}$ " adjustment.

STOCK LENGTHS
24" - 36" - 48" - 72"
18¢ Per Ft.
\$15.70 Per 100 Ft.
\$141.00 Per 1000 Ft.



No. 52 Acme Bracket

1 $\frac{1}{2}$ " wide.
1 $\frac{5}{8}$ " adjustment.
Bright Nickel Finish.

Sizes: 6" 8" 10" 12" 14"
Prices: 21¢ 25¢ 27¢ 29¢ 32¢ Each
Less 10% Full Cartons, Packed 25 in

Improved locking bolt and nut insure ease of installation and instant adjustment. Bolts and nuts are fastened to Bracket and cannot be lost. Flattened bolt cannot turn in bracket. Original locking spur on back prevents Bracket from creeping up and being dislodged. Brackets threaded for shelf rests.


Note - 4"-5"-16"-18"-20" Brackets Available



110 Shelf Support
Steel With 1/4" Pin
Nickel Plated
20¢ Doz. \$2.10 Gross

Adjustable Shelf Standards and Supports

For Surface Mounting



13/16 Inches Wide

1/2-Inch Adjustment

Save time and labor.

Strength tested to 700 pounds.

Supports fit tight and secure.

Easily installed without grooving the wood.

Shelves instantly adjustable every half inch.


The modern Support for adjustable shelving in place of wood ratchets or boring holes for metal shelf pins.

Standards

The No. 233 Standard is numbered to simplify adjustment and insure perfect alignment of the shelves. Screw holes every six inches on centers.

Stock Lengths 4 Ft. - 6 Ft. - 12 Fts.
.07¢ Per Ft. \$ 6.35 Per 100 Ft. \$ 57.00 Per 1000 Ft.


Note: Write For The Complete Knappe and Vogt 46 Page Catalog And Price List.



No. 204 Stationary Shelf Bracket—Steel, nickel plated finish. Sizes: 5", 6", 8", and 10". Packed 24 in a carton with screws.

5" or 6"
25¢ Ea.
\$2.50 Dz.

8" or 10"
30¢ Ea.
\$3.00 Dz.



No. 237 Support—Fits No. 233 Standard, steel, nickel plated, 1" long x 1 $\frac{1}{8}$ " wide. Packed 100 per carton.

30¢ Doz.

\$2.00 Per 100

\$18.30 Per 1000



No. 239 Support—Fits No. 255 or No. 233 Standard, steel, nickel plated, 7/8" long x 3/8" wide. Packed 100 per carton.

20¢ Doz.


\$1.45 Per 100

\$12.95 Per 1000

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

K-Venience Clothes Closet Fixtures



K-Venience No. 1 CLOTHING CARRIER

Nine Sizes — To Fit All Closets

Polished Nickel Plated Finish Only


		Price Per Each
10" Size	To Fit Closets 10" to 12" deep	\$2.55
12" Size	To Fit Closets 12" to 16" deep	\$2.55
16" Size	To Fit Closets 16" to 20" deep	\$2.97
20" Size	To Fit Closets 20" to 24" deep	\$2.97
24" Size	To Fit Closets 24" to 30" deep	\$5.10
30" Size	To Fit Closets 30" to 36" deep	\$5.52
36" Size	To Fit Closets 36" to 42" deep	\$8.50
42" Size	To Fit Closets 42" to 48" deep	\$8.50
48" Size	To Fit Closets 48" to 54" deep	\$9.35

Packed one in a box with screws.

Cast brass handle. The clothing carrier slides in and out of the closet on ball bearing rollers. Easily fastens under closet shelf. A slight pull of the handle brings the whole wardrobe out into the light of the room for easy selection.



EXTRA DISCOUNT
Clothes Carrier Prices
Less 10% in 2 Doz. Lots
Sizes May Be Mixed



K-Venience No. 2 EXTENSION CLOSET ROD

Bright Nickel Finish.

Four Sizes To Fit All Closets

The extension feature makes the rod adjustable to the full width of any closet.

The improved end fastenings can be attached to the wall or over the hook rail, simplifying installation.

Recommended as the most economical and practical installation in small, narrow confined closets where our clothing carriers cannot be used to advantage.

Substantially made—will not sag under the weight of heavy clothing.

Made in four sizes. Packed 6 in a carton with screws.

18" Size	Adjustable from 18" to 30" in length.	\$1.19 EA.
30" Size	Adjustable from 30" to 48" in length.	\$1.48 EA.
48" Size	Adjustable from 48" to 78" in length.	\$2.04 EA.
72" Size	Adjustable from 72" to 96" in length.	\$3.18 EA.



Center
Support
No. 29201

EXTRA DISCOUNT
Closet Rod Prices
Less 10% in 4 Doz. Lots
Sizes May Be Mixed

No. 29201 Center Support with $1\frac{5}{8}$ " Drop.

Use with 72" size rod when fully extended.

Packed 12 in a box. Bright Nickel Finish.


30¢ EACH

ALL THE ABOVE AVAILABLE FOR "24 HOUR" SHIPMENT

MORGAN-WIGHTMAN Supply Company


1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Disappearing Towel and Pan Racks




Keeps your towels out of sight, but slides out at a touch.

Only screw driver needed to install under sink or shelf.



Slides out your pots, pans, brushes, strainers, etc., for easy selection.

EXTRA DISCOUNT
All Three Racks Less
10% in 2 Doz. Lots
Types May Be Mixed



K-Venience No. 798 **DISAPPEARING TOWEL RACK**


Carrier finished polished nickel; bars and exposed parts, polished chrome.

Package Lot, One

Weight per package, 3¾ lbs.

\$4.25 EA.

The truly modern way to hang up towels—in the bathroom or kitchen. Slides out at a touch, then back out of sight and out of the way. Towels and garments slip conveniently over the free ends of four parallel bars. Length 20". Width 5¼". Packed individually with screws.



K-Venience No. 793 **DISAPPEARING TOWEL RACK**


Exposed towel bars chromium plated.

Package Lot, One

Weight per Package, 3½ lbs.

\$3.40 EA.

Fastens to wall of kitchen or bathroom cabinets. Three horizontal bars. Pulls out easily for selection of towels. Length 20". Width 5¼". Packed with screws.



K-Venience No. 790 **DISAPPEARING PAN RACK**

Also used as Pull Out Belt Display Rack in Stores.

Carrier nickel plated, hooks chrome plated.

Package Lot, One.

Weight per Package, 3½ lbs.

\$4.25 EA.

Stores pots and pans, and a host of kitchen utensils in orderly fashion and easy to get at. No need to fumble with a stack of pots on the cupboard shelf. The whole array pulls out for selection on a ball-bearing carrier. Length 20". Individually packed with screws.


"24 HOUR" DELIVERY ON ALL THE ABOVE K-VENIENCE'S

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


CUT KITCHEN CABINET COSTS !!

ROLLING DRAWER SLIDE - NO. 5150 ADJUSTABLE



Adjustability Range


CABINET PART



No. 5140 DRAWER STOP


Attaches to back of drawer. For use with No. 5150 Drawer Slide. Packaged 1 dozen per envelope.

.10¢ Each - .75¢ Doz.
\$7.70 Gross



For adjustment between 20" to 24" bend this tab to desired length and secure to back of cabinet.

Note: If cabinet depth is greater than 24", secure this member to side of cabinet.



DRAWER PART

Place This Member at Bottom Edge of Drawer



\$1.10 Pair Less than Doz.
.99 Pair in 1 Doz. Lots
.88 Pair in 6 Doz. Lots


- economy priced
- quick, simple installation

No. 5150

Made of heavy gauge Rust-Resistant Steel. 12 pair per ctn. Weight 20 lbs.

Recommended for Loads Up to 30 Lbs.

Slide is Reversible, there are no lefts or rights.



FULL SIZE SECTION

REVOLVING CORNER UNITS

IN PLACE OF DEAD SPACE WITH

PIVOT HINGES ONLY


Pivot hinges for Revolving Units. Order by the following catalog numbers:



C12-H

For Corner Units.

\$1.75 Pr. Each
1.59 Pr. 1 Doz. Lot
1.40 Pr. 6 Doz. Lot



S12-H

For Straight Units.

\$1.40 Pr. Each
1.25 Pr. 1 Doz. Lot
1.12 Pr. 6 Doz. Lot

Packed one pair per envelope with screws.

CABINET PIN HINGES FOR FLUSH DOORS




No. 1030

Doors lay over and conceal all cabinet framing. Steel. One doz. per box, 6 doz. per ctn. Weight 12 lbs.

Three Finishes - Three Prices

	No. 1030		
Chrome	\$0.32 Pair	\$3.45 Doz.	\$3.00 Doz.
Pol. Brass	.42 Pair	4.50 Doz.	4.00 Doz.
Prime Coat	.29 Pair	3.15 Doz.	2.80 Doz.


Envelope Packed in Pairs, With Screws Supplied



Entire Cabinet Face is cut from single piece of plywood.

KITCHEN CABINET LOUVERS

Handsome Metal Louvers for Better Under Sink Ventilation. Chrome Finish



No. 14

17" long, 3 1/2" high. For use on cabinet aprons. One doz. per box with screws, 6 doz. per ctn. Weight 27 lbs.



No. 12


10 1/2" long, 3 1/2" high. For use on the top and bottom of under-sink doors. One doz. per box with screws, 6 doz. per ctn. Weight 15 lbs.

No. 14

\$.90 Each
.80 Ea. 1 Doz. Lot
.72 Ea. 6 Doz. Lot

No. 12


\$.45 Each
.40 Ea. 1 Doz. Lot
.36 Ea. 6 Doz. Lot



No. 1031

For simple economical cabinet construction. Ideal for mass production methods. Available in same finishes as No. 1030. One doz. per box, 6 doz. per ctn. Weight 12 lbs.

No face frame required with 1031 Hinge. This hinge attaches to cabinet side or partition.



	No. 1031		
\$0.35 Pair	\$3.75 Doz.	\$3.30 Doz.	(6 Doz. Lots)
.42 Pair	4.50 Doz.	4.00 Doz.	(6 Doz. Lots)
.30 Pair	3.30 Doz.	2.95 Doz.	(6 Doz. Lots)

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI




Roll-eez

Trade Mark

*The World's Finest Roller
Bearings for Wooden Drawers*


Provide Greatly Improved Drawer Performance on Home and Office Furniture, Store Fixtures, Built-ins, etc. . . . Save Time, Labor and Expensive Materials . . . Give You a New Profitable Sales Feature at Practically No Extra Cost.




JUST LIKE MAGIC! Drawers roll in and out with fingertip pressure when equipped with Roll-eez.



EASY TO INSTALL! Roll-eez consist of plastic rollers mounted on steel frames that are nailed in place.



EXTRA STRENGTH. Roll-eez brace themselves by snug fit.



Note: The above photos show Roll-eez "M" resting on back of its frame and Roll-eez "O" and "P" upside down in order to clearly illustrate verticle guide rollers.

Made in Five Styles . . . ROLL-EEZ Permit Simplest Drawer Construction . . . Fit in with Existing Plans . . . are Attached by Nailing in Place.

Compare these Roll-eez features with any other method. They are your assurance of outstanding drawer performance, quicker, more profitable sales, customer satisfaction, increased prestige for yourself.

Drawers Work Like Magic—Roll-eez puts an end to the old-fashioned drawer nuisance of sticking. They provide smooth, quiet, effortless drawer operation at all times. Prevent drawers from binding—even under the most economical types of construction—eliminate wood-to-wood contact—do away with the tugging and straining required to open drawers swelled shut by hot, humid climate. Roll-eez also keep drawers in alignment.

Quick, Easy Installation—Simply position Roll-eez on drawers and framework and nail in place. No special skill is required—ordinary workmen using nothing more than hammers can install Roll-eez swiftly, easily, economically. Reports from actual users confirm the fact that Roll-eez can be installed in one-third the time required for other methods.

Pay for Themselves Three Ways . . . When Roll-eez are used, the savings in time and labor resulting from such things as simplified drawer construction and faster fitting of drawers are generally found to offset their small cost. Moreover, by taking the place of side runners in cases where plans call for them, Roll-eez save the cost of expensive lumber and eliminate side grooving of drawers.

Sturdily Built for Lifetime Service—Patented Roll-eez are designed for use on wooden drawers of all shapes and sizes. They are made in five styles—Roll-eez "M", "N", "O", "P" and "Q" as illustrated—and consist of light, durable plastic rollers mounted on steel pins and frames which are cadmium plated before assembly to resist rust. They are small, compact, tough, rugged . . . virtually indestructible. Will support heavily weighted drawers without cracking or splintering. Roll-eez are factory lubricated. Special $\frac{3}{4}$ x 15 Cement Coated Nails are furnished to fasten them securely.

Guarantee—Roll-eez are backed by an unconditional guarantee of satisfactory service. Many of them have been in daily use for 5, 10, 15 years and more, and are operating as efficiently now as the day they were installed.

ROLL-EEZ PRICES BULK PACKED


Type	Each	Per 100	Per 1000
"N"	8¢	\$ 5.81	\$ 55.00
"M"	12¢	8.98	82.50
"O"	10¢	7.38	68.80
"P"	10¢	7.38	68.80
"Q"	8¢	5.81	55.00

With Suggested Clearance Dimensions. This Installation Requires 3 Roll-eez "N" and 1 Guide Roll-eez "M" per drawer.

Two Roll-eez "N" are nailed to the bottom cross rail of the drawer opening. These bearings support the weight of the drawer on each side. A third Roll-eez "N" is attached to the top center of the drawer back to roll under the center runner above. This bearing prevents drag when opening the drawer. The Guide Roll-eez "M" is attached to the bottom of the drawer on the back edge so that it straddles the lower center runner. This keeps the drawer in line and supports the weight at the back of the drawer.

Roll-eez Sets for Installation "A" are Available in Individual Packages as well as Bulk.

INSTALLATION "A"




ROLL-EEZ TYPE "A" SETS
36¢ Set \$ 4.00 Doz. \$ 42.75 Gross
Includes 3 Type "N" And 1 Type "M"

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

PUSH AND PULL BAR SETS by CIPCO



No. 2211

Tubing $\frac{3}{4}$ " O. D. Square
Base 2"x2"

Spacing on Pull Unit 8"—C. to C.
Overall Projection of Tubing $1\frac{1}{4}$ "

Overall Projection of Pull $2\frac{7}{8}$ "




No. 2210

Tubing $\frac{1}{2}$ "x $1\frac{1}{2}$ "
Base $1\frac{3}{8}$ "x $2\frac{5}{8}$ "

Spacing on Pull Unit 7"—C. to C.
Overall Projection of Bar 1"

Overall Projection of Pull $2\frac{7}{8}$ "



No. 2219

Tubing 1" O. D. Square
Base $2\frac{3}{4}$ "x $1\frac{3}{8}$ "

Spacing on Pull Unit $7\frac{1}{2}$ "—C. to C.
Overall Projection of Tubing $1\frac{15}{16}$ "

Overall Projection of Pull $2\frac{15}{16}$ "

Sets consist of double bar pull unit and two push bars. Furnished 36" long to accommodate doors up to 42" in width. Made from square tubing with cast ends and pull. Sets may be divided up and used on as many as four doors.

No. 2211

Alumitied Alum.	\$22.75 Set
Polish Brass	38.50 Set
Polish Chrome	45.50 Set
Dull Bronze	38.50 Set

NOTE

To order single push bars take $\frac{1}{4}$ the price of complete set. Sets are solid brass, bronze or aluminum, none are plated. Dull chrome same price as polish chrome.

No. 2210

Alumitied Alum.	\$32.25 Set
Polish Brass	54.50 Set
Polish Chrome	64.50 Set
Dull Bronze	54.50 Set

Special Discount
Less 10% for order
of six or more sets

Write for complete 80 page Cipco catalog and price list.


No. 2219

Alumitied Alum.	\$25.25 Set
Polish Brass	42.50 Set
Polish Chrome	50.25 Set
Dull Bronze	42.50 Set

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


FINISH HARDWARE FOR COMMERCIAL BUILDINGS



Yale No. 70 Series Standard model for doors of either hand without changing spring.



Yale No. 90 Series Compact Model - attracting appearance. 36% less bulk. Fully controlled closing.



L.C.N. Standard Series Reversible - Leak-proof, triple bearing. Cast iron shell, top quality.


Yale	L.C.N.	Size	Prices
72 or 92	B	2	\$15.95 Ea.
73 or 93	C	3	19.50 Ea.
74 or 94	D	4	23.50 Ea.
75 or 95	E	5	30.95 Ea.

All prices less 5% when 6 or more of one size is ordered.

How to Select Door Closers


Size	Type Door	Maximum Size
2	Interior	2/8 x 7/0 x 1-3/4"
3	Exterior	2/6 x 7/0 x 1-3/4"
4	Exterior	3/0 x 7/6 x 2-1/4"
5	Exterior	3/6 x 7/6 x 3"

All Three Models Above - One Low Price . . . All Models Available in Brown or Aluminum Lacquer



Reading Door Closers Lowest priced quality closer available. Reversible brown lacquer only.

No. 2	\$13.95 Ea.
No. 3	\$16.35 Ea.
No. 4	\$19.25 Ea.
No. 5	\$25.50 Ea.



Corner Brackets



For all types shown. Specify make when ordering. A must on out swinging doors. Brown or Aluminum.

No.	Price Each
2	\$2.75
3	2.95
4	3.75
5	4.50

Pulls and Push Plates



DEAD LOCKS YALE "SECURITY"




Rim type jimmy proof deadlocks where a high degree of security is required. For door 1 1/4" to 3 1/4" thick bronze finish.

No.	Type	Price
197	1 Cyl. x Turn	\$4.60
197 1/2	2 Cylinders	6.90

MORTICE DEADLOCKS


Ideal for store entrances with push bars. Solid brass face and bolt. 324 with one cylinder. 324 1/2 with two cylinders. 325 with one cylinder and turn piece for inside.

No.	Finish	Price
324	Polish	\$6.60
324 1/2	or Dull	8.20
325	Brass	7.00
324	Polish	7.20
324 1/2	or Dull	8.90
325	Chrome	7.75



No. 21 Night Latch

Low cost model for doors to 2" thick. Five disc-tumbler cylinder. \$1.79 Ea. \$19.25 Doz.



No. 36



No. 81

Five Pin-Tumbler Cylinder Type

No.	Type	Price
36	Zamak Cyl. Iron Bolt	\$2.20 Ea. \$23.50 Doz.
81	Brass Cyl. and Bolt	\$2.85 Ea. \$30.50 Doz.

No. 53 & 22 Cast Brass or Aluminum

Spec.	No. 53	No. 22
C. to C.	5 1/2"	8"
Base Dia.	2"	2"
Clearance	1-5/16	1-7/16
Projection	2-1/8"	2-1/8"

No.	Finish	Price
53	Pol. Brass	\$2.55
53	Pol. Chrome	3.10
53	Alumilite	2.55
22	Pol. Brass	5.40
22	Pol. Chrome	6.45
22	Alumilite	4.00

All pulls supplied as shown. If wood screw mounting is wanted, so state.

Note - All above pulls and plates available in dull bronze finish - same price as Pol. Brass.

No. 400 Cast Pull, Flat Stock Plate

No.	Size	Finish	Price
400	3 x 12	Alumilite	\$0.90
400	3 x 12	Pol. Brass	.90
400	3 x 12	Pol. Chrome	1.05
400	3 1/2 x 15	Alumilite	1.30
400	3 1/2 x 15	Pol. Brass	1.30
400	3 1/2 x 15	Pol. Chrome	1.45
400	4 x 16	Alumilite	1.50
400	4 x 16	Pol. Brass	1.50
400	4 x 16	Pol. Chrome	1.60

No. 40 Made from Flat Stock - Not Stamped

No.	Size	Finish	Price
400	3 x 12	Alumilite	\$0.90
400	3 x 12	Pol. Brass	.90
400	3 x 12	Pol. Chrome	1.05
400	3 1/2 x 15	Alumilite	1.30
400	3 1/2 x 15	Pol. Brass	1.30
400	3 1/2 x 15	Pol. Chrome	1.45
400	4 x 16	Alumilite	1.50
400	4 x 16	Pol. Brass	1.50
400	4 x 16	Pol. Chrome	1.60

For pull plate price add price below to push plate price above.

No.	Finish	Price
400	Alumilite	\$3.30
400	Pol. Brass	3.30
400	Pol. Chrome	3.80



FLUSH BOLTS Cast Brass



KICK PLATES . . . Available in aluminum or polished brass to match push and pull bar sets. Come with countersunk holes and slightly beveled edges.

Special Sizes Available All Sizes 16 Gauge Metal

Sizes	Alumilite	Pol. Brass
8 x 28	\$2.85	\$3.65
8 x 30	3.00	4.00
8 x 34	3.45	4.50
8 x 40	4.00	5.90
10 x 28	3.50	4.75
10 x 30	3.75	4.95
10 x 34	4.25	5.80
10 x 40	5.50	7.35
12 x 30	4.50	6.00
12 x 34	5.10	6.70
12 x 40	6.60	8.80

MORGAN-WIGHTMAN

Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Von Duprin

EXIT PANIC DEVICES



FOR ACCIDENT
HAZARD

RIM TYPE

A

MALLEABLE and BRONZE SPECIAL



A heavy, serviceable exit device with bronze internal parts and forged bronze outside trim. For doors not less than 1 1/4" thick with stiles not less than 4". Dodging feature in lock case. When cross bar is dogged, door is push-pull.

MALLEABLE IRON DEVICES


Dead black finish. Outside trim, Dull Bronze.

SOLID BRONZE DEVICES

Dull bronze finish, inside and out.

Available in stock-size, knocked-down for doors up to 3'6" wide.

Not reversible. Specify hand: LHRB or RHRB.




FOR SINGLE OR DOUBLE DOORS WITH MULLIONS



TWO RIM DEVICES WITH REMOVABLE MULLION FOR DOUBLE DOORS

No. 1254 MULLION - For single door performance in double door openings. Extruded aluminum body is removable. Non-ferrous top and bottom fittings. Attachment screws are concealed. All prime coated - Maroon bronze. Standard height 8'0".

\$29.75



Single door
jamb detail
MALLEABLE
BRONZE

	96A 56A Key locks thumbpiece	NL96A NL56A Key retracts latch bolt	98A 58A Exit only	98A-DT 38A-DT Pull when dogged
MALLEABLE	\$42.65	\$34.65	\$27.85	\$32.25
BRONZE	\$48.10	\$40.10	\$33.30	\$37.75

All Prices are Delivered to You
Special Discount Less 5% on 12 or more Devices
Less 10% on 25 or more Devices

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Von Duprin Exit Devices

No. 27U Device

The retractor feature holds top and bottom bolts withdrawn during door travel. As door closes, a tripping device hits top strike, and bolt heads extend into locked positions.

All cast parts malleable iron - dead black finish. Locks and outside trim are forged bronze dull finish.

Available in stock-size, knocked-down for doors up to 3'6" x 7'0".

No. 27VA Device


Same as 27U except all solid bronze, dull finish. Has pullman top and bottom. Latch cases dodging feature for push-pull action.

Mortise Lock Devices for Single Doors

Not reversible—specify hand; LHRB or RHRB

Minimum door thickness.....1 $\frac{3}{4}$ "


Minimum width of stile.....4 $\frac{1}{4}$ "



INSIDE TRIM FOR MORTISE LOCK DEVICE

Type 27U and 27VA are reversible and will fit any door thickness. Only 3" stile required.

27U



U-Malleable
VA-Bronze



24U
24VA
Key locks
thumbpiece



NL24U
NL24VA
Key retracts
latch bolt



27U
27VA
Exit
only



30U
30VA
Exit
only




29 $\frac{1}{2}$ U
29 $\frac{1}{2}$ VA
Exit
only

U - Malleable	\$50.55	\$50.55	\$23.40	\$37.20	\$25.00
VA - Bronze	\$60.15	\$60.15	\$46.80	\$46.80	None

Note Special Discounts Bottom of Opposite Page

Vertical Rod and Mortise Lock Combinations for Double Doors




27VA or U
INACTIVE DOOR
DEVICE

ACTIVE DOOR
DEVICE
Any Type
Mortise Device

"24 Hour" Shipment all Devices!
Free Delivery on \$25.00 Orders

Vertical Rod and Rim Type Combinations for Double Doors




INACTIVE DOOR
DEVICE
27VA or U

ACTIVE DOOR
DEVICE
Any type A Device

For double doors with overlapping astragals. Can be used on doors as thin as 1-3/8" with stiles as narrow as 3-3/4".

LATCH TRACK THRESHOLD



Permits latching at any point. No holes for latch bolt. Wind and water stop. Holds door in alignment.


No.	Size	Type	Price Per Ft.
23	5"	Bze.	\$3.60
123	5"	Alum.	1.80
43	4"	Bze.	2.50
143	4"	Alum.	1.35

Cut to Length. Not Drilled
Note: Due to Government restriction, bronze not always available.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


Regular and Half Surface BUTT HINGES



No. 1241

No. 1241 Mortice Butt Hinge with Non-Rising Loose Pin, Ball Tips. Plated Steel. All sizes and finishes.

	Dull Brass	Cadmium	Polish Brass	Polish Nickel	Polish Chrome
Size	Dead Black		Dull Bronze		
2½ x 2½	\$0.56 Pr.		\$0.84 Pr.	\$1.11 Pr.	\$1.44 Pr.
3 x 3	.58 Pr.		.85 Pr.	1.12 Pr.	1.45 Pr.
3½ x 3½	.59 Pr.		.86 Pr.	1.13 Pr.	1.46 Pr.
4 x 4	.79 Pr.		1.07 Pr.	1.33 Pr.	1.55 Pr.
4½ x 4½	1.85 Pr.		2.21 Pr.	2.52 Pr.	3.20 Pr.
5 x 5	3.40 Pr.		3.83 Pr.	4.12 Pr.	4.80 Pr.




No. 1242

No. 1242 mortice butt hinge. Flat bottom tips made for painting. Prime coated steel.

Size	Price Coat
2½ x 2½	\$0.64 Pr.
3 x 3	.66 Pr.
3½ x 3½	.67 Pr.
4 x 4	.87 Pr.
4½ x 4½	1.96 Pr.

Note - All prices less 5% when 200 or more pairs are ordered.


All 1241 Butts available with button tips add \$.07 per pair to regular price.



No. 1150

No. 1150 Half surface butt hinge, loose pin, ball tip. Steel plated. Jamb leaf only is morticed.


Size	Dull Brass	Polish Brass	Polish Nickel
2½"	\$0.87 Pr.	\$1.12 Pr.	\$1.38 Pr.
3"	.91 Pr.	1.19 Pr.	1.43 Pr.
3½"	.98 Pr.	1.23 Pr.	1.48 Pr.
4"	1.40 Pr.	1.65 Pr.	1.91 Pr.



No. 1295

No. 1295 Light narrow butt hinge. Loose pin, ball tip. (Prime coat is bottom tip). Sizes open 1-1/2" x 1-7/16" - 2" x 1-9/16" - 2-1/2" x 1-11/16" - 3" x 2" for use on cabinets, steel plated.

Size	Dull Brass	Pol. Brass	Polish Nickel	Prime Coat
1½"	\$0.33 Pr.	\$0.43 Pr.	\$0.54 Pr.	\$0.33 Pr.
2"	.34 Pr.	.45 Pr.	.56 Pr.	.34 Pr.
2½"	.37 Pr.	.47 Pr.	.58 Pr.	.37 Pr.
3"	.48 Pr.	.58 Pr.	.70 Pr.	.48 Pr.



No. BB1241 Ball-bearing mortice butt hinge. Loose pin - ball tips. Plated steel. For heavy entrance doors.

Size	Pol. or Dull Brass	Pol. or Dull Chrome
3½ x 3½	\$2.52 Pr.	\$3.12 Pr.
4 x 4	2.81 Pr.	3.41 Pr.
4½ x 4½	3.89 Pr.	4.91 Pr.
5 x 5	5.40 Pr.	6.40 Pr.



No. 90


No. 90 Ornamental surface hinge size 2-1/4" x 2-1/8" brass or nickel plated steel. For cabinet work.

\$0.16 Pr.
\$1.75 Doz. Pr.



No. 545 hinge hasp safety type - steel.
Size Cadmium Bright
4½" \$0.25 Ea. \$0.18 Ea.
6" .48 Ea. .30 Ea.

Note - Solid Brass Hinges Available at Equality
Low Prices - Quick Delivery




No. 1908 Extra Heavy Tee Hinges without screws. Less 10% in Doz. Lots.

TEE HINGES

EXTRA HEAVY AND LIGHT

Plain Steel	
6" \$0.58 Pair	
8" .95 Pair	
10" 1.57 Pair	
Cadmium	
6" \$1.41 Pair	
8" 2.36 Pair	
10" 3.47 Pair	




No. 1904 Light Tee Hinges for lockers and cabinet work without screws.

Less 10% in Doz. Lots

Plain Steel	
4" \$0.25 Pair	
6" .41 Pair	
Cadmium	
4" \$0.35 Pair	
6" .75 Pair	



Spring Hinges
For Cloth Chutes,
Show Case Doors, and Cabinets



No. 1525


Size 1-1/8x2"
Steel Plated
Brass or
Nickel
Heavy Spring
Brass \$2.25 Pr.
2.50 Dz.
Nickel \$3.35 Pr.
4.15 Dz.

HINGES Spring and Double Action

No. 3000
SINGLE ACTION
DEAD BLACKNo. 3029
DOUBLE ACTION
DEAD BLACK


Door Thickness	Hinge	Nos. 3000	3029
3/4" to 1"	3"	\$2.85	\$4.75
7/8" to 1½"	4"	3.45	5.65
1-1/8" to 1½"	5"	3.90	6.65
1-1/4" to 1½"	6"	4.90	8.20

Note - For Dull Brass Finish
Add \$1.10 Pr. to 3000 Series
Add \$2.45 Pr. to 3029 Series



1433 Double acting floor hinge. Ball bearing with 90° hold open feature. Cover plates are plated wrought steel, brass, cadmium or nickel finish.

1433-3x14	Polished Brass x Nickel	\$2.05 Ea.
1433-4	Dull Brass	1.95 Ea.
1433-CAD	Dull Cadmium	2.00 Ea.



No. 1900 GLASS PUSH PLATE . . . Highly polished with beveled edges. Size—3" x 12".
Package quantity -
Two pieces with screws

65¢ Pair
\$7.25 Doz. Pair

WE CAN ALSO SUPPLY "RIXSON" CONCEALED
TYPE FLOOR HINGE, WRITE FOR INFORMATION AND PRICES

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SOSS INVISIBLE HINGES


HOW TO SELECT THE PROPER HINGE FOR STANDARD CONDITIONS

DIMENSIONS OF SOSS INVISIBLE HINGES


Hinge No.	A	B	C	D	E	F	G	H	K	PRICE PER PR.
204	1/2	23/64	1-23/64	1/8	23/8	1-1/4	3/16	23/32	3/4	\$1.60
208	5/8	29/64	1-45/64	5/32	23/4	1-11/32	9/32	29/32	1	2.20
212	3/4	17/32	2-1/32	3/16	33/4	2-1/16	3/8	1-5/64	1 1/8	4.35
216	1	23/32	2-23/32	1/4	45/8	2-19/32	15/32	1-7/16	1 3/8	6.05
218	1 1/8	7/8	3-1/8	5/16	45/8	2-7/16	13/32	1-19/32	1 3/4	6.60
220	1 3/8	1-1/16	3-13/16	3/8	5 1/2	2-15/16	15/32	1-15/16	2	9.20

Dimension "D" is maximum thickness. Dimension "K" is average thickness of door.


ALL HINGES DULL BRASS WITH SCREWS



No. 204 to No. 220
SEE CHART



SOSS INVISIBLE CABINET HINGES



No. 100
Actual Size

No. 100 CABINET HINGE


\$1.15 Pair
For Light Cabinet Work
Dull Brass Finish

Recommended for wood of 1/2" - 5/8"

SPECIFICATIONS

Length of plate—1"
Width of plate—3/8"
Depth of mortise—1 1/32"
Clearance when open—9/32"

24 Pcs. Per Box



No. 101
Actual Size


No. 101 CABINET HINGE

\$1.35 Pair
For Cabinets of all Types
Dull Brass Finish

SPECIFICATIONS

Length of plate—1 1/16"
Width of plate—3/8"
Depth of mortise—1/2"
Clearance when open—9/32"
Recommended for wood of 1/2" - 5/8"

12 Pcs. Per Box



No. 103
Actual Size

103 CABINET HINGE

\$1.20 Pair
For Cabinets of all Types
Dull Brass Finish

recommended for wood of 3/4"


SPECIFICATIONS

Length of plate 1 1/2"
Width of plate 1/2"
Depth of mortise 1 1/32"
Clearance when open 3/8"

12 Pcs. Per Box

BRASS CONTINUOUS HINGES

Beautiful highly Polished Finish 1-1/16" and 1-1/2" wide - when fully open. .045" in thickness



No.	Size	24"	36"	48"	72"
A58-201	1-1/16"	\$.80	1.20	1.60	2.40
A58-204	1-1/2 "	1.00	1.50	2.00	3.00

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


SCREEN AND STORM DOOR HARDWARE

STORM KING With Shock Absorber.



Modern door control at extremely low price. Patented shock-absorber spring compresses when door is thrown open violently. Silver spray finish. Overall length — 16-1/2" x 1-1/4" tube. Reversible.

No. 105 \$1.67 ea.
No. 105 Packed in 3 Doz. Cartons \$1.48 ea.



3002 ILCO DeLuxe SCREEN and STORM DOOR CLOSER
... Seamless steel, extra heavy 1-3/8" tube. Double ratchet feature makes this closer suitable for doors of either hand without reversing the ratchet. Attractive weather resisting gun metal finish. Overall size — 16-1/2" Reversible.

YALE "AIRLINER" Reversible.

Seamless brass cylinder, spring is concealed, protecting against dirt and rust. Brown lacquer finish with polished brass cylinder.



Quick, silent closing, the air in the cylinder cushions the closing action of the adjustable spring.


Easy to install and adjust (inside or outside), reversible for right or left hand doors; brass regulating valve screw gives exactly the speed of closing desired. Requires only 2 inches space between doors. Complete with necessary screws, wrench for adjusting and instructions for attaching.

No. 506 Cylinder 1 1/4" x 10" \$2.98 Ea.
No. 506 Packed in 1 1/2 Doz. Cartons \$2.70 Ea.

SCREEN DOOR CHECKS



YALE, Domestic Model.

Gold bronzed iron. Reversible. May be applied either to right or left hand doors without changing spring. Spring tension is adjusted at factory and does not require changing. Equipped with regulating screw on side of cylinder and may be quickly adjusted to close door at any desired speed. For use on light weight doors, such as screen, bathroom, stairways, balconies, pantries, etc. Complete with diagram for attaching.



No. 570 Wt. 4 lbs. \$7.65 Ea.
No. 570 Packed 6 in carton \$6.80 Ea.

STORM DOOR CHAINS IDEAL



For use on all combination doors or where it is desired to give protection to any door after being opened to 90° either by the wind or passing through it.

The Special Compression Spring in the chain forms an excellent shock absorber and compresses at 150 lbs.

The chain has a tensile strength of 350 lbs.

Brackets, 2x1 1/2 ins.
Length over all 22 1/2 inches.

No. 101 \$.50 Each \$5.75 Doz.

Hinges, FOR STORM AND SCREEN DOORS, CASEMENT, SASH, ETC. LOOSE PIN BUTTON TIP.




No. 323 size open 3" x 2 1/4"




Can Be Used Three Ways

as shown.



No. 324
Can Be Used as Full Mortise or Half Surface.




No.	Finish	Material	PRICE
323CD	Dull Cad.	Steel	\$.40 pr. \$4.50 Doz.
323US4	Dull Brass	Steel	.50 5.40 Doz.
324CD	Dull Cad.	Steel	.40 4.50 Doz.
324US4	Dull Brass	Steel	.50 5.40 Doz.



No. 575 Screen Door spring hinges loose pin — covered.

Black \$2.25 Pr. \$2.70 Dz.
Cadmium \$4.40 Pr. \$4.30 Dz.
Dull Brass \$4.40 Pr. \$4.30 Dz.




No. 2750 Screen Door Sets Japanned or Cadmium Finish. Set consist of 1 pr. 3 x 3 surface hinges, door pull, 2 1/2", hook & eye, and No. 3 Door Springs. JAP. \$.55 Set \$5.95 Doz. Sets CAD. \$.68 Set \$7.40 Doz. Sets



COIL DOOR SPRINGS


Tempered crucible steel wire. Double wire ends with hooks. 16-3/8" length. Cadmium Finish.

No. 3 1 1/32" Diameter \$.08 Ea. \$.90 Doz.
No. 4 3/8" Diameter .09 Ea. .95 Doz.




\$.55 Set
6.20 Doz.

26V STORM and SCREEN DOOR ADJUSTER SET ... One set includes all of the above illustrated parts. Opens, closes and locks easily. Friction control by loosening or tightening nut. Arms remain on frame for easy change over. No interference with operation of double hung or casement sash. Zinc plated steel parts. Bailite washers. Rattle proof.



Full screen hangers cadmium finish. Heavy duty for screens or storm sash.

No. 124K
\$.11 Ea. \$1.25 Doz.



HOOKS AND EYES CADMIUM FINISH


Size,			
1 1/2"	\$.03 Ea.	.30 Doz.	3.10 Gross
2"	.04 Ea.	.35 Doz.	3.50 Gross
2 1/2"	.05 Ea.	.45 Doz.	4.50 Gross
3"	.05 Ea.	.50 Doz.	5.25 Gross

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SCREEN AND STORM DOOR LATCHES


YALE



No. 1011 Push-Pull screen door catch. Cast heavy duty catch. Positive deadlock on the inside. Easy installation just bore one hole. Dull brass or dull cadmium finish.

No. 1011 \$1.59 Ea. \$17.75 Doz.

WRIGHT—"BORE IN"




Easy to operate and simple to install. The action is natural, push the handle to open door from inside, pull the handle to open door from outside. Handles are "one-piece" for greater strength. Opening around handle is completely closed so that insects cannot enter through the latch. Requires only one inch hole for installation, no mortising.

For screen and storm doors or any 1 1/8" or 1 3/8" inch door.

No. W8119 - Zinc Concave Handle \$.75 Ea. \$8.55 Doz.

LOCKWOOD




Brass Highly Polish

8595 - For doors 1 3/8" thick only \$2.75

8596 - For doors 1 1/8" thick only Ea.

OPERATION

By knob and lever, except when deadlocked by stop on inside escutcheon, or by key from outside.




8597 - Brass Highly Polished \$1.69 Ea. \$19.25 Doz.

5597 - Dull Brass Plated Steel \$1.39 Ea. \$15.75 Doz.

OPERATION

By knob and lever except when both are locked by slide stop on inside escutcheon.

Wright - "Push-Pull"



Very easily installed by boring a 1" hole - no mortising. Adjustable - because of new design latch will fit doors from 7/8" x 1-3/8" thick. Button locking device - has double spring tension to eliminate loosening. Smooth easy latching action - will operate perfectly with a door closer.


No. F1500 Polish Solid Brass \$1.65 Ea. \$18.75 Doz.
No. C1000 Dull Solid Aluminum .89 Ea. 10.00 Doz.

MISCELLANEOUS BUILDERS HARDWARE



No. 446 Cast Brass and Zamak 2 1/2" long white rubber tips.

Material	Finish	Price
Zamak	Dull Brass	\$.08 Ea. \$.90 Doz.
Zamak	Cadmium	\$.08 Ea. \$.90 Doz.
Brass	Pol. Brass	\$.43 Ea.
Brass	Pol. Chrome	\$.54 Ea.




No. 59A3 Hand Rail Bracket. Cast iron. Brass finish.
\$.28 Each \$3.00 Doz.



No. 571 Cast Alum. 3" project. Brass Finish.
\$.09 Ea. \$1.00 Doz.
\$10.75 Gross

COAT AND HAT HOOKS



No. 50 Formed Steel. Stronger brass finish.
\$.08 Ea. \$.90 Doz.
\$.95 Gross



EXCEL DOOR HOLDER
No. 44 Cast Brass or Alum. Polish brass or dull bronze.
\$.25 Ea.
Polish or dull chrome.
\$.275 Ea.
Alumilite
\$1.98 Ea.




No. 125 Cast Brass and Zamak 1-1/8" high white rubber tip.
Material Finish
Zamak Dull Brass
Zamak Cadmium
Brass Pol. Brass
Brass Pol. Chrome

\$.10 Ea.	\$1.10 Doz.
\$.10 Ea.	\$1.10 Doz.
\$.51 Ea.	
\$.62 Ea.	




No. FB13 and FB14 cast brass and aluminum with wood screws or with tap and shield FB13, is 1" high FB14 is 1-3/8" high.
FB13 FB14
Alum. \$1.05 Alum. \$1.45
Brass 1.30 Brass 1.65
Chrome 1.50 Chrome 1.90
If shield is wanted add 15¢.



Type "B" solid brass surface bolts 5/8" wide 1/2" rod. 4" and 6" length. Very latest in design - screws are concealed.
Pol. Brass or Dull Bronze Pol. Chrome
4" \$.75 Ea. 6" \$.90 Ea. 4" \$.85 Ea. 6" \$.95 Ea.


MORTISE BOLTS



Tubular mortise bolts. Bolt is cut steel having an accurately machined rack and pinion.

No.	Finish	B.S.	Price
48B3	Pol. Brass	1 1/2"	\$.75 Ea.
48B26	Pol. Chrome	1 1/2"	.85 Ea.
48B4	Pol. Nickel	1 1/2"	.80 Ea.
44B3	Pol. Brass	2 1/2"	.85 Ea.

B.S. = Backsets



Mortise bolts. Brass face, bolt, hub, and turn piece. Finest quality.

No.	Finish	Price
49B3	Pol. Brass	\$2.10 Ea.
49B26	Pol. Chrome	2.75 Ea.

Note - Both types available in dull bronze. Same price as Pol. Brass.

No 50 Barrel Bolts



No 50 available in four size. steel brass plated, with screws.


Size	Price
2 "	\$.10 Ea. \$1.13 Doz.
2 1/2 "	.10 Ea. 1.13 Doz.
3 "	.12 Ea. 1.25 Doz.
4 "	.13 Ea. 1.45 Doz.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

HARDWARE FOR WOOD CASEMENTS

WHITCO



REVERSIBLE ACTION
permits two-side window cleaning
from the inside of the room

ADAPTABLE
to all casements, awning-type windows
or transoms regardless of size or style


WIND-HOLDER
stops slamming from wind-pressure,
yet always free-acting and sag-proof

AWNING TYPE HARDWARE

WHITCO is a simple, self-contained unit that takes the place of both hinges and adjusters for swinging and controlling Sash, either singly, in pairs, or in multiples, and in wide openings without mullions. The only fitting needed is to make a small housing at the top and bottom or on each side, as the case may be; otherwise a screwdriver is the only tool needed. WHITCO makes such effective use of the principles of leverage and friction that the Sash is held firmly in any desired position at all times. WHITCO swings either IN or OUT—LEFT or RIGHT as desired. Full installation instructions included in each package. WHITCO comes in complete sets (sufficient to hang one Sash) with screws and in two finishes: Sherardized (Rust-proof) or Solid Brass. Both have brass operating parts.


STOCK NUMBER	HARDWARE LENGTH
218AW WHITCO	18"
220AW WHITCO	20"
224AW WHITCO	24"
230AW WHITCO	30"
236AW WHITCO	36"
242AW WHITCO	42"
248AW WHITCO	48"

For 1 3/4" Sash and Heavier




200 Series AW

CASEMENT HARDWARE *the modern hinge for transoms and casements*



Whitco hardware applied at top of casement swinging out




Whitco hardware applied at bottom of casement swinging out

NOTE

One casement fastener per sash is the only other hardware needed with the Whitco

Whitco hardware stock numbers refer to the length in inches of the hardware. For example, 12X WHITCO means hardware 12" in length. For 1 3/8" casement sash we recommend:



REVERSIBLE


8X WHITCO for sash widths up to 16"
10X WHITCO for sash widths up to 20"
12X WHITCO for sash widths up to 24"
14X WHITCO for sash widths up to 28"
16X WHITCO for sash widths up to 32"
18X WHITCO for sash widths up to 36"
Also available in 20X, 22X and 24X

No.	Sherardized	Brass	No.	Sherardized	Brass
8x	\$1.09 Set	\$2.38 Set	218AW	\$3.62 Set	\$6.88 Set
10x	1.19	2.59	220AW	3.89	7.35
12x	1.40	2.85	224AW	4.30	7.87
14x	1.55	3.15	230AW	4.71	8.80
16x	1.97	3.63	236AW	5.12	9.78
18x	2.33	4.89	242AW	5.60	10.75
20x	2.64	5.70	248AW	6.00	11.75

Above prices less 10% when 50 are ordered



AUTOMATIC TOP CLOSERS




Made of cold-rolled steel, cadmium plated. An inexpensive device to use on casement windows (No. 165) or on cabinet doors (No. 155).

No. 155 for light work 2-5/16"x3/4"x9/16"

No. 165 for doors & windows
3-3/16"x1"x13/16"


No.	Prices
155	\$.40 Ea. \$4.35 Doz.
165	\$.70 Ea. \$7.35 Doz.

NO. 208 FRICTION STAYS



Provides control throughout an arc of 180 degrees for hinged or pivoted sash of all types. Made of steel, cadmium plated. Will operate in 1 3/4" space. A must for out-swinging windows.

No. 280
59¢ Each \$6.45 Doz.



No. 190 EXTENSION HINGE provides a 4" space between sash and jamb... windows can be cleaned from the inside. Increases amount of ventilation. Of cold-rolled steel, cadmium plated. For straight or bevelled frames. Recommended for casements 1 1/8" to 1 3/4" thick.


No. 190	\$1.75 Pair
---------	-------------

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SASH HARDWARE FOR EVERY WINDOW

CASEMENT FASTENERS



CAST BRASS & ALUM.
Base 2 1/16" x 1 1/16"
Proj. 1 7/8"

No.	Type	Finish	Price
66A92	Alum.	Natural	\$.40 Ea.
66A3	Alum.	Pol. Brass	.40 Ea.
66B3	Brass	Pol. Brass	1.25 Ea.
66B10	Brass	Dull Bronze	1.25 Ea.
66B26	Brass	Pol. Chrome	1.65 Ea.



SURFACE
STRIKE



CAST BRASS & IRON
BASE 2-1/16" x 1-1/16"
PROJ. 1-5/8"


No.	Type	Finish	Price
68F14	Iron	Pol. Nickel	\$.75 Ea.
68B3	Brass	Pol. Brass	1.95 Ea.
68B26	Brass	Pol. Chrome	2.45 Ea.

Note

All types packed with rim strikes, if surface or mortise strikes or needed note order accordingly.



MORTISE
STRIKE




CAST BRASS & ZAMAK
BASE 1-5/8" x 7/8"
PROJ. 1-3/8"

No.	Type	Finish	Price
175 1/2	Zamak	Dull Brass	\$0.25 Ea.
175 1/2	Zamak	Dull Zinc	.25 Ea.
902	Brass	Pol. Brass	.55 Ea.
902	Brass	Pol. Chrome	.75 Ea.

No. 175 1/2 Less 20% in Doz. Lots

CASEMENT OPERATORS



No. 61 HEAVY DUTY OPERATOR (reversible) has horizontal worm-and-gear construction. Heavily constructed of cold-rolled steel. Bronze gear, cold-rolled steel worm. Brass channel guide. For screened or non-screened wood casements.


No. 61	With 6" Crank	\$2.15 Ea.
No. 61	Without Cranks	1.90 Ea.
No. 61	8" Cranks only	.35 Ea.
No. 61	12" Cranks only	.65 Ea.

When screen is in place operator is concealed.




No. 4608W LOCKING FASTENER is ideal for use with the No. 40 or No. 61 operator since it permits locking or unlocking the casement without disturbing the screen. Pulls the sash in snugly against the jamb. Face 3" high x 1/2" wide. Depth 2 1/8". Total width across back 3/4". Solid bronze with matching finish to No. 40 operator.

\$2.00 Ea.




No. 40 OPERATOR has external gear construction. A medium priced angle drive worm-and-gear operator for light casements. Neat, compact housing and crank handle are die cast Zamak alloy. Cold-rolled steel worm and gear. Brass channel guide. For screened or non-screened wood casements. No. 40 Bronze Finish \$1.85 Ea. Specify right or left hand.

SASH LOCKS AND LIFTS



CAST BRASS & ALUM.			
Base 1" x 2-5/8" Strike 5/8" x 2-5/8"			
No.	Type	Finish	Price
07A92	Alum.	Natural	\$.18 Ea.
07A3	Alum.	Pol. Brass	\$.18 Ea.
07MB3	Brass	Pol. Brass	\$.55 Ea.
07MB26	Brass	Pol. Chrome	\$.85 Ea.

TRANSOM CATCHES AND CHAINS




No.	Finish	Price
80A4	Dull Brass	\$.50 Ea.
80A14	Pol. Nickel	.54 Ea.




Plate 1-1/2" x 1" Chain 12"

No.	Finish	Price
82F4	Dull Brass	\$.35 Ea.
82F14	Pol. Nickel	.38 Ea.



CELLAR WINDOW SETS

No. 259
Set Contains
1 Pr. 2 1/2" Butts
1 Sash Lock
1 2 1/2" Hook & Eye
Cadmium Finish
\$0.35 Set
\$4.00 Doz.



STAMPED STEEL & BRASS

No.	Base 1" x 2 1/2"	Strike 3/4" x 2 1/2"	Price
S244B	Steel	Brass	\$10 Ea.
S244N	Steel	Nickel	\$11 Ea.

SASH CHAIN



With
Spirals
and
Hooks




No. 77 Put up in bags containing 100 feet of No. 8 Round Cord Pulley Sash Chain with 7 sets of attachments, (28 Spirals and 28 Hooks). Sufficient for 7 Windows. Per bag \$2.95

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


CABINET HINGES AND CATCHES



S 551 HINGE


Your best buy 3/8" 1 1/2" 5/8" 3/4" offsets semi-concealed type.

Chrome \$.30pr. \$2.95dz.
Brass .25pr. 2.55dz.
Prime coat .20pr. 2.10dz.




N58-2390E HINGE

A handsome, semi-concealed type hinge that's popular. 3/8" offset. A Quality Hinge. Polish Chrome. \$0.42 pr. \$4.85 dz.



N58-598E HINGE


Completely concealed except for attractive knuckle. 3/8" inset. Homemakers want it. Polish chrome. Latest design hinge on the market. \$0.45 pr. \$5.25 dz.



1004 HINGE

Made for 3/4" flush doors. Joint is 1 1/2" and has loose pin semi-concealed.

Chrome \$0.25 Pr.
Brass 0.30 Pr.
Prime Coat 0.20 Pr.




1017 HINGE

A semi-concealed hinge for 3/4" flush doors bright chrome finish on steel.

\$0.39 Pr. \$4.35 dz.


WRITE FOR LARGE QUANTITY PRICES

AJAX CABINET CATCHES




No. 36 Friction catch. Ball head strike has under cut shoulder to assure positive lock. Nickel plated. One screw installs.

\$.04ea. \$.35doz. \$3.80gros.



No. 37 FRICTION CATCH. Made of the finest grade spring steel, carefully heat treated to insure proper temper and heavily nickel plated.


\$.05ea. \$.45doz. \$4.50gros.



NO. 38 ROLLER CABINET CATCH. Twin Hard rubber rollers assures smooth and positive, yet noiseless, action. Heavily nickel plated.

\$.07ea. \$.70doz. \$7.30gros.

NATIONAL CABINET CATCHES



N61-204T SPRING CATCH . . . Snap grip feature. Furnished with 2 types of strikes. Elongated holes in catch unit provide easy adjustment. Cadmium plated.


\$.15ea. \$1.65doz. \$17.30gros.



N61-336 FRICTION CATCH

This silent, rubber roller catch is a sure-fire best seller. Sturdily built. Rust resistant finish. Positive acting.

\$0.26 ea. \$2.84 dz. \$30.25 gros.



N61-3327T SPRING CATCH . . . Supplied with 3 different types of strikes for various door applications. Instruction sheet comes with each set. Cadmium plated.

\$.15ea. \$1.65doz. \$17.30gros.

BALL LATCHES


No. 234 for doors No. 434 for cabinets solid brass construction. Adjustable spring tension.

No. 234 2 1/8"x1"	No. 434 1 1/2"x3/4"
\$.80Ea.	\$.55Ea.
8.95Dz.	5.95Dz.

BULLIT CATCHES

No. 60 Three sizes steel brass finish. Operates on steel tensile spring.

Dia. Size	Prices
1/4"	\$0.25Dz. \$2.70 gros.
5/16"	.27Dz. 2.85 gros.
3/8"	.30Dz. 3.00 gros.



BULLET CATCHES . . .


MARVEL DOOR CATCH



GUARANTEED FOR THE LIFE OF THE CABINET

Simple and easy to install. Packed 2 doz. in a box.

No. 1000 Cadmium \$.20 Ea.
\$2.15Dz. \$21.60Gros.



No. 520

MORTISE CATCH

"THE BEST"

For doors 1 1/8" or more in thickness. Has **NYLON LIFE TIME** latch bolt. Solid brass face and strike. Face plate 2 1/4" x 1".


\$.75Ea. \$8.10Dz.

No. 550 MAGNETIC CATCH

"LOW PRICE"

For every type door in the house permanent magnet with floating action. Simple to install.

\$.60 Ea. \$6.90Dz.



MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SPOTLITE KNOBS - Polished to a Mirror-Like Finish




No. CZ427
2½" Concave Face
Finishes PCM - P.B. & D.B.
Prices \$.36 Ea. \$3.90 Doz.
\$.43 Ea. \$4.65 Doz.



No. CZ425
2" Concave Face
PCM - P.B. & D.B.
\$.30 Ea. \$.325 Doz.
\$.35 Ea. \$.385 Doz.



No. CZ417
1½" Concave Face
PCM - P.B. & D.B.
\$.27 Ea. \$.285 Doz.
\$.32 Ea. \$.345 Doz.



No. CZ415
1" Concave Face
PCM - P.B. & D.B.
\$.15 Ea. \$.150 Doz.
\$.20 Ea. \$.210 Doz.

Note - PCM is Polish Chrome - P.B. is Polish Brass - D.B. is Dull Bronze

BACK PLATES



Spotlite knobs and plates are available in decorative and practical combinations. The plate protects the area behind the knob.

No. 4150 (not shown)
Plate and Knob Combination consist of
CZ415 1" Dia. Knob
015 1½" Dia. Plate
PCM P.B. and D.B.
\$.10 Ea. \$.110 Doz. - \$.14 Ea. \$.145 Doz.

Note - For Price of Combinations
Add Knob and Plate Price Together

No. 4250
Plate and Knob Combination consists of

CZ425 2" Dia. Knob
025 2½" Dia. Plate
PCM P.B. and D.B.
\$.14 Ea. \$.145 Doz. \$.17 Ea. \$.180 Doz.



No. 4170
Plate and Knob Combination consist of
CZ417 1-1/2" Dia. Knob
1303 2-1/8" Dia. Plate
PCM P.B. and D.B.
\$.11 Ea. \$.115 Doz. - \$.13 Ea. \$.135 Doz.

NATIONAL KITCHEN CABINET HARDWARE

SOLID BRASS KNOBS



N61-048 KNOB

Clean-lined simplicity of styling gives it universal consumer appeal. One inch in diameter. Quickly installed. POLISH BRASS OR CHROME.
\$0.19 ea. \$2.05 dz.



No. 4270
Plate and Knob Combination
CZ427 2-1/2" Dia. Knob
035 3-1/2" Dia. Plate
PCM - P.B. and D.B.
\$.21 Ea. \$.252 Doz. - \$.30 Ea. \$.315 Doz.



N61-200 DRAWER PULL

Heavily Chrome Plated on Steel
.25 Ea. \$2.85 Doz.

OUR BEST PRICED PULL!!




No. 530 Drawer and Door Pull



N61-225 CATCH


Push Button type bright chrome on steel. Reversible
\$.55 ea. \$.610 dz.



NO. 550 MODERN DRAWER PULL. Solid die cast Zamak. Standard 3" center holes permit the replacement of old pulls with this beautiful new pull. Available in all standard finishes.

Polish Chrome
\$.30 Ea. \$.325 Doz. \$35.00 Gross
Polish Brass
\$.35 Ea. \$.360 Doz. \$39.00 Gross

No. 530 Pull-Cast Alloy
3" Centers. Most Popular
Pull of all. A real buy
Polish Chrome
\$.20 Ea. \$1.80 Doz. \$19.00 Gross
Polish Brass
\$.25 Ea. \$2.45 Doz. \$26.15 Gross



FAMOUS NATIONAL "TUTCH LATCH"


















Just touch the door - it opens automatically. Easily installed. Cadmium plated steel. Positive latching action. Even if door is slammed.

No. N61 - 380
\$.50 Each \$5.70 Doz.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

For Flush and 3/8" Lipped Cabinet Doors

CATALOG NUMBER	TYPE OF ITEM	CATALOG INFORMATION		
 12740 12740 1/2	Knob	Diameter	1 3/16	Projection 1
		7/8		7/8
 12744	Door Pull	Length	5	Width 7/8
 12706	Full Surface Hinge	Size Open Height	Width	Length Joint
		2 5/8	2	1 1/2
 12731	Latch Flush	Size of Plate	2	1 1/8
 12741	Offset	2	1 1/8	2 5/8
 12736	Sash Lift Drawer Pull	Length	4 7/8	Width 1 2/3
 12745	Cabinet Latch	Length	5	Width 7/8
For use on Flush or Lipped Doors				
 12720	H Hinge Flush	Extreme Length	3	Extreme Width 1 7/16
 12715	Flush	4 1/2		1 3/4
 12724	Offset	3		1 7/16
 12721	H & L Hinge Flush	Extreme Length	3	Extreme Width 2 7/8
 12717	Flush	4 1/2		4/8
 12725	Offset	3		2 7/8
 12737	Latch Flush	Vertical Length	2 1/2	Bar Length 2 3/8
 12747	Offset	2 1/2		2 3/8
 12722	Half Surface H Hinge	Extreme Length	3	Width of Plate 1/2
 12723	Half Surface L Hinge	Extreme Length	3	Width of L Leaf 1 3/16
12514 1/2 HT	Strap Hinge Flush	Length Strap	6 1/2	Length of Pad 1 3/4
12518 HT	Offset	6 1/2		1 3/4
12514 1/2 HT	Flush	8 3/4		1 3/4
12518 HT	Offset	8 3/4		1 3/4
12514 1/2 HT	13/4	FLUSH		3

.46 EA.
4.95 DZ.
.38 EA.
4.05 DZ.

.35 EA.
3.78 DZ.

.50 PR.
5.40 DZ.

.60 EA.
6.30 DZ.
.63 EA.
6.75 DZ.

.50 EA.
5.40 DZ.

.70 EA.
7.65 DZ.

.60 PR.
6.30 DZ.
1.10 PR.
11.70 DZ.
.63 PR.
6.75 DZ.

.67 PR.
6.70 DZ.
1.30 PR.
14.04 DZ.
.70 PR.
7.65 DZ.

.50 EA.
5.40 DZ.
.55 EA.
5.85 DZ.

.60 PR.
6.30 DZ.

.67 PR.
7.20 DZ.

1.04 PR.
11.25 DZ.

1.04 PR.
11.25 DZ.

1.20 PR.
13.05 DZ.

1.20 PR.
13.05 DZ.
3.25 PR.
34.80 DZ.

Forged Iron
BY **McKINNEY**



HINGE STRAPS

Number	Price Each	Length Inches	Width at Butt End
12804 HT	\$1.10	14	1 3/8
12510 HT	2.30	18 3/4	1 3/4
12509 HT	2.40	22 1/4	1 3/4
12512 HT	3.65	28 1/4	3
12513 HT	3.85	32 1/4	3

INTERIOR DOOR LATCHES AND PULLS
LENGTH 8 1/4" WIDTH 1 5/8"

12502 1/4 HT
RIM LATCH SET

DOOR PULL
NO. 12507 1/2 HT \$.90 EACH

LATCH SETS
NO. 12502 1/4 HT AND
NO. 12502 1/8 HT
\$1.65 SET

FOR OUTSWINGING DOORS AND CLOSETS ORDER
REVERSE BEVEL RIM LATCH SET NO. 12502 1/8 HT

INSIDE LOCK SETS AND TRIM



12212 AA
INSIDE
LOCK SET

12534 x 12410
2" KNOB AND ROSE
\$3.10 PAIR
KEY PLATE ONLY
NO. 12326 \$.35 EACH
LOCKSET NO. 12212 AA
INCLUDES 1 LOCK, 2 KNOBS
AND ROSES, AND 2 KEY PLATES
\$5.20 SET

All McKinney Hardware finished in rust resisting ham-
mered dead black

New "Olde Copper" finish available on all cabinet
items - add 10% to Reg. Price.

Write for McKinney Catalog No. 10 for more complete
selections.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI





READY-HUNG

DOOR UNITS



the modern way to close door openings



MORGAN-WIGHTMAN SUPPLY CO.
St. Louis 20, Missouri

**cuts costs by
avoiding this**

**ESTIMATING AND
ORDERING**



MEASURING



SAWING



CHISELING



PLANING



SQUARING



BORING



**MISTAKES AND
WASTE MATERIALS**



HASKO

READY HUNG

BUILDING CONSTRUCTION

Entirely Complete — Jamb, Stop, Trim, Butts, Lock — everything installed — only 2 parts to handle — with hammer, nails and level.

save time

From rough opening to finished door in twenty minutes—it's possible with Hasko Ready Hung. Both the door and the frame come in one completely packaged unit, the door is hung with lock installed and the trim is applied to both sides of jamb. All that is left for the carpenter to do is to uncrate the unit, separate the halves, slip them together in the opening, and nail the unit into place. On the average house you save hours of installation time—on large construction projects you can save weeks . . . and you'll save yourself the time and inconvenience of estimating and ordering component parts.

save money

You can save up to \$50.00 on every ten doors you install, if you install Hasko Ready Hung Doors. Take the cost of ten doors, ten locks, ten pair of butts, ten jamb sets, 170 feet of stop, 340 feet of trim, plus waste—add to this 3 or more days of skilled labor cost. Now take the cost of ten Ready Hung Door Units—add four or five hours of semi-skilled labor cost. Subtract your second computation from the first and put around fifty dollars in your pocket. Typical savings with Hasko Ready Hung.

save labor

Cut your door hanging crew by more than half! An extensive survey has shown that it takes the average carpenter a total of four hours to case and hang a door. The Hasko Ready Hung Unit can be completely installed in a half hour or less. Thus, one man can close as many openings in one-half day as two men could complete in three days if they were using the old-fashioned way.

save waste

Don't waste valuable skilled craftsmen and don't waste expensive material through unnecessary mistakes. Your well-trained master craftsman should be employed at jobs that require all their talent. Either a journeyman or an apprentice can install a Hasko Ready Hung Unit and still have unmatched quality and uniformity in the interior finish work. The waste material that usually occurs in the casing and hanging of a door has already been absorbed in the reasonable cost of the Hasko Ready Hung Unit.

left and right hand doors available

Hasko Ready-Hung Doors should be specified for either right or left hand openings. (When the door opens to you and the knob is on the right hand side, it's a right hand door.)

READY-HUNG DOORS

OUR NEWEST PACKAGED UNIT

**another addition to the growing
list of factory-built products**

*get that mill-made look for
all interior finish work*


Factory-built packaged units are already well established in the building construction field. They have gained wide acceptance and have provided great savings in time, money, and materials to their users. It was only a matter of time until the packaged door was added to the list of products that could be used successfully to speed completion time and improve quality in home construction. The Hasko Ready Hung, with its patented crating system, was the first unit to be designed that would reach the builder with all its joints square and tight.

THERE'S A COMPLETE HASKO K-D UNIT TOO!

Offering the same installation time savings to a lesser degree than the Ready-Hung is the Hasko K-D Door Unit. All parts to case and hang doors are machined complete including jambs, stop, mitered trim, machined door with hardware, nails, shims and complete instructions are knocked down and packed in cartons. Sizes are same as shown below. Write for details.



**READY-HUNG
meets all demands**



STANDARD STOCK SIZES	Grade "C" Birch For Painting	Grade "A" Birch or Philippine Mahogany
1'6" x 6'8" x 1 3/8"	\$24.63	\$26.79
2'0" x 6'8" x 1 3/8"	25.24	27.39
2'4" x 6'8" x 1 3/8"	26.25	28.71
2'6" x 6'8" x 1 3/8"	26.71	29.21
2'8" x 6'8" x 1 3/8"	27.24	29.94

Less 10% in Trailer Load Shipments (approximately 130 units) f.o.b. Grand Rapids, Mich. \$5.00 crating charge for less than 6 unit order.

24-hour shipment from our St. Louis warehouse. All shipments f.o.b. St. Louis, Mo. except full trailers.

Extras: Locks on bedroom doors — \$0.75; bath lock and chrome hinges — \$2.00.

MORGAN-WIGHTMAN SUPPLY CO., 1541 Salzman, St. Louis 20, Missouri

assembly parts

materials and specifications

Frame parts: jambs, trim, and stop are of kiln-dried lumber.

Doors: Hasko Flush Doors.

Door locks: tubular style of good quality.

Butts or hinges: $3\frac{1}{2} \times 3\frac{1}{2}$, full mortise type.


Door Units: completely assembled with all hardware installed except knobs, which are included in the package.

Door Clearances: $\frac{1}{8}$ " on lock side and top, $\frac{1}{16}$ " on hinge side, and $\frac{1}{2}$ " at the bottom.

Crating: each unit is individually crated according to a patented* crating method which gives protection during shipment and storage. Insuring delivery with the joints square and tight.


Instructions: complete installation instructions are included with each unit.

* Pat. No. 2489029 — Hasko Ready Hung Door Units are manufactured under licensed agreement with the Ready Hung Door Corp.



Hang a door in 20 minutes the Hasko READY-HUNG way

1



Pull Nails
After laying the crated door down on two-by-fours (door side down) and cutting strap, removing corner angles, three shipping nails in the header, and the knobs (wrapped in paper) which are attached to the header — then separate the two halves carefully.

2



Lift the door and grooved half up into the opening. Bottom spacer block holds the weight of the door until the frame is nailed in. Check to see that the upper spacer block is against the header and that both jambs are on the floor.

3




Check trim for plumb and straightness on the hinge side. Then nail trim to the wall. On the lock edge of the door, push jambs against spacer blocks to maintain uniform clearance between door and jamb while nailing trim to the wall.

4




Open door. Use shingles to shim behind jambs on both sides. Nail through the jambs and shims. Do not nail through stop. After blocking behind jambs, remove upper and lower spacer blocks.

5



Slide tongue of the opposite half into the grooved half. Nail trim to the wall.

6



Nail through stop into jambs. Install knobs and check operation of lock and door.

HASKO

MORGAN-WIGHTMAN SUPPLY CO.

St. Louis 20, Missouri


Flush Doors

Sliding Closet Units

Ready Hung Units



DOORS . . . built with balanced construction for dimensional stability, resistance to warping, longer lasting beauty



1. The frame and Arch-Kor are the foundation of the door. Through the vertical direction of the ribs, this core has the same effect as a longitudinally grained beam or plaque. The $\frac{1}{2}$ " overlap in each rib gives additional strength.

2. Cross-banding of $\frac{1}{10}$ " hardwood is applied with the grain running horizontally to balance the longitudinal grain of the core. By cross laminating, HASKO engineers the maximum strength and warping resistance into the door.

3. As the final step in a completely balanced construction, faces of $\frac{1}{20}$ " birch are applied with the grain running vertically. Plywood engineering has proven that opposing grains in this manner produces a stable, warp-resistant panel.

The assembly is permanently bonded with a moisture resistant resin glue. This bonding is accomplished under heat and pressure in Haskelite hot plate presses. After gluing, door is sanded to leave smooth surface for finishing.

SPECIFICATIONS AND SIZES

Birch and Gum Faces

Standard thickness is $1\frac{3}{8}$ ".

1/6 x 6/8 — 19.4 lbs.	2/4 x 6/8 — 25.7 lbs.
1/8 x 6/8 — 20.7 lbs.	2/6 x 6/8 — 27 lbs.
1/10 x 6/8 — 22.1 lbs.	2/8 x 6/8 — 28.4 lbs.
2/0 x 6/8 — 23.4 lbs.	2/10 x 6/8 — 29.7 lbs.
2/2 x 6/8 — 24.3 lbs.	3/0 x 6/8 — 31.1 lbs.

STILES—Kiln dried $1\frac{1}{4}$ " lumber.

RAILS—Kiln dried $2\frac{3}{8}$ " lumber.

INTERMEDIATE RAIL—Kiln dried $\frac{3}{4}$ " lumber.

LOCK BLOCKS—Kiln dried $\frac{3}{8}$ " x 24" lumber. Lock blocks are centered, one on each side of door, permitting eight-way hanging.

FACES— $\frac{1}{20}$ " birch or gum veneers matched for pleasing appearance.

GLUING—Assembly bonded with moisture resistant resin glue in hot plate press.

SANDING—Both faces smoothly sanded providing perfect surface for staining, varnishing or painting.

TRIMMING—Arch-Kor doors are furnished prefit to standard book size. May be further trimmed one full inch from top and bottom and full half-inch from each edge.

MOISTURE—All lumber in HASKO flush doors is kiln dried to 6–8% moisture content.

HARDWOOD FLUSH DOOR FOR TODAY'S MODERN INTERIORS

Size	Grade "C"			Grade "A"			Half Round Red Oak	
	Birch	Grade "A" Birch	Grade "A" Birch	Gum	African Mahogany	African Mahogany	1 3/8"	1 3/4"
1-6x6-8	\$ 8.29	\$ 9.83	\$11.81	\$ 8.62	\$ 8.74	\$10.65	\$11.88	\$14.00
1-8x6-8	8.47	9.96	11.96	8.74			12.03	14.19
2-0x6-8	8.71	10.23	12.24	9.07	9.14	11.08	12.36	14.52
2-2x6-8	9.20	10.89	12.84	9.47			13.00	15.20
2-4x6-8	9.55	11.36	13.45	9.94	10.11	12.12	13.69	15.93
2-6x6-8	9.91	11.75	13.87	10.31	10.30	12.53	14.15	16.43
2-8x6-8	10.32	12.36	14.52	10.71	10.99	13.05	14.88	17.20
3-0x6-8	11.23	13.35	15.57	11.59	11.89	14.01	16.03	18.43

All doors F.O.B. St. Louis, Mo. \$1.00 crating charge on order of less than 6 doors. Extra Discount — 50¢ per door on orders of 50 doors. Note — All doors in our St. Louis stock for 24 hour shipment except half round red oak, F.O.B. Grand Rapids, Mich.

EXTERIOR FLUSH DOORS FOR MODERN ENTRANCES

Solid and Hollow Core Exterior Doors

Manufactured with solid wood cores as shown and also in hollow core as shown above (not available with cut outs). Three ply face veneers very carefully applied with waterproof glue. Stock sizes listed below, others available on 30 day order. Solid core doors weigh approximately 100 lbs. All doors with cut outs unglazed, but matching glass mould is nailed loose.

ALL EXTERIOR DOORS ARE 1 3/4" THICK

Size	Solid Core		Hollow Core
	"A" Birch	"A" Gum	"A" Birch
2-8x6-8	\$23.20	\$22.00	\$16.00
3-0x6-8	24.90	23.50	17.00
3-0x7-0	25.90	24.50	18.50

Size	Solid Core		Half Round Red Oak
	Phillippine Mahogany	Rotary Cut Fir	
2-8x6-8	\$23.20	\$17.50	\$24.00
3-0x6-8	24.90	18.50	25.75
3-0x7-0	25.90	19.50	26.50


Note — Hollow Core Birch and Fir Doors Not Available with Cut-outs at right.

Add to above prices cutout cost at right, if desired.

All prices F.O.B. St. Louis, Mo. or Grand Rapids, Mich. our option.




SOLID CORE CONSTRUCTION



14" DIA. LIGHT

ADD \$10.50




STAGGERED 6x14 LIGHTS

ADD \$7.50




3 LIGHTS 12 x 12

ADD \$10.50



LIGHT 30" HIGH

ADD \$6.00




11x14 DIAMOND LIGHT

ADD \$6.00


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


COLONIAL ENTRANCE DOORS OF WHITE PINE




576-B



506



570-A



572

These Colonial in Design Doors are the very best in quality and workmanship. Note their layout - well proportioned wide stiles to receive well designed hardware. The patterns are dignified - they are architecturally correct. Only hardwood dowels and waterproof glue is used.

PRICES:


Size	576B	506	570A	572
2-8 x 6-8 x 1 3/4	\$37.85	\$18.75	\$38.75	\$23.65
3-0 x 6-8 x 1 3/4	39.25	20.15	39.25	25.00
3-0 x 7-0 x 1 3/4	41.90	21.60	40.50	28.25

All Prices Include Glazing - Bedded in Putty
All Prices F.O.B. St. Louis, Mo.
Average Door Weight, 60 Lbs.


SPECIFICATIONS:

	576B	506	570A	572
Stiles	5-7/16"	5-1/2"	5-7/16"	5-1/2"
Top Rail	5-1/2"	5-1/2"	5-1/2"	5-1/2"
Cross Rail	5-3/8"	5-3/8"	-	5-3/8"
Lock Rail	8"	8"	7"	8"
Mullions	5-3/8"	5-3/8"	5-3/8"	5-3/8"
Bottom Rail	9-3/4"	9-5/8"	8"	9-5/8"
Panels (Raised-2 sides)	9/16"	9/16"	1-1/16"	9/16"


ENTRANCE DOORS - WHITE PINE AND FIR



118



416



318H

These are top quality doors, made from thoroughly kiln dried stock - well machined - smoothly sanded. Our fir door prices are the very lowest. 4 9/16" Stiles and Top Rail, 9 3/8" Bottom Rail.

GRADE "A" FIR DOORS - FLAT PANEL

Size	F118	F416	F318H
2-8 x 6-8 x 1 3/8	\$	\$ 9.10	\$
2-6 x 6-8 x 1 3/4	11.90	12.25	12.35
2-8 x 6-8 x 1 3/4	12.20	12.50	12.65
3-0 x 6-8 x 1 3/4	13.80	14.15	14.25


Fir Door Prices Are Not Glazed

NO. 1 W. P. PINE - RAISED PANEL


	P118	P416	P318H
2-6 x 6-8 x 1 3/8	\$14.15	\$15.45	\$15.15
2-8 x 6-8 x 1 3/4	18.95	20.90	20.60
3-0 x 6-8 x 1 3/4	19.98	22.10	21.65

Pine Door Prices Are Glazed
Write - For Special Quantity Prices


FRENCH DOORS OF PONDEROSA PINE



517



518



595

French Doors are sturdily built and durable. They can be used as single doors or in pairs. An astragal should be used on pairs. Stiles 4 11/16", Top Rail 4 3/4", Bottom Rail, 9 3/4". Bars between glass 1/2". Hardwood Dowels and waterproof glue used in assembling.

Size	517	518	595
2-0 x 6-8 x 1 3/4	\$17.20	\$19.95	\$15.30
2-6 x 6-8 x 1 3/4	18.25	20.55	16.80
2-8 x 6-8 x 1 3/4	18.55	20.70	17.10

All Prices Include Glazing

Note - For Pairs, double the price and add \$1.50 for T astragal
We have French Doors 1 3/8" thick available - Write for prices.


COMPLETE MILLWORK FOR EVERY JOB

Remember we can supply all your millwork needs. Send in your list of material for quick estimate and reply. All material is of the highest quality and workmanship. We are now supplying building products to customers in 35 states from coast to coast and border to border.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

ROCK ISLAND BASEMENT - UTILITY WINDOW FOR BASEMENTS - SUMMER CABINS - FARM BUILDINGS



Comes as a complete factory assembled unit with frame set-up, sash glazed and hung, screen fitted and installed and all hardware applied. A quality product by quality manufacturer.

REVERSIBLE SASH

Ingenious hardware permits hinging sash at top or bottom. Sash can be reversed in seconds. No tools needed.



MODULAR SIZES

Made to fit into concrete block walls without expensive block cutting. Just drop it in place in openings.

CARTON PACKED

Carton packed completely assembled including screen. Just unpack and put in place. Fitted storm sash also available.






FACTORY FABRICATED

Comes to job all set up with hardware, glazing and weatherstripping applied. A complete unit.

Design No.	Outside Measurement	Glass Size	Prices Each
2710	2' 8 3/16" x 1' 3 5/8"	27 x 10	\$8.15
2714	2' 8 3/16" x 1' 7 5/8"	27 x 14	8.85
2718	2' 8 3/16" x 1' 11 5/8"	27 x 18	9.55

Packed two in a carton only
Write for special quantity prices

DOORS OF DOUGLAS FIR



1-Panel Design

2-Panel Design

1 LIGHT DESIGN STORE DOORS

These doors are made from solid, vertical grain, all heart Douglas fir. Stiles are 5 3/8", top rail 6 3/8" - bottom rail 18 3/8". Glass bead mitred and tacked in place, unglazed.

Size	Price
2-8 x 6-8 x 1 3/4"	\$14.90
3-0 x 6-8 x 1 3/4"	16.65
3-0 x 7-0 x 1 3/4"	17.75
3-4 x 7-0 x 1 3/4"	19.25

Average Wts., 50 Lbs.

INTERIOR DOORS - PREFIT READY TO HANG



Precision made, solid vertical grain. Stiles and top rail 4 9/16", bottom rail 9 3/8", panels are 3-ply, laminated, ripple grain fir. Doors are "B" grade. Both doors same price. Average Wt., 35 lbs.

Size	Price
1-6 x 6-8 x 1 3/8"	\$7.75
2-0 x 6-8 x 1 3/8"	7.75
2-2 x 6-8 x 1 3/8"	8.05
2-4 x 6-8 x 1 3/8"	8.05
2-6 x 6-8 x 1 3/8"	8.10
2-8 x 6-8 x 1 3/8"	8.20
3-0 x 6-8 x 1 3/8"	9.00

Write for special Quantity Prices

ALL PRICES F.O.B. ST. LOUIS, MO.

LOW PRICED - COMBINATION DOORS OF WESTERN PONDEROSA PINE WITH THE NEW IRIDITED* SCREEN WIRE



No. 738

No. 741

Well constructed - wide top rails and stiles - heavy raised panel in wide bottom rail. Chemically treated. 18 x 14 Screen Wire.

Size	Galv. 738	Bronze	Galv. 741	Bronze
2-6 x 6-9 x 1 1/8"	\$14.60	\$15.70		
2-8 x 6-9 x 1 1/8"	15.09	16.19	\$14.94	\$16.04
3-0 x 6-9 x 1 1/8"	15.79	16.89	15.76	16.86
3-0 x 7-1 x 1 1/8"	16.48	17.58		

Average Weight Per Door, 50 Lbs.

*What is Iridited Screen Wire? Galvanized Screen Wire with the Iridited coating makes the screen wire last many years longer. The Iridited coating forms a permanent chemical bond with the Galvanized Screen surface, thereby retarding corrosive action. It's superior. It will not stain woodwork. It will last longer. This screening is guaranteed to conform with U. S. Department of Commerce, Bureau of Standards, Commercial Standard CS-138-49. The manufacturers claim Iridited lasted six times longer than Galvanized - the greatest improvement in screening in 25 years.

DOUGLAS FIR PLYWOOD FOR EVERY USE


SHEATHING GRADE FIR - CD ROUGH

All Panels 48" x 96"
Size Prices

5/16"	10¢ sq. ft.	\$3.20 panel
3/8"	12¢ sq. ft.	3.84 panel
1/2"	16¢ sq. ft.	5.12 panel
5/8"	18¢ sq. ft.	5.76 panel
3/4"	22¢ sq. ft.	7.04 panel

CONCRETE FORM

Plywood, sanded 2 sides, oil treated, BB grade.
5/8" 26¢ sq. ft. \$8.32 panel
3/4" 30¢ sq. ft. 9.60 panel



INTERIOR FIR PLYWOOD

All Panels 48" x 96"

Size	Grade	Price	Size	Grade	Price
1/4"	AD-S1S	12¢ sq. ft. \$ 3.84 panel	1/4"	AC-S1S	14¢ sq. ft. \$ 4.48 panel
3/8"	AD-S1S	16¢ sq. ft. 5.12 panel	3/8"	AC-S1S	17¢ sq. ft. 5.44 panel
1/2"	AD-S1S	21¢ sq. ft. 6.72 panel	1/2"	AC-S1S	22¢ sq. ft. 7.04 panel
5/8"	AD-S1S	23¢ sq. ft. 7.36 panel	5/8"	AC-S1S	25¢ sq. ft. 8.00 panel
3/4"	AD-S1S	27¢ sq. ft. 8.64 panel	3/4"	AC-S1S	30¢ sq. ft. 9.60 panel
1/4"	AA-S2S	15¢ sq. ft. 4.80 panel	1/4"	AA-S2S	18¢ sq. ft. 5.76 panel
3/8"	AA-S2S	19¢ sq. ft. 6.08 panel	3/8"	AA-S2S	21¢ sq. ft. 6.72 panel
1/2"	AA-S2S	24¢ sq. ft. 7.68 panel	1/2"	AA-S2S	26¢ sq. ft. 8.32 panel
5/8"	AA-S2S	27¢ sq. ft. 8.64 panel	5/8"	AA-S2S	29¢ sq. ft. 9.28 panel
3/4"	AA-S2S	30¢ sq. ft. 9.60 panel	3/4"	AA-S2S	33¢ sq. ft. 10.56 panel

We can also supply the following type plywoods: Weldtex - Etchwood - Marine - Novoply - Birch - Mahogany - Oak - Walnut - Gum. Write advising of your needs.

ALL PRICES F.O.B. ST. LOUIS, MO.


NEW PRODUCTS ARE BECOMING AVAILABLE EVERY DAY - IF YOU CANNOT FIND THEM - WRITE MORGAN-WIGHTMAN

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

OVERHEAD DOORS FOR RESIDENTIAL USE The STURDY DOOR

-A Wedge Tight Door- *New Lower Prices!!*



Immediate shipment on all size from our
St. Louis stock

This popular door is four panels wide with one section open for glass as shown in table. Stiles and rails of Douglas Fir with 1/4" exterior grade plywood panels. Sections sanded ready for paint or varnish. Glazing mould cut to fit and held in place for shipping. Center stile 4-3/8" wide; intermediate stiles 2-7/8"; end stile 4-5/8"; top and bottom rail 4-5/8"; center rails combined 4-5/8".

STOCK SIZES	SECTION OPEN FOR GLAZING	SHIPPING WEIGHT	Price 1 to 9	Price 10 or more
8 x 6/6 x 1 3/8	4th	174 lbs.	\$ 64.35	\$ 61.75
8 x 7 x 1 3/8	3rd	182 lbs.	\$ 58.00	\$ 55.55
8 x 7/6 x 1 3/8	3rd	192 lbs.	69.60	66.85
8 x 8 x 1 3/8	3rd	207 lbs.	69.60	66.85
9 x 7 x 1 3/8	3rd	207 lbs.	66.00	63.40
*14 x 7 x 1 3/8	3rd	356 lbs.	129.00	123.80
*15 x 7 x 1 3/8	3rd	404 lbs.	130.30	125.10
*16 x 7 x 1 3/8	3rd	422 lbs.	134.15	128.80
*15 x 7 x 1 3/4	3rd	444 lbs.	154.35	148.15
*16 x 7 x 1 3/4	3rd	467 lbs.	164.40	157.85

All sizes four sections high
*Two-car doors made eight panels wide

NOTE - All Doors Available with All Panels Closed - No Charge

THE LEVELINE DOOR

-A Wedge Tight Door-

NEW - FIVE SECTION DOORS



To emphasize horizontal lines on ranch type houses we offer this new Leveline Door with full Wedge Tight action. The one-car doors are two panels wide and two-car doors are four panels wide. Stiles and rails of Douglas Fir; fourth section open for glazing; glass mould strips included; panels 1/4" exterior plywood; sections sanded ready for paint or varnish.

STOCK SIZES	SECTION OPEN FOR GLAZING	APPROX. SHIPPING WEIGHT	Price 1 to 9	Price 10 or more
8 x 7 x 1 3/8	4th	202 lbs.	\$ 62.85	\$ 59.90
9 x 7 x 1 3/8	4th	215 lbs.	71.20	68.40
15 x 7 x 1 3/8	4th	420 lbs.	140.30	131.50
16 x 7 x 1 3/8	4th	440 lbs.	144.30	135.50

Center stile (4 3/8"); End stile (4 5/8"); top and bottom rails (4 5/8"); Center rails combined (4").


NOTE - Different types and sizes of doors may be combined for quantity price.

The FLUSH DOOR

-A Wedge Tight Door-

THE Wedge Tight TRACK

Vertical tracks slope away from jamb approximately 1/4" per door section, providing the Wedge Tight action giving tight closure and easy operation. Hinges progressively offset to conform to slope of track.



Flush doors are made with Grade "A" exterior plywood on both sides. Prices are for all solid doors as shown - however round and rectangular cut outs are available. Made only in 1 3/4" thickness, four sections.

Cut outs	Price
Rectangular	\$8.50 Ea.
Round	9.50 Ea.

RUBBER ASTRAGAL
\$.55 per foot.

STANDARD Headroom 12 1/2 inch
LOW HEADROOM BRACKETS for 6 1/2 inch Headroom
Sold as an accessory to be used when, as and if necessary with any Wedge Tight door to reduce headroom required to 6 1/2 inch.
PRICE EXTRA per set \$8.25


Door Size	Weight	Price 1 to 9	Price 10 or more
8 x 7 x 1-3/4	225 Lbs.	\$ 87.50	\$ 83.75
8 x 7-6 x 1-3/4	240 Lbs.	90.00	86.45
8 x 8 x 1-3/4	250 Lbs.	92.65	88.95
9 x 7 x 1-3/4	248 Lbs.	92.65	88.95
14 x 7 x 1-3/4	450 Lbs.	216.50	207.85
15 x 7 x 1-3/4	482 Lbs.	220.95	212.15
16 x 7 x 1-3/4	507 Lbs.	225.45	216.40

All prices this page F.O.B. St. Louis, Mo. or Springfield, Ill.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

SECTIONAL GARAGE DOORS FOR COMMERCIAL BUILDINGS
RUGGED HEAVY DUTY CONSTRUCTION FOR YEARS OF LOW COST DEPENDABLE SERVICE



**ECONOMY
Commercial Doors**

Door Size	Section	Price
10 x 7 x 1 3/8"	4	\$ 98.25
10 x 8 x 1 3/8"	4	112.25
10 x 10 x 1 3/8"	5	140.35

F.O.B. St. Louis, Mo. or
Springfield, Ill.

Specifications

Bottom Rail - 5 1/2"; Top Rail - 5 1/2"; Center Rails combined - 5 1/2"; End Rails - 5 1/2"; Center Rails - 3 1/4"; of Douglas fir or spruce.

Special Sizes
Made to order
1 3/8" or 1 3/4" thick
\$1.75 per Sq. Ft.
Door and Hardware

THE GENERAL DOOR

Door Size	Sections	Weight	Price
10 x 8 x 1 3/4	4	290 lbs.	\$108.00
10 x 10 x 1 3/4	5	385 lbs.	142.50
10 x 12 x 1 3/4	6	450 lbs.	171.00
10 x 14 x 1 3/4	7	575 lbs.	211.75
12 x 8 x 1 3/4	4	310 lbs.	136.80
12 x 10 x 1 3/4	5	425 lbs.	171.00
12 x 12 x 1 3/4	6	540 lbs.	216.15
12 x 14 x 1 3/4	7	655 lbs.	266.70

Above sizes are width x height

All above sizes F.O.B. Milwaukee, Wis.

Any section may be left open - except the first in the above doors

Remember - We can supply . . .

Electric operators - Chain hoists - High lift doors - Passage-way doors.

Write for Complete Door Catalog and prices

EASY LIFT WOOD OVERHEAD GARAGE DOORS

Economical - Attractive - Trouble Free
No Headroom Required

Smooth, silent, finger-tip control. Door recedes completely into the garage. Available with two lights. Glazed - see note below.

Stiles and Rails are Western Hemlock or Oregon Fir, 1 3/8" thick with Waterproof Plywood Panels 1/4" thick. Metal braced and equipped with rust-proof Hardware.

Design and construction of flanged track and ball bearing track rollers guarantee easy, smooth operation and long, trouble-free service - flange prevents rollers from leaving track.


Perfectly balanced by coil extension, oil tempered springs, the door opens and closes - practically by itself. When the latch is released the door automatically starts its upward movement without tugging or shoving, to its full overhead position.

Shipped complete in two sections with the joining edges of door rabbeted for perfect seal. Doors are drilled for hardware, and iron braces for bolting sections together are included.


Metal Weatherstrip included with each door will provide sealed protection from all kinds of weather. Also included is an automobile type lock with keys.

The exterior of the door will blend with all types of architecture. The 24 panels of exterior water-proof plywood provide an excellent base for paint or stain and will retain their attractiveness throughout the years.

**LOWEST
PRICE**



INSIDE VIEW



OUTSIDE VIEW

**HIGHEST
QUALITY**

PRICE PER COMPLETE SET - DOORS AND ALL HARDWARE

No. 1866
8 - 0 x 6 - 6 x 1 3/8"
\$48.90 EA. 1 to 5 Price
\$46.45 EA. 6 to 19 Price
\$44.00 EA. 20 or more Price

No. 1870
8 - 0 x 7 - 0 x 1 3/8"
\$48.90 EA. 1 to 5 Price
\$46.45 EA. 6 to 19 Price
\$44.00 EA. 20 or more Price

No. 1970
9 - 0 x 7 - 0 x 1 3/8"
\$55.90 EA. 1 to 5 Price
\$53.10 EA. 6 to 19 Price
\$50.30 EA. 20 or more Price

**ALL PRICES F.O.B. ST. LOUIS, MO. OR SPRINGFIELD, ILL.
DIFFERENT SIZES MAY BE COMBINED FOR QUANTITY PRICES**

*Note - For doors with two lights
glazed, add \$2.00 to prices shown.*

FAMOUS "FRANTZ OVER-THE-TOP" GARAGE DOOR HARDWARE ONLY

WHEN YOU BUILD YOUR OWN GARAGE DOORS, BUY THE BEST HARDWARE AVAILABLE

Set No.	Door Width	Door Height	Weight of Door Pounds	Angle or Truss Straps	Weight per Set Pounds	PRICE Per Set	NOTE
82	7' to 8'	6'6" to 7'0"	50 to 95	No. 86 Angle	53	\$14.75	FULL FREIGHT PAID WHEN ORDER WEIGHTS 200 LBS OR MORE
80	7' to 8'	6'6" to 7'0"	100 to 150	No. 84 Angle	92	23.65	
809	8' to 9'	6'6" to 7'0"	100 to 150	No. 85 Angle	92	23.95	
75	7' to 8'	7'4" to 8'0"	100 to 150	No. 84 Angle	132	36.25	
782	8' to 16'	6'8" to 7'3"	200 to 300	No. 95 Truss	149	45.95	
783	8' to 16'	7'4" to 8'0"	200 to 300	No. 95 Truss	151	46.50	

NOTE: Doors are not furnished with hardware sets listed above. F.O.B. St. Louis, Mo.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Turn wall space into storage space!




PREFABRICATED, SLIDING DOOR WALL CLOSETS
MAXIMUM STORAGE IN MINIMUM SPACE

Mengel Wall Closets are designed to form a functional, non-bearing wall partition of any desired length between rooms. Backs of Closets forming a section of wall can be papered or painted, as they are smoothly finished. Wall Closets save space for they require 25% to 40% less floor space than conventional plastered closets of the same size.

Wall Closets and Closet Fronts have frames made of kiln dried hardwood completely set-up with glued, mortised and tenoned joints. Sides, backs, shelves, partitions and bottoms are Fir plywood. Tops are 1/8" thick, sides and vertical partitions are 1/4" thick, upper compartment shelves, bottoms and backs are 3/8" thick, half-depth shelves are 1/2" thick, while full-depth shelves are 5/8" thick. All necessary hardwood cleats are fastened securely to the front frames and back walls at the factory.


Upper Doors are 1/4" plywood while Lower Doors are built-up, single face, flush type with 3/16" plywood faces glued and nailed to a hardwood frame on the top rail only, the vertical door edges being enclosed in steel channels. This construction minimizes the possibility of warpage. Upper doors slide in grooved frames while the doors below are suspended on adjustable ball-bearing hangers from overhead metal track.



ALL
WALL CLOSETS
7' 7 1/2" HIGH
2' 2 1/4" DEEP



Models Available



Model 72
6-foot width

Sliding lower and upper doors. Model 72-HP has 2 half-depth vertical partitions, 6 adjustable half-depth shelves. Model 72-FP has 2 full-depth vertical partitions, 3 half-depth and 3 full-depth adjustable shelves. Model 72-NP has no partition, 1 fixed shelf and wooden clothes rod.



Model 48
4-foot width

Sliding lower and upper doors. Model 48-HP has half-depth vertical partition, 5 adjustable half-depth shelves. Model 48-FP has full-depth vertical partition, 3 half-depth and 2 full-depth adjustable shelves. Model 48-NP has no partition, 1 fixed shelf and clothes rod.



Model 36
3-foot width

Sliding lower and upper doors. Model 36-HP has half-depth vertical partition, 5 adjustable half-depth shelves. Model 36-FP has full-depth vertical partition, 3 half-depth and 2 full-depth adjustable shelves. Model 36-NP has no partition, 1 fixed shelf and clothes rod.



Model 26
26 1/4" width

Hinged doors, left or right. 3 half-depth and 2 full-depth adjustable shelves. Model 26-FB is supplied with back. Model 26-NB is supplied without back for use where this unit is placed against a wall or the back of another closet.

COMPLETE WALL CLOSET PRICES

MODEL 72

No.	Width	WT.	Gum	Birch
72NP	72"	280 lbs.	\$119.90	\$141.15
72HP	72"	290 lbs.	130.60	151.75
72FP	72"	300 lbs.	143.20	164.35

MODEL 48

48NP	48"	200 lbs.	84.35	97.95
48HP	48"	215 lbs.	95.80	109.45
48FP	48"	225 lbs.	104.15	117.80

MODEL 36

36NP	36"	165 lbs.	76.75	86.35
36HP	36"	170 lbs.	86.20	95.80
36FP	36"	180 lbs.	93.45	103.05

MODEL 26


26NB	26 1/4"	115 lbs.	59.35	64.40
26FB	26 1/4"	140 lbs.	63.80	68.85

Specify right or left hand doors on MODEL 26

If birch closet ends are desired, add \$1.85 per end and specify whether right or left end. If birch plywood backs are desired, add \$3.40 for 2' widths, \$4.95 for 3' widths, \$6.65 for 4' widths, \$9.95 for 6'.




WALL CLOSET FRONTS




MODEL 68-36


No.	Width	Height	WT	Gum Fronts	Birch Fronts
68-36	36"	84"	60	\$36.25	\$39.95
68-48	48"	84"	70	41.20	47.90
68-72	72"	84"	110	53.15	68.80




MODEL 68-48




MODEL 68-72



MODEL 76-36



MODEL 76-48



MODEL 76-72

No.	Width	Height	WT	Gum Fronts	Birch Fronts
76-36	36"	93 7/8"	65	\$38.55	\$48.15
76-48	48"	93 7/8"	85	42.65	56.40
76-72	72"	93 7/8"	125	61.25	82.40

NOTE-All hardware is included - units are carton packed and ready for quick installation

ALL MENGEL UNITS SHIPPED F.O.B. WINSTON - SALEM, NORTH CAROLINA

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

**beautiful . . . distinctive
practical!**

the thrilling new


Val-ette

with exclusive hide-a-way beauty bar

**Invites beauty care where
everything's handiest—
at the wash bowl lavatory!**

You have fingertip accessibility with Val-ette's exclusive solution to lavatory litter—the intriguing Hide-a-way Beauty Bar! Raise the cover . . . cosmetics, creams, soaps and lotions are at your fingertips! Close the cover . . . top is free and sparkling clear of clutter!

Plenty of safe, locked-away space for medicines and first-aid materials in the medicine drawer. Deep, broad linen closets have a world of room . . . easily tuck away heaps of linens, towels, soaps and tissues . . . and ask for more!



Conventional plumbing installation—costs no more to install than ordinary lavatory bowl. Goes easily through 2'4" door.

Bonded Formica moisture-proof, stain-proof, acid-resistant top. Cabinet base with durable lasting finish in pastel color to match top. Highest quality, nationally known, porcelain-enameled lavatory 20" x 18".

Shipping weight, complete, crated, approx. 185 lbs.

Your Choice of 3 Lovely Colors

PEARL PINK • PEARL GRAY • PEARL BLUE

No. 1110 (specify color) \$195.50

Immediate shipment F.O.B. St. Louis, Mo.

SPECIFICATIONS

Height to Work Surface: 31"—

Height to Top of Beauty Bar: 35½"

Dimensions at Floor—Length: 35¼"—Width: 22½"

Dimensions at Top—Length: 35⅝"—Width: 28"

BUILDERS AND HOMEOWNERS LIKE THESE **Val-ette** FEATURES

Lavatory, Vanity, Medicine Cabinet, Linen Closet in *one unit!*

Val-ette makes more efficient use of the bathroom cubicle content. Fits nicely into smallest size bathroom. When additional length is available in larger baths, matching storage units can be added.

Designed so it can be tiled-in.

Plenty of bathroom storage space! Yet Val-ette occupies only ⅔ sq. yd. of floor space. Meets FHA requirements for linen closet.

Conceals plumbing. Makes full use of "dead space" under ordinary lavatory.

Serves as partition-screen for toilet; produces "sectional bathroom" effect.

2¼ square feet of smooth Formica-topped working area around lavatory bowl.

Permits installation of large variety-type mirror above lavatory for extra-convenient beauty care. Makes bathroom look larger.

Medicine Cabinet Safety Lock concealed under Beauty Bar cover.

Towel bar can be attached on both sides.

Perfectly adapted for single-wall and back-to-back plumbing economy.

Highest quality, nationally-known, porcelain-enameled lavatory. Chromium finish non-eroding brass plumbing fixtures throughout.

Variety of colors enables a selection that will harmonize with any bathroom or bedroom color scheme.

Val-ette's modern design complements any modern fixtures and furniture styles.


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

GRANDMOTHER'S

**BREAD BOXES
SUGAR AND FLOUR BINS
have gone MODERN**

- Kitch'n Handy Drawers replace the old-fashioned tin bread box with its bothersome lid and unsanitary corners.
- A Kitch'n Handy Drawer slides into its own lid which is attached to the cabinet. The Drawer's gleaming white, baked enamel interior is so easy to keep bright and clean. Enjoy their smooth operation and the years of enduring service they will give you.
- Kitch'n Handy Drawers are installed in a fraction of the time that it takes to make and install the common wood drawer, drawer guides and tin bread box.
- Here are all the advantages of Metal Drawers plus the freedom of any wood finish throughout your kitchen.



SINGLE DRAWER UNITS
PACKED INDIVIDUALLY WITH
INSTALLATION SCREWS


ORDER BY TYPE

Type	A	B	C	D	E	F	U	W	C2	B2
Width in.	9½	13½	15½	15½	13½	11½	13½	15½	15½	13½
Height in.	7½	7½	7½	10½	10½	7½	3	3	7½	7½
Depth in.	18	18	18	18	18	18	18	18	18	18
Number In Carton	3	3	3	3	3	3	7	7	3	3
Price Each	\$3.98 3.50*	\$4.50 4.00*	\$4.95 4.40*	\$5.50 4.85*	\$5.25 4.65*	\$4.35 3.85*	\$3.98 3.50*	\$4.05 3.55*	\$6.20 5.60*	\$5.80 5.20*


CABINET OPENING—Make Cabinet Opening Same as Above Sizes. Drawers are Slightly Smaller for Clearance.

FOR USE IN OLD CABINETS—Opening May Be Larger than Drawer. Wood Front Will Cover Excess.

*These prices apply only when 15 or more units are ordered in full cartons. Types may be mixed.



NO WOOD CROSS
RAILS REQUIRED



COMBINATION UNIT
For use when a stack of drawers is desired. A steel frame is welded to the lids. The frame is part of and included in the price of each unit.

Combination Units
PACKED INDIVIDUALLY WITH
INSTALLATION SCREWS

ORDER BY
TYPE

VARIOUS DRAWER ARRANGEMENTS
AND WIDTHS ARE LISTED BELOW
OTHER COMBINATIONS CAN BE
MADE TO SPECIAL ORDER IN
QUANTITY

ALL UNITS ARE 28" HIGH AND 18¼" OVERALL FROM FRONT TO REAR

UB2BE 1—Utensil Drw. 1—Two Compart. Drw. 1—7½ Drw. 1—10½ Drw. \$21.75	UBBE 1—Utensil Drw. 2—7½ Drws. 1—10½ Drw. \$20.54
B2BE 1—Two Compart. Drw. 1—7½ Drw. 1—10½ Drw. \$17.73	BBE 2—7½ Drws. 1—10½ Drw. \$16.51

Above Units are 13¾" Wide

WC2CD 1—Utensil Drw. 1—Two Compart. Drw. 1—7½ Drw. 1—10½ Drw. \$22.97	WCCD 1—Utensil Drw. 2—7½ Drws. 1—10½ Drw. \$21.75
C2CD 1—Two Compart. Drw. 1—7½ Drw. 1—10½ Drw. \$18.95 bs.	CCD 2—7½ Drws. 1—10½ Drws. \$17.73


Above Units are 15¾" Wide

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

MAIL BOXES

THRU-THE-WALL MAIL BOXES



CA-7



Made of Cast Brass or Aluminum with wood inside door. Completely adjustable chute.

No.	Finish	Price
CA-7B	Polish Brass	\$7.50
CA-17B	Polish Brass	7.50
CA-7A	Satin Alum.	5.99
CA-17A	Satin Alum.	5.99

For push button add .68¢ to either price. Extra 10% discount in 3 doz. lots.

COLONIAL DESIGN HARDWARE

Rustproof • Black Hammered Iron Finish



500 MAIL DROP . . . Black hammered iron finish of cast aluminum. Colonial design. Opens outwardly . . . closes automatically. Comes with inside plate and screws.


Size 7 1/4" x 2 1/2" \$1.50 EA.



418 WING HINGE STRAPS . . .

Zinc alloy casting . . . black hammered iron finish . . . rustproof.

18" - \$1.65 ea. 22" - \$1.95 ea.




No. 402
Door Knocker
Size 6 1/2" x 3 1/2"
\$1.50 each

123
678
90

No. 407
House Numbers
Size 3"
\$.15 each

RURAL MAIL BOXES




Government approved aluminum bronze finish over heavy gauge steel, with red flag, corrugated bottom.

No. 1 size	
18 7/8" x 6 3/8" x 8 3/8"	
All steel	\$2.15 EA.
All aluminum	\$2.65 EA.
No. 2 size	
23 1/2" x 11" x 14"	
Steel Only	\$5.75 EA.

CA-17



APARTMENT HOUSE MAIL BOXES



GROUP C Government approved apartment house mail boxes. Available in groups of 3 to 12. Specify number of apartments when ordering. Solid brass. Sprayed brass finish.

GROUP A Same as above without buttons.

Group C	4 Gang	\$24.80
Group C	Per Unit	6.20
Group A	4 Gang	21.80
Group A	Per Unit	5.45

4 GANG ONLY IN STOCK



Polished forged brass knocker
6 1/2" x 3 1/2"
No. 325
\$2.75 each
\$2.50 each in dozs.




Polished cast brass knockers
No. 60 3 5/8" x 7 1/2"
\$4.90 each
No. 59 4 3/8" x 8 3/4"
\$6.25 each

1234

NO. 718 CAST BRASS HOUSE NUMBERS.
Gracefully designed to blend with all architectural styles. Size: 4".

\$.25 each

SURFACE TYPE MAIL BOXES



McKinney rust resisting hammered black and solid brass 15" high, 6 1/2" wide. Box only 10".

No. 695 All dull black \$6.75 each


No. 696 All polish brass \$15.95 each

No. 697 Black box with brass ornament and magazine holders.


\$8.95 each
(No. 697 shown)

Ives nonrusting cast aluminum mail box 13 3/8" high 6 3/8" wide. Has plastic window - Three finishes, dead black, dull brass and aluminum metallic lacquer.


No. 631
\$3.75 EACH
Specify finish desired.



No. B-700 Mail Drop. Cast brass appearance, created with wrought brass, supplied with inside hood. Size 2 7/8" x 8 3/4" opening 1 1/2" x 7". Polish brass \$3.00 ea. - \$2.70 ea. in dozs.



No. 580 Chain Door Fastener. Cast brass, size 6 1/8" x 1 3/8".
Polish Brass \$1.50 ea.
Polish Chrome \$1.85 ea.



No. 800 Dutch Door Quadrants. Polish cast brass. Size 4 5/8" x 4". Right and left handed. \$5.80 ea.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

LIFE-TIME EXTRUDED ALUMINUM THRESHOLDS

COMPARE THE QUALITY - COMPARE THE PRICE

New 3-1/2" double interlocking threshold



No. 350

7/8" high 3-1/2" wide drilled and equipped with No. 10 hook strip 32" - 36" - 48" - 72" stock lengths, other sizes available all screws and nails included. \$.90 Per Ft.

3-1/2" single lip interlocking threshold



No. 3501

5/8" high 3-1/2" wide drilled and equipped with No. 10 hook strip 32" - 36" - 48" - 72" stock lengths, other sizes available all screws and nails included. \$.90 Per Ft.


4" aluminum saddle threshold



No. 400

1/2" high 4" wide drilled and supplied with screws 36" - 48" - 72" stock lengths. Any length available on special order. \$.90 Per Ft.

1-1/2" interlocking threshold



No. 150

1/4" high 1-1/2" wide drilled and equipped with No. 10 hook strip 32" - 36" - 48" - 72" stock lengths. Other sizes available all screws and nails included. \$.40 Per Ft.

5" aluminum saddle threshold



No. 500

1/2" high 5" wide drilled and supplied with screws 36" - 48" - 72" stock lengths. Others available. \$1.20 Per Ft.

Aluminum alloy hook strip



No. 10

Always supplied with interlocking thresholds available in 36" - 72" lengths only. \$.08 Per Ft.

ALL DRAWINGS FULL SIZE

EXTRA DISCOUNT


Less 5% when order totals 15 or more pieces
Less 10% when order totals 50 or more pieces
For large quantities write for special mill prices

You save the shipping charges when you order \$25.00 or more.


Note: Due to Government restrictions bronze thresholds are in short supply. However, from time to time small quantities are received. We invite your inquiries as to types and sizes we may have available.

BRONZE AND ALUMINUM

WEATHER STRIP
100 FT. IN CARTON WITH NAILS



Spring Bronze 1-1/4" \$5.40 100 Ft. or \$48.00 1000 Ft.
Tempered Alum. 1-1/4" 3.50 100 Ft. or 31.00 1000 Ft.




MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Barrett Shield for Lag Screws

nu

Is Conspicuously Different—and More Efficient



100% Rust Proof

Sharp fins plus oval form lock the shield in the hole.

"Hoof-Rasp Principle"—These trussed teeth drive in easily but bite in and hold on the outward pull.

The threads are its power plant. They are high and heavy, operating on the smooth Barrel of the screw, producing positive expansion. Accurate thread pitch and spiral register with the screw are essentials found in Barrett Shields only.

SPECIFY LONG OR SHORT

LISTS AND DIMENSIONS—Shields Only


Screw Size	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"
List—100	\$ 7.50	\$ 9.00	\$12.50	\$16.00	\$19.00	\$22.50	\$32.50
Packed in Box...	100	100	100	100	100	50	50
Length of Long	1 1/4"	1 3/4"	2 1/8"	2 1/2"	2 7/8"	3 1/4"	3 3/4"
Length of Short			1 1/8"	1 1/2"	2"	2 1/2"	2 3/4"
Drill Diam.	1/2"	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"
Wt. Lbs.—Per 100	3	5 3/4"	11 1/4"	15 1/2"	17	25	30 3/4"
Long			7 1/2"	10 3/4"	14 3/4"	19 1/4"	
Short							

PROPER SCREW LENGTH—Length of shield plus thickness of fixture.

THREADS PER INCH

1/4—10, 5/16—9, 3/8—7, 7/8—7 1/2, 1/2—6, 5/8—5, 3/4—4 1/2.

Barrett Split-Wing Spring Toggle Bolt



Rust—Proofed

For fastening to Tile, Hollow Walls, Pressed Board Walls, Sheet Metals, etc. Easily Installed.

Lists Per 100 Complete with Round or Flat Head Bolts


Packed 50 or 100 Per Box			
Dia. Bolt	Dia. Drill Required	Weight per 100	List 100
1/8 x 2	3/8"	1 1/4 lbs.	\$ 5.70
x 3		1 1/2 lbs.	6.40
x 4		2 lbs.	7.10
3/16 x 2		3 lbs.	6.00
x 3	1/2"	3 3/4 lbs.	6.75
x 4		4 1/4 lbs.	7.10
x 5		5 1/4 lbs.	8.55
x 6		6 lbs.	8.90
1/4 x 3	5/8"	6 lbs.	7.50
x 4		7 lbs.	7.85
x 5		8 1/2 lbs.	10.00
x 6		9 1/4 lbs.	11.00
5/16 x 3	7/8"	11 lbs.	11.40
x 4		13 lbs.	12.10
x 5		15 lbs.	15.30
x 6		17 lbs.	16.40
3/8 x 3	1"	14 lbs.	15.00
x 4		17 lbs.	16.40
x 5		20 lbs.	20.30
x 6		22 lbs.	21.40

Pak-Tite Anchor No. 1

OPEN THROAT GUIDES SCREW
(EXCLUSIVE TO PAK-TITES)



"PAK-TITES" ORIGINAL
IDENTIFYING BAND ON NUT



For Machine Screws, Bolts, Rods, Etc.

CONSISTS OF
Brass Expanding Nut
Lead Sleeve
Packing Tool
In sizes
6/32 to 5/16 In.

Larger Sizes
Have Special Alloy
Expanding Nut

OPERATION:

PAK-TITE ANCHORS are expanded by a few hammer blows on the packing tool (furnished with the anchors). The lead sleeve is driven and tamped into the hole around the tapered expanding nut, giving a quick and secure anchorage. Its holding power will astonish you.

STYLE NO. 1—LISTS AND DIMENSIONS—Anchors Only

Screw Size	DRILLING		Wt. Per 100	List Per 100
	Diameter	Depth		
6-32	1/4"	3/8"	3/4 lb.	\$ 3.40
8-32	5/16"	1/2"	1 lb.	3.70
10-24	3/8"	5/8"	2 lbs.	4.30
12-24	7/16"	3/4"	3 lbs.	5.40
1/4-20	1/2"	3/4"	4 lbs.	6.30
5/16-18	5/8"	1"	5 3/4 lbs.	8.55
3/8-16	3/4"	1 1/4"	12 1/2 lbs.	11.40
7/16-14	7/8"	1 1/2"	21 lbs.	14.80
1/2-13	1"	1 1/2"	21 lbs.	14.80
5/8-11	1 1/4"	2"	39 lbs.	28.50
3/4-10	1 1/2"	2 1/4"	49 lbs.	42.75

Sizes 6-32 to 1/2-13 inclusive, packed 100 per box. 5/8-11 and 3/4-10 packed 50 per box.

Note—Prices include one Setting Tool in each box of Anchors.

Barrett Wood Screw Anchor

A Light Duty Anchor Made and Priced Right



Oval Form wedges the anchor against turning with the screw.

They drive in neatly—no battering up. Open throat admits the screw without expansion at the front. Produce Actual Expansion, without undue strain on wrist when turning the screw in.

LISTS AND DIMENSIONS—Anchors Only

Diameter of Screw	Size Inches	Length of Anchor	Screw Number	Outside Diam. and Diam. of Drill Required	Shpg. Wt. Per 100	List Per 100
1/8 x 1/2"			5-6-7-8	1/4"	3/4 lb.	\$ 2.50
1/8 x 5/8"			5-6-7-8	1/4"	1 lb.	2.50
1/8 x 3/4"			5-6-7-8	1/4"	1 lb.	2.50
3/16 x 1/2"			9-10-11	5/8"	1 lb.	2.85
3/16 x 3/4"			9-10-11	5/8"	1 1/2 lbs.	2.85
3/16 x 1"			9-10-11	5/8"	1 3/4 lbs.	2.85
3/16 x 1" heavy			9-10-11	5/8"	3 lbs.	3.55
3/16 x 1 1/2"			9-10-11	5/8"	2 1/2 lbs.	3.55
1/4 x 3/4"			12-13-14	3/4"	2 lbs.	3.20
1/4 x 1"			12-13-14	3/4"	2 1/4 lbs.	3.20
1/4 x 1 1/2"			12-13-14	3/4"	3 1/4 lbs.	4.55
5/16 x 1"			15-16-17-18	7/8"	3 1/4 lbs.	3.55
5/16 x 1 1/2"			15-16-17-18	7/8"	5 1/2 lbs.	5.70
3/8 x 1 1/2"			20-22-24	1"	9 lbs.	8.55
3/8 x 2"			20-22-24	1"	12 lbs.	11.40
1/2 x 2"			1/2" Lag Screw	1 1/2"	18 1/2 lbs.	14.25

"Order by Size." Example: 1/4 x 1" 1/4 is Diameter of Screw. 1" is Length of Anchor.

Packed 100 Per Box

Prices do not include Wood Screws


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

LEIGH *Aristocrat* AWNINGS & CANOPIES


Easy to Assemble — Economical to Buy

24 Hour Shipment on Stock Sizes from St. Louis



STYLE 1-A


Projects 22" with 22" drop. For small to medium windows, screened porches, etc. Alternate colored panels of White with Green, Blue or Tile Red are standard. Available in all widths (as shown on price sheet).



Complete Awning, consisting of: top panels, side assemblies, top and front angles, weather-cap, bolts, nuts and screws all packed in compact shipping carton. All bolts and nuts are aluminum — installation screws, brass.


Stock widths — 35" or 40". In ordering specify: Style, Width and Color.

35" — \$10.85 — 40" — \$11.65



STYLE 2-A


Projects 28" with 28" drop. For medium to large windows, terraces, patios, porches and store fronts. Standard colors: Green and White, Blue and White, Tile Red and White — with alternate colored panels. Complete range of widths shown on price sheet.



Side sections are assembled — top panels slide together for easy assembly (see below). Complete unit is packaged in compact corrugated container — complete with screws, bolts and installation directions.

In ordering specify: Style, Width and Color. Stock widths 35" and 40".

35" — \$12.75 — 40" — \$13.85



STYLE 3-C

Projects 41" with 14" drop. Recommended for Door Canopies. Also, especially suited for porches, terraces, entrances and storefronts. Standard colors — alternate panels of White with Green, Blue or Tile Red. Available in a complete range of widths. Packaged unit consists of all parts and screws, bolts, etc.

In ordering specify: Style, Width and Color. Stock widths — 50" and 60".

50" — \$17.85 — 60" — \$20.55

The ideal Door Canopy. Ample projection for complete protection. 50" width recommended for back and side doors. For front doors — 60" width.

FACTORY ASSEMBLED AWNINGS AND CANOPIES BY LEIGH


NON-STOCK SIZE PRICE LIST

Width	Awning		Canopies	
	No. 1-A	No. 2-A	Width	No. 3-C
30"	\$10.20	\$11.85	30"	\$13.00
45"	12.75	14.80	35"	14.20
50"	13.65	15.80	40"	15.40
55"	14.55	16.80	45"	16.60
60"	15.50	17.85	55"	19.35
65"	16.40	18.90	65"	22.15
70"	17.40	19.95	70"	23.80
75"	18.20	21.00	75"	25.40
80"	19.45	22.10	80"	27.00
85"	20.60	23.20	85"	28.65
90"	21.75	24.30	90"	30.30
95"	22.90	25.45	95"	32.00


Above Prices F.O.B. Grand Rapids, Mich.
Delivery of Non-Stock Sizes 2 Weeks

SPECIAL DISCOUNT
ALL AWNING AND CANOPIES
LESS 10% WHEN 50 OR
MORE UNITS ARE ORDERED

Available in Green
Blue and Tile Red
Baked Enamel



No. 400



No. 300

Made from double protected steel coated with zinc and bonderized for weather projection. Fully assembled for quick installation. One piece, rattle-free construction. No. 400 canopy has drip channel on front edge. Both styles supplied with heavy brackets. Specify color desired.

No. 400, in 2 Sizes

Width	Projection & Depth	Price Ea.
48"	30" 6"	\$7.84
54"	30" 6"	8.44

No. 300 in 3 Sizes

Width	Glass Size	Price Ea.
30"	20" to 24"	\$5.80
36"	24" to 28"	6.35
42"	32" to 36"	6.95


All above awnings and canopies F.O.B. St. Louis, Mo.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

METAL WINDOW AND DOOR SHUTTERS

These attractive all-metal shutters are a necessity on most homes. Adds values with little expense. Easy to install, held in place with four screws, anyone can hang them. Finished in a baked green enamel prime coat, far superior to wooden shutters, will not warp, crack or fall apart.



PANEL DESIGN — with attractive pine tree cut out. Made of rust resistant steel electro galvanized and bond-erized for added protection. Slightly lower in cost than the louvered design.



LOUVER DESIGN — an exact reproduction of Early American Louvered Shutters. Made in aluminum, at a cost less than old style wood shutters.


Overall (Width & Height)	Pair Size of Shutters (1½" higher than window)	Glass Size (2-Light window)	Louver Design Aluminum	Panel Design Steel
14" x 39½"	2' 4"x3' 3½"	24x16	\$ 5.30 pr.	\$ 3.89 pr.
14" x 43½"	3' 7½"	18	5.52 "	4.08 "
14" x 47½"	3' 11½"	20	5.74 "	4.17 "
14" x 51½"	4' 3½"	22	6.01 "	4.51 "
14" x 55½"	4' 7½"	24	6.27 "	4.65 "
14" x 59½"	4' 11½"	26	6.73 "	4.93 "
14" x 63½"	5' 3½"	28	7.15 "	5.27 "
17" x 51½"	2'10"x4' 3½"	30x22	6.64 "	4.96 "
17" x 55½"	4' 7½"	24	6.89 "	5.30 "
17" x 59½"	4' 11½"	26	7.37 "	5.57 "
17" x 63½"	5' 3½"	28	7.74 "	5.84 "
17" x 67½"	5' 7½"	30	9.68 "	7.22 "
17" x 79½"	2'10"x6' 7½"	6'6" or 6'8"	10.63 "	8.35 "
20" x 55½"	3' 4"x4' 7½"	Doors 36x24	7.74 "	5.95 "
20" x 59½"	4' 11½"	26	8.23 "	6.24 "

All Shutters F.O.B. St. Louis, Mo.

CLOTHES CHUTE DOORS

The attractive round opening with rolled edge will not tear clothes. Door swings inward — spring tension holds it closed. No screws in the face — nailed thru flanges to studding. Built of heavy gauge steel and painted, white baked enamel.

Easy To
Install




LOW
IN
COST

10" x 10" \$2.45 12" x 12" \$2.65
Above are opening sizes.

BUILT-IN DUST CHUTE

Dust Chute is located in the baseboard at floor level in the kitchen or pantry.

A touch of the toe holds the spring loaded door open or closed. Face is painted white, baked enamel. Complete unit is built of heavy gauge steel.



FACE — sweep
the dirt in here.

CHUTE — dirt
drops down here.

\$4.90
Ea.

DUST BIN — dirt
stops here. Bin
slides off for easy
emptying.


MILK & PACKAGE RECEIVERS

Heavy, double doors are filled with insulation. Latch is big and rugged and there is even a clip for holding instruction.



Style "B" — for
brick construction. Same as
Style "F", but
9½" deep.
\$6.85 Ea.

Style "F" — for
frame construction. 6½" deep.
14" x 14" square.
Heavy gauge steel,
painted prime
coat aluminum.
\$6.50 Ea.




For Heavy Duty —

DALTON

Fully Mechanical
SAWHORSE BRACKETS

No. 100 and 200



A TWIST OF THE WINGNUT
LOCKS LEGS AND RAIL
RIGIDLY IN PLACE.



FOR
BARRICADES



FOR CARPENTER'S
HORSES



FOR
SCAFFOLDING



FOR PLASTERERS
PLATFORMS

For Moderate Duty —
Spee-Dee
SAWHORSE
BRACKETS

No. 300



WON'T FALL APART WHEN
LIFTED BY THE RAIL!

— with the
Exclusive
FLANGED NAIL
HOLES for
Quick, Easy
Disassembling!



A — Flanged Nail
Hole.

B — Removing Nail.
Claw hammer slips
easily under nail
head.

- A Low-Priced Quality Bracket
- Takes Dressed or Common 2x4 Lumber
- No Complicated Instructions to Follow

No.	Type	Size	Price Each	Price Per Doz.
300	Spee-Dee Bracket	2 x 4	\$1.75 set	\$18.00
200	Dalton Bracket	1 x 4	2.65 set	28.50
100	Dalton Bracket	2 x 4	3.15 set	33.85

Convert 5 Pieces
of Lumber into a
Sawhorse —
WITHOUT NAILS
BOLTS, OR
MITERING
OF LEGS!

Sizes for 1x4's & 2x4's

No.	Type	Size	Price Each	Price Per Doz.
300	Spee-Dee Bracket	2 x 4	\$1.75 set	\$18.00
200	Dalton Bracket	1 x 4	2.65 set	28.50
100	Dalton Bracket	2 x 4	3.15 set	33.85

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


● FOUNDATION VENTILATORS

LEIGH Foundation Ventilators are the ideal low-cost answer to the problem of ventilating under foundations or under eaves attic ventilation. A line of ventilators with 1000 uses. Built of galvanized steel.



Style MV for use in masonry... has damper to close the opening, screened in back. Finned type water deflecting louvers. Wide flange has mortar lock. 86 sq. in. free area.

Style M for use in masonry... has no damper. Screened in back, finned type water deflecting louvers... Wide flange has mortar lock. 89 sq. in. free area.



No. 140-MV \$1.65 Ea.
10 Per Carton \$15.42

No. 140-M \$.80 Ea.
10 Per Carton \$7.43



Style WV for use in wall above masonry... has damper to close opening... screened in back. Finned type water deflecting louvers. 86 sq. in. free area.

Style W for use in wall above masonry or under eaves... has no damper. Finned type water deflecting louvers. 89 sq. in. free area.



No. 140-WV \$1.55 Ea.
10 Per Carton \$14.28

No. 140-W \$.70 Ea.
10 Per Carton \$6.30

SIZE OF FOUNDATION VENTILATORS 16" x 8"

PACK 10 PER CARTON


Here is the answer to hundreds of difficult ventilating problems — for picture windows, dormer bedrooms, kitchens, pump houses, etc.

Ventilating unit consists of two parts. Outside Ventilator that is built of DOUBLE-PROTECTED STEEL with full depth water deflecting louvers, screened in back to keep out insects. Inside Closable Register closes opening airtight when desired, built of DOUBLE-PROTECTED STEEL and finished in Beige enamel.

● THRU-the-WALL VENTILATORS



OUTSIDE VENTILATOR




INSIDE CLOSABLE REGISTER

Fits opening 14" wide x 6" high. Packed one unit per carton.

No. 140-TW
\$2.42 Ea.

● CEMENT BLOCK VENTILATORS



Whenever ventilation is needed in concrete, masonry or brick walls, Leigh Cement Block Ventilators will do the job. The louvers are full depth and are designed to keep out rain or snow, yet provide ample free area for proper ventilation. (77 sq. inches.) Screened in back to keep out insects and rodents.

Ventilator is designed to mortar into same space as a cement block (16" x 8").

Built of DOUBLE-PROTECTED Steel for greater rust protection and better paint adherence.

Cement Block Ventilators are packed 10 per carton.

No. 140-C
\$1.75 Ea.
10 Per Carton \$16.32


● BRICK VENTILATORS



Brick Ventilators are exactly the size of a brick — can be laid in any brick wall. Built of galvanized steel — screened for insects — weatherproof. For ventilating under flat roofs, unexcavated foundations, fruit cellars, and many other applications. Free area, 13 square inches. Packed 10 per carton.

No. 140-B
\$.75 Ea.
10 Per Carton \$6.75

● HEAVY DUTY FOUNDATION VENTILATORS



Built of heavy stamped steel (14 Ga.) These heavy duty ventilators are ruggedly constructed of Galvanized Steel. Projecting margins have holes for mortar lock. Extra heavy vertical bar construction requires no support. Screened on back. Size 16" x 8". Style HV (with damper) Style H (without damper). Free area 52½ sq. in.
10 per carton

No. 140-HV
\$2.40 Ea.
10 Per Carton \$21.93

No. 140-H
\$1.65 Ea.
10 Per Carton \$14.85

SPECIAL DISCOUNT
SEE OPPOSITE PAGE FOR DETAILS

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

● ATTIC VENTILATORS Nos. 400 and 500



NO. 400 OR
NO. 500 FLUSH TYPE



NO. 401 OR NO.
501 RECESSED TYPE

LEIGH Attic Ventilators are of unequalled quality. The rolled edge louvers give a massive appearance. Full 2" depth, sharp angle and shape of water-deflecting louvers keeps out rain and snow. Screened on back to keep out insects.

Made of Two Kinds of Metal

No. 500 Series are built of DOUBLE-PROTECTED Steel, a steel that has a heavy coating of corrosion resisting zinc plus a Bonderized coating that provides an ideal base for paint.

No. 400 Series are built of heavy gauge aluminum, riveted construction, slightly higher in cost than the No. 500 Series.

Built in two styles—flush type and recessed type. Ample free area, made in a complete range of sizes.

Opening Size (Width x Hgt.)	Overall Size
(1) 8" x 8"	11" x 11"
(2) 8" x 12"	11" x 15"
(3) 8" x 16"	11" x 19"
(4) 12" x 12"	15" x 15"
(5) 12" x 18"	15" x 21"
(6) 14" x 24"	17" x 27"
(7) 24" x 30"	27" x 33"
Free Area No. 400 or 500	Free Area No. 401 or 501
(1) 37 sq. in.	33 sq. in.
(2) 68 sq. in.	64 sq. in.
(3) 81 sq. in.	77 sq. in.
(4) 91 sq. in.	85 sq. in.
(5) 142 sq. in.	136 sq. in.
(6) 228 sq. in.	221 sq. in.
(7) 637 sq. in.	*

Packed 10 per carton. Other sizes available. Refer to factory. 24 x 30 packed 2 per carton.

* Made in No. 400 or No. 500 only.

STEEL

FLUSH No. 500	RECESSED No. 501
\$.87	8x 8 \$1.20
1.08	8x12 1.41
1.31	8x16 1.61
1.19	12x12 1.50
1.59	12x18 1.97
2.51	14x24 2.73
4.58	24x30 *


ALUMINUM

FLUSH No. 400	RECESSED No. 401
\$1.08	8x 8 \$1.50
1.29	8x12 1.65
1.50	8x16 1.77
1.37	12x12 1.56
1.83	12x18 2.12
3.00	14x24 3.30
5.37	24x30 *

SPECIAL DISCOUNT - LESS 10%

On orders totaling \$150.00 or more of all types of vents in full cartons either page F.O.B. Copper-ville, Mich.

● ROOF VENTILATORS



Available in two sizes. Made of Aluminum or Double-Protected Steel.

Leigh Roof Ventilators are open on three sides, giving much greater free area than the old style roof ventilators with their small opening in the front. This large free area is further assisted by a siphon effect thru a special venturi type opening in the base that pulls out the attic air.

No. 405 Aluminum } 60 sq. in. of
No. 505 Double-Protected Steel } free area.
No. 405-A Aluminum } 40 sq. in. of
No. 505-A Double-Protected Steel } free area.
10 per carton

No. 405
\$2.65 Ea.

No. 505
\$2.25 Ea.

No. 405A
\$2.15 Ea.


No. 505A
\$1.80 Ea.

● A-D-J-U-S-T-A-B-L-E TRIANGLE VENTILATORS

Leigh Adjustable Ventilators answer the demand for a peak type ventilator that can be easily adjusted to fit any roof pitch. Built to precision standards. These high quality Ventilators are die formed so that louvers have a tight fitting sliding action. Louvers are integrally fastened to the side frames — can never fall out. Louvers have weather flange and heavy rolled front.

No. 400 Series — (Aluminum. No. 500 Series — (Double-protected Steel). No. 400 packed 2 per carton — 6 cartons per case. No. 500 packed 2 per carton — 3 cartons per case. Complete with screen. Order by number.

A better built Triangle Ventilator that adjusts to fit any standard roof pitch



No. 417
\$5.65 Ea.

No. 517
\$4.70 Ea.

No. 416
\$4.45 Ea.

No. 516
\$3.85 Ea.

No. 415
\$3.75 Ea.

No. 515
\$3.30 Ea.

THREE SIZES

Number	Maximum free area	No. of Louvers	A
417 (Aluminum) 517 (Double-protected Steel)	244 sq. in.	7	28"
416 (Aluminum) 516 (Double-protected Steel)	168 sq. in.	6	24 1/4"
415 (Aluminum) 515 (Double-protected Steel)	108 sq. in.	5	20 1/2"




"24 HOUR" SERVICE


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

CONCEALED LAVATORY UNITS EXCLUSIVELY **HALL-MACK**



No. 338—Open.
Soap Dish, Tumbler and Toothbrush-
Holder exposed for use.



No. 338—Turning.
Turned at the touch of
a finger.



No. 338—Closed.
Toothbrushes, Soap and
Tumbler hidden from sight.

Wall Opening
6-1/2" x 8-1/8" x 3-1/2"
Over all
7-3/8" x 8-5/8"
Specify "L" Type
if Wanted for
Settings in Cement

No. 338
All Brass Construction,
Chrome Plated.
\$14.75
No. 339
\$10.95

No. 339 identical in appearance with No. 338 except revolving panel is molded plaskon. The smooth side of the revolving panel is covered with stainless steel beautifully chrome plated.

TEMPO ACCESSORIES - THE ECONOMY LINE




TUMBLER AND
TOOTHBRUSH HOLDER
No. 833—All Chrome, 87¢



SOAP HOLDER
No. 823—All Chrome,
One-Piece Casting 87¢




ROBE HOOK
No. 881
32¢




SOAP AND GRAB
No. 861—Surface Type
for Tub or Shower
\$1.82



TUMBLER AND
TOOTHBRUSH HOLDER
No. 830—Chrome Bracket,
with Removable Crystal Tray 59¢



TOILET PAPER HOLDER
No. 874—Single Wall Plate 59¢



SOAP HOLDER
No. 820—Chrome Bracket,
with Removable Crystal Tray 59¢



TOILET PAPER HOLDER
No. 871—Black Wood Roller 95¢


LAVATORY CLAMP-ON TOWEL BAR



No. 883 5/8" Hex. 14" Long
\$1.77 Ea.



TOWEL BAR		18"	24"	30"
No. 893	— 5/8" Hexagonal Chrome Bar	\$1.46	1.58	1.73
No. 895A	— 3/4" Round Chrome Bar	1.19	1.26	1.37



GLASS SHELF
No. 898—Bulb Edge Glass, 4" Wide. Length 18" \$1.65

Special Discounts
All Hall Mack Fixtures


Less 5% when order totals 30 or more pieces
Less 10% when order totals 60 or more pieces

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Coronado Accessories by **HALL-MACK** . . .


Surface fixtures are made of heavy, cast zamak metal. The castings are hand polished after which they are copper plated, nickel plated, and then heavily chromium plated. Recess fixtures are made of brass, heavily chromium plated and highly polished. All fixtures furnished for screw installation. Specify if lug type is wanted.




SOAP, TUMBLER AND
TOOTHBRUSH HOLDER
No. 635 \$4.75
With Crystal Soap Tray




SOAP HOLDER
No. 621—With Drain Holes
\$1.25




TUMBLER AND
TOOTHBRUSH HOLDER
No. 630
\$1.20



SOAP HOLDER
No. 622—With Crystal Tray
\$1.35




SOAP AND GRAB
No. 665—With Crystal
Soap Tray \$3.65




TOWEL PIN
No. 685—5" Long
\$1.20



TOILET PAPER HOLDER
No. 670—Chrome Roller \$2.20
No. 671—Black Wood Roller \$1.90




DOUBLE HOOK
No. 682
\$.98




PAPER HOLDER
No. 675—Chrome Roller \$3.10
No. 676—Black Wood Roller \$2.75




SOAP AND GRAB
No. 660—With Crystal Soap Tray \$2.65
The Grab Bar is 9" long. Soap Tray is removable for easy cleaning and can be mounted at either left or right side.



TUMBLER HOLDER
No. 640
\$1.25



TUMBLER HOLDER
No. 645—Tumbler
Not Included \$2.45




TOWEL BAR
No. 694— $\frac{3}{4}$ " Square Chrome Bar. Lengths: 18", 24", 30", 36".
18" \$2.35 - 24" \$2.60 - 30" \$2.85 - 36" \$3.15




SINGLE HOOK
No. 681
\$.75



TOWEL SUPPLY SHELF
No. 697. Lengths: 18", 24". Projection: 8 $\frac{1}{2}$ "
18" \$4.75 - 24" \$5.25



TOOTHBRUSH HOLDER
No. 650
\$.85



SOAP HOLDER
No. 625—With
Crystal Soap Tray \$2.65



GLASS SHELF
No. 698—5" Wide. Lengths: 18", 24".
18" - \$2.75 - 24" \$2.95

Note - See bottom of opposite page for quantity discounts to save

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


Crystalcrome...

Bathroom Accessories...


By **HALL-MACK**

RECESSED FIXTURES


Soap Tray Patented.
No. 2,577,011.




SOAP AND GRAB
No. 165
\$4.65



SOAP HOLDER
No. 125
\$3.10




TUMBLER HOLDER
No. 145
\$3.10




PAPER HOLDER
No. 175
\$3.10

All recess pieces above are 6-1/8" x 6-1/8" overall of the flange, and take a wall opening 5-1/4" x 5-1/4" x 2". If wanted for cement installation add "L" to catalog number.


Crystalcrome accessories will add dramatic modern beauty to the finest bathroom. These jewel-like fixtures are a combination of heavily chromium plated metal, and thick, crystal-clear Lucite. Crystalcrome accessories are without equal for the master bathrooms of fine homes.




ROBE HOOK
No. 181
\$1.35




PAPER HOLDER
No. 170—Chrome Roller.
\$2.95



TOWEL RING
No. 186
\$2.95



TUMBLER AND
TOOTHBRUSH HOLDER
No. 130
\$1.90



SOAP HOLDER
No. 120
\$1.90



TOWEL BAR
No. 192—Lengths: 18", 24", 30".
Chrome Base Plates, with 1"x3/8"
Rectangular Lucite Bar.

18" \$4.65 - 24" \$5.10 - 30" \$5.50

Screw type fixtures are always shipped unless lug are ordered. Quantity discounts apply to above fixtures.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

MAGNIFICENT BATHROOM CABINETS BY **HALL-MACK**

THE HOLLYWOOD VANITY



The Hollywood Vanity must be seen to be appreciated. In the center is a large, illuminated recessed mirror. Mirrors line the sides, and at the bottom there is a handy mirror shelf. The indirect overhead light is concealed behind curved opal glass. At either side of the recessed center mirror are cabinets for storage of toilet articles. Each side cabinet has a chrome bound mirror door hung on full length piano hinge. Each compartment has three fully adjustable glass shelves and a toothbrush holder. There is a light switch and convenience outlet inside the left hand cabinet, but the light should in addition be controlled by a room wall switch. Two 40-watt T-10 lamps are packed with each cabinet. All mirrors are of plate glass. All chromium plate is on solid brass.

OVER-ALL OF FLANGE: 34 $\frac{1}{4}$ "x29 $\frac{1}{4}$ "

WALL OPENING: 33 $\frac{1}{2}$ "x28 $\frac{1}{2}$ "x4"

CENTER MIRROR: 18"x25"

No. HV 3429
\$95.90 Each
\$89.90 in Lots 6
Prices are Delivered



MIAMI - CAREY CABINETS


With Fluorescent Lights
Two Mirror Sizes - Four Low Prices

Polished stainless steel bound mirror, two bulb edge glass shelves and continuous hinge. Cabinets are supplied with bulbs. Toothbrush holder and razor blade slot on all models.

No.	16x22 Mirror		14x18 Wall Opening	
	1 to 9 Price		10 to 50 Price	
304-9	\$23.75		\$22.25	
304A-9	25.75		24.25	
	16x24 Mirror		14x20 Wall Opening	
	1 to 9 Price		10 to 50 Price	
1400-9	\$25.50		\$23.90	
1400A-9	27.75		25.90	


THE MIRRO - GLIDE

The Mirro-Glide Cabinet gives you more expanse of mirror and more cabinet capacity. Two sliding plate glass mirror doors conceal double cabinets with 6 fully adjustable glass shelves. Cabinet is fully recessed into the wall, nothing projects at any time. The entire unit is bound by a gleaming stainless steel frame, polished to a chrome finish. The Mirro-Glide is large enough for use with twin lavatories or above dressing table type lavatories.



No. MG 4226
\$95.90 Each
\$89.90 in Lots 6
Prices are delivered

Over-All of Frame 41-7/8"x25-7/8"
Wall Opening 39-3/4"x25-1/4"x5"
Mirror Size 39" x 22"




MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

... beauty can be useful

THE HESS WAY




Model 428

DIMENSIONS IN INCHES

Model No.	Overall Dimensions	Mirror Size	Wall Opening	Weight	Prices	
					1-9	10 or More
428	23x45	19x23	16½x21x3¾	58 lbs.	\$84.65	\$79.50
426	27x23	19x23	16½x21x3¾	43 lbs.	62.85	58.95
424	27x25	18x19	16½x21x3¾	43 lbs.	62.85	58.95

Two 15 Watt, T-12 Fluorescent Bulbs Furnished With Above Models, and two below.



MODEL 424

Here is a cabinet with the lower section designed to drop to form a handy shelf. When closed, the shaving equipment or cosmetics are out of sight.

MODEL 426


The same fixture as the Model 428 without the wing mirrors.

Full Freight
Paid - Anywhere

Note
All Models this page
have genuine plate glass mirrors

Fluorescent Lighted Cabinets at a low price

A real buy - in a lighted cabinet




MODEL 380

MODEL 388

DIMENSIONS IN INCHES

Shelves	Model No.	Mirror Size	Mirror Style	Wall Opening	Prices	
					1-9	10 or More
3	380	18x24	Rectangular Framed	15x22x3½	\$31.05	\$29.10
3	388	18x26	Arched top Beveled	15x22x3½	31.55	29.60
2	152	14x20	Rectangular Framed	12x17x3½	16.40	15.40



MODEL 152

Incandescent lighted; lamps not furnished.

All features shown on following page apply to the three cabinets above.


MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

HESS CABINET CONSTRUCTION

FEATURES

One-piece steel body, rust protected
white, hard-baked enamel
Adjustable, bulb-edge clear glass
shelves
Piano-type hinge
Spring-cushion-bar door stop
Stainless steel, snap-on clips for
frameless models
Razor blade drop
Bullet door catch
Chrome plated light fixtures



Model 151-155-383

Model 261-265-269-275

Dimensions in Inches

Shelves	Model No.	Mirror Size	Type Glass	Mirror Style	Wall Opening	Prices	
						1 to 9	10 to 50
2	155	14x20	Window	Rectangular Framed	12¼x16¼	\$ 6.15	\$ 5.80
2	151	14x20	Plate	Rectangular Framed	12¼x16¼	7.35	6.90
2	261	16x22	Window	Arched Top Framed	13½x19	8.25	7.70
2	269	16x22	Plate	Arched Top Framed	13½x19	10.00	9.40
2	265	16x24	Window	Arched Top Framed	13½x19	9.15	8.60
2	275	16x24	Plate	Arched Top Framed	13½x19	11.80	11.10
3	383	18x24	Plate	Rectangular Framed	15 x21	14.65	13.75
3	385	18x26	Plate	Arched Top Beveled	15 x21	15.15	14.25

Write for special prices on orders for more than 50 cabinets.



DIMENSIONS IN INCHES

Mirror No.	Mirror Size
121S	12x18 Plate Glass
142S	14x20 Plate Glass
162S	16x22 Plate Glass
172S	18x24 Plate Glass
182S	18x27½ Plate Glass

Prices
121S - \$ 9.25
142S - 10.25
162S - 12.00
172S - 14.00
182S - 16.75

These mirrors set in polished stainless steel frames are intended for use over lavatories in hotels, motels, offices, schools, clubs and theatres, where cabinets are not required. The shelf below the mirror above provides service and convenience. This shelf is 3/16" thick flat glass, 4-5/8" wide and the full width of the mirror. The mirror has a galvanized steel back with keyhole slots for wall mounting.

Extra Discount . . .
Less 10% on orders for 12 or more mirrors

FRAMED LAVATORY MIRRORS



DIMENSIONS IN INCHES

Mirror No.	Mirror Size
121	12x18 Plate Glass
142	14x20 Plate Glass
162	16x22 Plate Glass
172	18x24 Plate Glass
182	18x27½ Plate Glass

Prices
121 - \$ 6.00
142 - 7.00
162 - 8.80
172 - 11.00
182 - 13.50

Note: Mirror above may be mounted either vertical or horizontal. Both mirrors are available with anti-theft arrangement. Add \$1.00 to above prices.

STEEL ACCESS DOORS

Door and frame are heavy gauge steel. Frames are fitted with plaster hooks but may be nailed or screwed to studding. Doors fits flush with frame.

SPECIFICATIONS

Number	Panel Size	Wall Opening	Prices
812	7½" x 11½"	8" x 12"	\$3.50
1317	12½" x 16½"	13" x 17"	4.15
1519	14½" x 18½"	15" x 19"	4.55
1925	18½" x 24½"	19" x 25"	5.85
1931	18½" x 30½"	19" x 31"	6.55





Illustration shows cover removed from frame. Screws at top and bottom hold cover in position.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

CUT CONSTRUCTION COST THE NUTONE WAY

LOW PRICED KITCHEN FAN



8" CEILING FAN

Attractively designed vertical or horizontal discharge 8" ceiling fan. Compact mirror finish 10½" x 10½" ceiling unit. 8" pressure type fan for easy installation in close clearances. Sleeve 4-5/8" long fits into 9-1/8" opening. 4 mounting brackets adjust from flush mounting to ¾" clearance for plaster. Use in laundry, recreation, bathroom or kitchen. Installs in one-story ranch or flat roof homes or in conventional 2 or 3-story buildings.

Model	Packaging	Weight
820	Housing, motor assembly & grille complete 1 carton.	9 pounds
821	820 plus 8" reducer for vertical discharge—1 carton	10½ pounds
822	820 plus elbow for horizontal discharge—2 cartons	12 pounds
823	Reducer only—8" diameter	1½ pounds
824	Elbow only—for 3 1/4"x10" duct	3 pounds

No. 820 \$16.56
No. 823 \$1.66

No. 821 \$18.22

No. 822 \$18.88
No. 824 \$2.33

SPECIAL DISCOUNT

All Nutone products less 5% when order weighs 150 lbs. or more. Chimes, fans, heatalites, and parts may be combined to make necessary weight. No standard packages can be broken. All shipping charges prepaid on orders over \$25.00

LOW PRICED DOOR CHIME



2-NOTE NON-ELECTRIC DOOR CHIME

Door chime with solid brass nameplate and forged brass handle. Unique back cover—choice of **Oyster White** or **Walnut** grain finish. Nothing to get out of order—no electrical wiring required. Installed in a few minutes. Gives 2 clear, loud musical tones. Adjustable to wood or metal doors (even screen doors), ¾" to 1¼" thick. Has space for your name or house number. (For doors thicker than 1¼" or for installation in walls, request shaft extension EX 310).

Model (Oyster White)	MC-302
Model (Walnut)	MC-303
Width	2 1/8"
Height	5 1/8"
Unit Ship. Weight	1 1/2 lbs.

Standard packages of 6.

MC-302 \$2.93

MC-303 \$3.22

Titan BUILT-IN WALL HEATER

BUILT-IN-WALL HEATER . . . easily installed in any room requiring quick room-wide warmth. Ideal for bathroom, nursery, recreation room, etc.

Can't be beat . . . for instant heat. Switch it on — all the heat is immediately fan-forced into room. Ever-Cool Case does not absorb or retain any of the heat.



PERFECT SAFETY: Touch the Ever-Cool Case; discover it's perfectly cool. That's your assurance that all the heat will be forced out into the room. Also special guard to prevent accidental switching on or off.

Model 600W: 1600 Watts, 110-120 Volts, 60 Cycle, AC \$15.40 Ea.
Glistening white baked enamel case; heavily chromed grill.

Model 600C: 1600 Watts, 110-120 Volts, 60 Cycle, AC. \$18.30 Ea.
All chrome case.

Both models: Front panel 10" x 14". Easy to mount wall box 3" x 9" x 12-7/8".

EXTRA 10% DISCOUNT ON 12 OR MORE UNITS



THE CAREY ELECTRIC BATHROOM WALL HEATER

Deluxe electric wall heater in polish chrome finish. Ideal for bathroom and other rooms needing extra supplies of heat on cold mornings. Special design grill protects children from easy burns. Fan driven and Underwriters' Approved. 1200 Watts 110-120 volts, 60 Cycle AC wall opening 10-1/2" x 13-1/4" x 4-5/8".

Only \$26.65 including excise tax. 10% discount on 10 or more.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

THE GREATEST HOME HEATING IMPROVEMENT IN TWENTY YEARS!


NU TONE

TRADE MARK

Heat-a-lite*

*U. S. and Foreign Patents Pending

- It's a Ceiling Heater
- It's an Overhead Light
- It's an Air Circulator



SAFETY! No burns or shocks from accidental contact. Children can't poke fingers or toys into it. No danger of escaping gas or fumes.

COMFORT! Uniform temperature throughout entire room. Gentle air movement—no hot blasts or drafts.

APPEARANCE! Smart streamlined styling—choice of finishes. No ugly radiators or other projecting units.

ECONOMY! Cuts down use of costly central heating system. No electrical power wasted.

BETTER LIGHTING: Diffused lighting throughout entire room. No dark corners over the shower, ceiling or cabinets.

EASY, LOWER COST INSTALLATION: No costly duct work or pipes needed.

Housing ("A Unit"):

Installed just like recessed lighting fixture.

Heater and Light Assembly ("B Unit"):

Completely installed in less than five minutes!

DETAIL SPECIFICATIONS

	Fan Blown Heater and Light Only		Fan-Blown Heater Light and Air Circulator (Includes Wallplate, 3 15 Ampere Switches and Neon Pilot Light)		Fan Blown Heater and Light Only		Fan Blown Heater Light and Air Circulator (Includes Wallplate, 1-10 Amp and 2-17 Amp Switches and Neon Pilot Light)	
Model	900	901	*902	*903	904	905	*906	*907
Finish	White and Chrome	All Chrome	White and Chrome	All Chrome	White and Chrome	All Chrome	White and Chrome	All Chrome
Watts, (Element)	1325	1325	1475	1475	1800	1800	1800	1800
B.T.U.	4520 - 5000	4520 - 5000	5040 - 5520	5040 - 5520	6160 - 6640	6160 - 6640	6160 - 6640	6160 - 6640
PRICES	\$35.20	\$38.72	\$42.24	\$45.76	\$37.20	\$40.72	\$44.24	\$47.76

* Ruby Light included, indicates operation of heater.

SPECIAL DISCOUNT

All Nutone products less 5% when order weighs 150 lbs. or more. Items may be combined to make weight (chimes, fans and heaters).

Heat-A-Lite's weight 23½ lbs.

Prices are delivered to you.



Underwriters Laboratories Listed
and
C. S. A. Approved

HEATER INFORMATION

• HOUSING

13-5/32" diameter — 7-1 2" deep
1 2" flange to be flush with plaster
4 adjustable mounting brackets

• GRILLE

15-1/4" diameter over all — Overall extension from ceiling 4-1 16"

• LIGHT BULB — Not over 100 watts

• 60 AC, 115-120 VOLTS

- All NuTone Motors are Guaranteed for five years

MORGAN-WIGHTMAN
Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

NUTONE

NUTONE DOOR CHIMES FOR KITCHEN · HALLWAY · LIVING ROOM

LEADER




Wgt. 1½ Lbs.

Trim tailored design with two notes for front door; one note, rear door. Gleaming plastic cover in modern styling. Available in white chrome ornament or ivory with polished brass.

No. K12 \$2.76

COMMANDER




Wgt. 2 Lbs.

Sleek, Nutone beauty sounds 2 rich notes for front door; 1, for rear door. Comes in lustrous ivory plastic with brass finished tubes or white, with chrome. Contains new, enclosed power mechanism.

No. K16 \$4.85

REPEAT-A-TONE



Wgt. 2½ Lbs.

A beautiful continuous chiming door chime. Has repeating chime for front door, plus two notes for rear door. Comes in fluted ivory cover with brass finish tubes or white with chrome tubes.

No. K18 \$5.55

JEWEL



Wgt. 3½ Lbs.

A magnificent Colonial chime-with a touch of the modern. Cover cast in one piece; walnut or limed oak finish with satin brass finish tubes. Two notes for front door; one, rear door. Contains new, enclosed power mechanism.

No. K22 \$7.65

MT. VERNON



Wgt. 3 Lbs.

An attractively designed chime for any traditionally American home. Faithfully reproduces Colonial elegance. Sounds two gay notes for front door; one for rear door. Comes in convenient gift package. Contains new, enclosed power mechanism.

No. K20 \$6.95

DELUXE




Wgt. 2¼ Lbs.

Newly designed handsome, smartly styled short-tube door chime. Has two bright pleasant chimes for front door; one note for rear door. Comes in walnut cover with brass finish tubes or in white cover with chrome tubes.

No. K23 \$4.85

CLOCK AND DOOR CHIME.



Wgt. 4 Lbs.

Exceptional 2-in-1 value. Chime operates on 10-16 volt chime transformers for door signal. Has two notes for front door; one note for rear door. Clock plugs into any 115 volt a-c wall outlet. Large easy to read dial. Has attractive chrome chime tubes on either side of dial. Available in gleaming white or red plastic cover. Beautiful in any kitchen or hall.

No. K37 \$9.50

REGAL



Wgt. 4 Lbs.

Size 7-7/8"x39-1/4"

Colorful, modern long tube chime, designed to fit into any style room, either modern or period. Has smooth ivory plastic cover, with fluted center of gold finish. Two long graceful satin finish brass tubes and an enclosed power unit. Also contains new, enclosed power mechanism. Sounds two pleasant notes for front door and one note for rear door.

No. K26 \$6.95

CONTINENTAL



Wgt. 4¾ Lbs.

Size 7½"x41¼"


Cast cover in charming French Provincial design. Styling enhanced by grained Walnut finish and brass ornament. Design blends gracefully with any type of furnishings. Has 3 attractive long satin brass tubes. Has two pleasant notes for front door and one note for rear door. All brass or brass finished parts protected against tarnish by a special baked synthetic finish. Contains new, enclosed power mechanism.

No. K33 \$9.74

Special 5% Discount when order weights 150 lbs. or more. Chimes may be combined with fans and heatlites for weight. Order must be for full cartons.

All chimes this page packed 6 in a carton, except K12 packed 12 in.

NUTONE PUSH BUTTONS



TYPE	Model No.	Std. Pkg.	Pkg. Wt.	PRICES	
				Std.	Less Std.
"Round"	PB-1 24	6 oz.		\$.24	\$.26
"Mt. Vernon"	PB-2 12	2½ lb.		.75	.81
"Modern"	PB-3 12	1½ lb.		.75	.81
"Jewel"	PB-4 12	1 lb.		.75	.81
"Concord"	PB-5 6	2¼ lb.		1.50	1.63
"Economy"	PB-6 12	1¼ lb.		.60	.65



Underwriters
Laboratories Listed

NUTONE TRANSFORMERS



TYPE	MODEL No.	Std. Pkg.	Pkg. Wt.	PRICES	
				Std. Pkg.	Less Std.
Bell Trans.	510 (10 v.)	48	35 lb.	\$1.02	\$1.11
* Any Place	101-OB (16 v.)	48	47 lb.	1.32	1.43
* OB-Type	201-OB (24 v.)	12	19 lb.	1.65	1.79
* Tri-Volt	320 (8-16-24 v.)	12	20 lb.	1.80	1.95




*Silent Watchman
Lifetime Guarantee

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


NUTONE 8-NOTE WESTMINSTER DOOR CHIMES LONG TUBE MODELS

NUTONE
TRADE MARK


K-40 SYMPHONIC

Compact elegance in an eight-note Door Chime—only 14" high! **Walnut** finish cover, satin brass resonator tubes, brass gallery decoration. Special brass-alloy tone bars. Motor has selector switch to sound eight harmonious notes for front door, or only four if desired—two notes, rear door, single note for third door. Has new improved tones. Complete with 24 volt NuTone transformer.


Model	K-40
Width	8"
Height	14"
Depth	3 1/4"
Unit Ship. Weight	9 1/4 lbs.
Standard package of 1.	\$22.95



K-46 JEFFERSON

Colonial Hall Clock has 8 or 4 note Westminster door chime. Hand-rubbed **Mahogany** cabinet. Chime and electric clock operate on 24V transformer included in package. Etched dial matches 4 long brass tubes. Selector switch sounds 8 or 4 Westminster notes for front door—1 note rear door, different single note for third door. Has volume control—plus additional tone adjustment brackets.

Model	K-46
Width	10 7/8"
Height	57 1/4"
Depth	5 1/2"
Unit Ship. Weight	20 lbs.
Standard package of 1.	\$54.90



K-43 MAJESTIC

A luxurious Westminster 4 or 8 note chime. **Ivory** or **Walnut** plastic cover have gold grille—3 dimensional effect, with long satin brass tubes. Pull chain switch operates small light inside chime case. Can be used as night light. Motor has selector switch to sound eight Westminster notes for front door or only 4 if desired—1 note rear door, different single note for third door. Has volume control plus additional tone adjustment bracket for each tube. Complete with 24 volt NuTone transformer.

Model	K-43
Width	9 5/8"
Height	49 1/4"
Depth	5 1/2"
Unit Ship. Weight	13 lbs. 12 ozs.
Standard package of 1.	\$34.95



K-47 CENTURY

Handsome modern wall clock 8 or 4 note Westminster door chime. Rich looking **Lined Oak** or **Prima Vera Blonde** cabinet. Both NuTone chime and self-starting electric clock operate on 24 volt transformer included in package. Four 1 1/8" satin brass long tubes; selector switch to sound either four or eight notes for front door—one note, rear door, different single note for third door. Has volume control—plus additional tone adjustment bracket for each tube.

Model	K-47
Width	10"
Height	52 3/8"
Depth	5 1/4"
Unit Ship. Weight	15 lbs. 4 ozs.
Standard package of 1.	\$47.90

Regular 5% Quantity Discount applies to above chime

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI




VENTILATING FANS

For Kitchen Bathroom Utility Room

Remember all Nutone Motors are guaranteed for 5 years

Special discount save 5% on orders weighing over 150 lbs.

8" AUTOMATIC VENTILATING WALL FANS




Wgt. 15½ lbs.

New automatic fan with exclusive Magnet-grip shutter. Counter-balanced shutter closes when fan is off. Magnet locks shutter closed to prevent fluttering and stop incoming drafts. Has 10½" x 10½" grille and 13¾" x 13¾" outside wall plate that fits into 9-1/8" diameter wall opening. Adjustable sleeve fits walls 5" to 10" thick. Attractively designed for kitchen, bathroom, recreation room or laundry. Can be installed directly over stove in kitchen. Operates by convenient wall switch.

No	Description	Each
806	White Enamel Grille	\$20.77
807	Bright Mirror Finish Grille	22.77

10" AUTOMATIC VENTILATING WALL FANS




Wgt. 18¼ lbs.

New Magnet-grip makes attractively styled ventilating wall fan completely automatic. Counter-balanced shutter closes when fan is off. Magnet locks shutter closed to prevent fluttering. Outside hood protects it from ice, rains, and wind. 13" x 13" wall plate and 13¾" x 13¾" outside wall plate fit over 11-1/8" diameter opening. Sleeve adjusts to walls 5" to 10" thick. Operates by convenient wall switch.

No	Description	Each
816	White Enamel Grille	\$25.73
817	Bright Mirror Finish Grille	27.07

8" WALL VENTILATING FANS




Wgt. 15 lbs.

Attractive modern styling dresses up any kitchen. Has compact one-piece grille that's easier to clean. No grease-catchers. All parts washable. Special lever switch eliminates troublesome stop-joint on pull chain. Has 600 CFM free air. Wall plate 10½" x 10½", diameter of wall opening 9-1/8". Fits wall thickness 5" to 10-1/8".

No	Description	Each
800	White Baked Enamel	\$18.82
801	Bright Mirror Finish	20.82

10" WALL VENTILATING FANS




Wgt. 20 lbs.

Keep home free from unpleasant cooking odors with attractively styled, easy to install and keep clean wall ventilating fan. Center grille easy to remove for quick cleaning. Has 1,100 CFM Free Air. Wall plate 13" x 13", diameter of wall opening 11-1/8". Fits wall thickness 5" to 10-1/8".

No	Description	Each
810	White Baked Enamel	\$23.60
811	Bright Mirror Finish	\$24.93

8" CEILING OR WALL FANS




Wgt. 10 lbs.

Convenient 8" fan with pressure type blade designed for use in smaller rooms. May be used as either a wall or ceiling fan. Has exclusive snap-in installation feature of motor and blade assembly to make installing and cleaning much easier. Fan housing only 3-9/16" deep. Fits standard 2" x 4" construction. Comes equipped with brackets. Adapted for standard 3¼" x 10" furnace duct. Has flutter-proof shutter. Operated by combination wall switch and speed control. Switch has three speed positions and off position.

No	Description	Each
830	White Enamel Grille	\$18.11
831	Bright Mirror Finish Grille	19.44

10" CEILING OR WALL FANS




Wgt. 19 lbs.

Especially designed for large or medium size rooms. Quickly whisks out smoke or stall cooking odors. Should be installed directly above the stove in kitchens, or as near the center of room as possible in utility, recreation or bathrooms. Has 10" pressure type blades, with fan housing only 3-9/16" deep to fit standard 2" x 4" construction. Equipped with brackets and adapted for standard 3¼" x 12" furnace duct. Has flutter-proof shutter. Can be used for ceiling or wall fan. Operates by combination wall switch and 3-speed control switch.

No.	Description	Each
840	White Enamel Grille	\$24.08
841	Bright Mirror Finish Grille	\$25.41

All 4 Models above can be supplied with sleeves for 9" to 14" walls no charge



3 Speed Wall Switch

For use with all Nutone fans except 800-801-810-811. Fits standard single outlet. Box 2½" deep.

Wgt. 7 lbs. Box of 6
No. 860 \$3.81 Each

Wall Caps

No. 848 & 838

Elbows

No. 849 & 839

For Nutone ceiling fans

10" model 840 & 841

No. 848	\$2.54	No. 849	\$1.80
8" Model 830 & 831			
No. 838	\$2.54	No. 839	\$1.80
Wgt. 3 lbs.		Wgt. 2½ lbs.	

MORGAN-WIGHTMAN Supply Company


1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

CHAN-L-CROS[®] Metal CROSS BRIDGING

Speeds construction . . . cuts building costs
exceeds standard wood bridging in **EFFECTIVE STRENGTH** and **DURABILITY**
in providing for the stability of wood joists!

PATENTED FLANGED BRACES ASSURE FIRMER FLOORS


Here is the latest, newest contribution to modern construction—an advanced method of bridging joists that provides greater floor strength and cuts building costs. For builders, CHAN-L-CROS saves time and money—arrives at the job site ready for quick, easy installation—eliminates the costly work of sawing and fitting of wood. For dealers, CHAN-L-CROS means easier sales, better profits—because the exclusive patented Flanged Braces make it *extra rigid, extra strong*—assure customers superior performance under load. For owners, CHAN-L-CROS gives all the advantages of durable steel—it can't rot or burn, looks neater on exposed joists—adds premium value to the investment.




THE FOUR SIMPLE STEPS IN CHAN-L-CROS INSTALLATION



Spread open bridging
like a scissors.



Position unit
between joists



Squeeze at center with hand
to insure tight fit.



Nail braces to top and
bottom edges of beams.

ONLY CHAN-L-CROS HAS PATENTED FLANGED BRACES

REASONS WHY CHAN-L-CROS IS BETTER

1. Cuts building costs, speeds erection—saves many valuable hours on the job in sawing and fitting wood braces.
2. Permanent, stable attachment—braces are nailed to top and bottom edges of beams, cannot separate from joists when under load, or as lumber shrinks.
3. Provision for nailing meets requirements of all building codes.
4. Fire-proof, made of $\frac{3}{4}$ " x 16-gauge strip steel.
5. Available in three standard sizes.
6. Coated with rust-resistant finish.
7. Exclusive patented flanged braces make it extra rigid, extra strong for superior load carrying, durability.
8. Flexible enough so that joists off required centers can be fastened just as securely as those precisely placed.
9. Distributes a concentrated load to adjacent joists to prevent the deflection of beams by the practical application of the principle of tension.
10. Provides more space in the triangular areas between center rivet and joists for installation of electrical conduits and plumbing pipe.

Made In The Following 3 Sizes
Other Sizes Made On Special Order.


SIZE	No. 1		No. 2		No. 3
Center of Joists	16"	12"	12"	18"	16"
Sizes of Joists	2x8 3x8 2x10	3x10 2x12 3x12	3x6 2x8 3x8	2x8 3x8 2x10	3x10 2x12 3x12

Only 18¢ Ea. In Case Lots
Packed 150 Per Case — \$27.00 Per Case
Shipping Weight 80 Lbs. — Full Freight Paid
Extra 10% Discount On 6 Case Order
Write For Special Prices On Large Projects
20¢ Each in Less Than Case Quantities
24 HOUR SHIPMENT

MORGAN-WIGHTMAN Supply Company


1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

5 POPULAR DESIGNS - 4 SIZES




PLAIN DESIGN

Style No.	Length	Price Per Pr.
208	2'-8"	\$11.50
302	3'-2"	\$13.50
308	3'-8"	\$15.75
402	4'-2"	\$16.50




SMALL SCROLL DESIGN

Style No.	Length	Price Per Pr.
208-S	2'-8"	\$ 13.20
302-S	3'-2"	\$ 15.20
308-S	3'-8"	\$ 17.45
402-S	4'-2"	\$ 18.20




SMALL DIAMOND DESIGN

Style No.	Length	Price Per Pr.
208-D	2'-8"	\$ 13.20
302-D	3'-2"	\$ 15.20
308-D	3'-8"	\$ 17.45
402-D	4'-2"	\$ 18.20



LARGE SCROLL DESIGN

Style No.	Length	Price Per Pr.
208-LS	2'-8"	\$ 16.30
302-LS	3'-2"	\$ 18.30
308-LS	3'-8"	\$ 20.55
402-LS	4'-2"	\$ 21.30



LARGE DIAMOND DESIGN


Style No.	Length	Price Per Pr.
208-LD	2'-8"	\$ 15.90
302-LD	3'-2"	\$ 17.90
308-LD	3'-8"	\$ 20.15
402-LD	4'-2"	\$ 20.90

Logan STOK-RAILS

STOCK SIZE ENTRANCE RAILS

Now, at low cost, you can give your customers the added beauty and safety that every home owner admires and wants. Savings up to 30%. Mass production of stock sizes is the answer. Save the high cost and slow service of special, made-to-order work.


**BALL
ORNAMENT**
and additional
other
ORNAMENTS



Additional ornaments may be ordered separately to obtain highly decorative effects. These are assembled by dealer, secured by set screws.

BASE PLATES for wood stoop installation.

Note: If desired, posts for Stok-Rails can be furnished with base plates for securing to wood stoop, at additional cost.



No. 208-S Twist ALTERNATE TWISTED PICKETS

All Stok-Rails now are available in alternate square and twisted bar pickets, at slight extra cost. The alternate twisted bars give a special richness to the appearance of railings. If alternate twisted bars are desired add the word "TWIST" to the rail design number. Illustrated is the 2'-8" rail with scroll ornament.

Add \$ 1.50 To Regular Price Per Pair.

10% DISCOUNT ON ORDERS FOR 10 OR MORE PAIRS

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

ORNAMENTAL IRON RAILINGS


NOW! ONLY \$1.75 per ft.

NEW OPPORTUNITIES FOR DESIGN SAVES up to 30 per cent

Ornamental Iron gives a new opportunity for design . . . affords both beauty and utility adding materially to the exterior character. Dead spots can become highlights of attraction by easily installed Ornamental Iron.


Ready-made porch and step rails save up to thirty per cent by avoiding expensive drawings and custom-built railings. No waiting for special-built rails, as the stock pieces used throughout, fit any porch or step arrangement! Stock size panels may be cut to size right on the job with little effort. Left-over material can be easily incorporated into other jobs.

PORCH AND STEP RAILS



10P Straight rail section. Made in 10 foot panels. Easily cut to exact size right on the job with a hacksaw. No waste as small sections can always be used on other installations. Weight 62 lbs.
\$17.50 Each

Note
5 ft. sections supplied
at half the price of 10 ft.
plus 10% for cutting





10S Step rail section. Made in 10 foot panels. Adjustable to virtually any step angle . . . steep, normal or gradual. All members stay in correct alignment regardless of the amount of adjustment. Can be cut to desired size right on the job.
\$18.25 Each

POSTS FOR PORCH AND STEP RAILS

TYPICAL ARRANGEMENTS


Numbers shown are Post Nos.



4 Wall end fitting. Secures top and bottom channels to building wall. For porch rails. 60¢ Ea.


4S Wall end fitting. Secures top and bottom channels to building wall. For step rails. 70¢ Ea.

Porch Rail Posts




1 end post, 2 intermediate post, 3 corner post.

Porch and Step Rail Combination Posts




5 upper post, 6 left corner post, 8 right corner post.

Step Rail Posts



5A upper end post, 9 intermediate post, 7 lower end post.

Ornaments for Porch and Step Rails



Ornaments ordered separately; assembled on pickets with set screws at time of installation. Specify style of ornament desired. Posts also available with ornamental ball. For Ball Posts add prefix "B" to post numbers when ordering (Examples: No. B-1, B-5, B-7, etc., posts). And add price of ball ornament to post price.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


"READY-MADE" PORCH COLUMNS ADD BEAUTY AT NEW LOW COST

Add \$1000 in value and appearance. A few dollars spent on porch columns gives that expensive look to the simplest home. Compare our prices and you'll save.


NUMBER		PRICE EACH
7W	Single	\$12.60
7WC	Corner	19.80
9W	Single	13.90
9WC	Corner	24.65
8W	Single	14.75
8WC	Corner	23.50
14W	Single	24.75
14WC	Corner	46.65
2W	Single	24.75
2WC	Corner	46.65
S-6	Bracket	1.50
S-2	Bracket	3.50

EXTRA DISCOUNT

Above prices less 5% when 10 columns are ordered.
Above prices less 10% when 25 columns are ordered.




Columns 12" wide - Posts 1" square tubing, 1/8" wall - scrolls 3/16" x 1" - Welded Construction



HEIGHT ADJUSTMENT FOR COLUMNS


The 8" extension of posts top and bottom permits almost 16" adjustment for porch hts. less than 8 ft.

No. 2-W and No. 14-W are double face cast iron panels



No. S-6 Ornamental Scroll (for use if desired for additional ornamentation). Made of 3/16" x 1" flat. Finish, painted black. Ship. wt. each 2 lbs.

No. S-2 Grape Bracket (for use with No. 2-W Column if desired for additional ornamentation). Double face cast iron. Ship. wt. each 6 lbs.




MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


STOCK ORNAMENTAL IRON FOR QUALITY HOMES

CAST IRON FOR RICHNESS



No. 3	No. 4	No. 5
Flats \$27.50	\$26.35	\$24.50
Corners 52.25	47.00	42.50

MATCHING CAST IRON BRACKETS




All Brackets Appr.
25" x 25" One Price
Only \$9.50 Each

HAWKINS

Decorative
MAIL BOX STAND

Charming, sturdy, inexpensive. Grey iron scroll on steel pipe post. Scroll is 18 1/4" x 9 1/2" 2" post is 5' long giving firm support. Specify whether No. 1 or No. 2 mail box is to be mounted (mailbox not included). No. M-39 only \$8.85



M-39
BRACKET
AND POST
18 LBS.

QUICKLY AND EASILY INSTALLED

These columns are full 8' high, can be cut to any desired height from 7' to 8': All posts are 1" square structural tubing. Scrolls are 3/4" x 10 gauge flat steel. Castings are sound and free from defects. All surfaces shot blasted. Corner columns will bear a direct load of 7767 pounds, flat columns a direct load of 3175 pounds, with a safety factor of 2. All columns 10" wide.

WROUGHT IRON FOR ECONOMY



No. 10	No. 11	No. 12	No. 13
Flats \$13.15	\$11.95	\$11.95	\$13.15
Corners 22.00	19.95	19.95	22.00

FULL FREIGHT PAID IF YOUR ORDER IS OVER \$25.00

SPECIAL DISCOUNTS

All Prices Less 5% when 10 Columns are ordered
All Prices Less 10% when 25 Columns are ordered

Home owners are demanding the newer and more attractive features in construction and decorations. More attention is being given to the individualities of the home. We believe this catalog will help you satisfy these demands.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

Better homes look better with . . .

HAWKINS WROUGHT-IRON SCREEN DOOR GRILLES

Adjustable to fit your door! Styled to suit your taste!



GBD
\$14.20



GB
\$12.50



GGD
\$14.20

Choose the design that best suits your home and taste from this array of charmingly fashioned hand wrought screen door grilles. They're available in durable white enamel, modern or conventional styles, to give your home an entrance of distinction, and to strengthen and protect your screen.



GFP
\$7.50



GHB
\$7.50



GWB
\$9.95



GSS
\$6.25



DOOR *Scrolls*

Add beauty and distinction to your storm or screen doors with these beautiful cast aluminum scrolls.

- they fit any screen or storm door.
- practical, because they give added bracing to the door.
- Simple to install.



Enchantment DESIGN

— used in sets of four, one in each corner of the door. Size 11"x9". Finished in textured white or natural luster aluminum. Order by set name and finish.

Textured White \$5.20 Set
Luster Aluminum \$5.60 Set



GLG \$14.20

SPECIFICATIONS

Silhouettes are individually cast, hand finished. Scrolls on silhouette grilles are 1/2" by 3/16"; others are 1/2" by 1/8". Prices are for grilles only, not doors.

FIT ALL SIZES

Grilles are adjustable to fit all single panel screen doors (or combination screen-and-storm doors) from 2'8" to 3' wide, in any standard height, and to fit "curved-top" doors as well as standard design.

INSTALLATION

Screw to frame, outside of screen, through holes already drilled in scrolls. If adjustment is necessary, use sliding joint on top and bottom scrolls of silhouette grilles. Screws are furnished. Installation requires no special tools or know-how, and takes only a few minutes.

HOW TO ORDER

If your door is of standard 2'8" or 3' width, just specify your choice of style (GSF, GB, etc.), and number of grilles desired. For extremely narrow or wide doors, ask about specialize grilles.

Morning Glory DESIGN

— used in diagonally opposite corners of the door (2 per set). Size 20"x14". Finished in textured white or natural luster aluminum. Order by set name and finish.



\$6.10 Set
\$6.50 Set

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI

WHITEHALL Weather Vanes

• Available In 3 Different Sizes

• 72 Other Designs Available

• WRITE FOR COMPLETE CATALOG

Universal Swivel Base Provides Quick,
Easy Installation on Any Angle Roof or Cupola

• All-Aluminum Craftsmanship

• Hand Carved Designs


• Precision-Built




SERIES 200
Approx. 24" By 30"

SERIES 300
Approx. 30" By 40"

SERIES 500
Approx. 33" By 54"




"FIGHTING COCK," WV-271, \$ 10.85
Hand Colored, WV-271-C, \$ 12.85




"HORSE," WV-374, \$ 19.85
Hand Colored, WV-374-C, \$ 21.85




"COCKER SPANIEL," WV-522,
\$ 30.85
Hand Colored, WV-522-C, \$ 32.85



"SAILBOAT," WV-231, \$ 10.85
Hand Colored, WV-231-C, \$ 12.85



"ROBIN FEEDING YOUNG,"
WV-391, \$ 19.85
Hand Colored, WV-391-C, \$ 21.85




"FOUR WHEEL COUNTRY DOCTOR," WV-573-B, \$ 32.85



"BOXER DOG," WV-206, \$ 10.85
Hand Colored, WV-206-C, \$ 12.85



"BRONCHO AND CACTUS,"
WV-380-B, \$ 21.85



"TWO OWLS ON LIMB,"
WV-586, \$ 35.25
Hand Colored, WV-586-C, \$ 37.75

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVENUE
ST. LOUIS 20, MISSOURI


DISAPPEARING METAL FOLD SAFETY STAIR



Simple and Fast to operate! Adds SALES VALUE and BEAUTY to your home. Huntington Products gives you a stair with no counterweights or slides. Complete SMOOTH FLOWING, FINGER-TIP ACTION. Weighs no more than wood . . . Light enough that a child can operate. Nothing to break ALL METAL. Precision engineered in every detail.

NO COUNTERWEIGHTS • NO SLIDES
NOTE! NEW LOWER PRICES
COMPLETELY ASSEMBLED

• Spring
Tension
ADJUSTABLE



FROM **\$29.65**
IN LOTS OF SIX

PACKAGED READY TO INSTALL
IN LESS THAN 30 MINUTES
PRECISION BUILT IN EVERY DETAIL

- Cannot Warp. Cannot Come Apart.
- Built One-Piece truss.
- Lag Bolted for Strength. Jams into joist.
- Steel Hand Rail for SAFETY.
- Non-Skid Treads For SAFETY.

Rough Opening 25½ inches or 31½ inches
By the following lengths

**LESS THAN
12"
CLEARANCE
REQUIRED**
HEIGHT ADJUSTABLE
6 TO 8 INCHES

	25½"	31½"
Standard - 46" for ceiling ht. 8'	\$32.95	\$39.50
Standard - 54" for ceiling ht. 8'	34.25	40.90
Special - 54" for ceiling ht. 9'	35.55	42.25
Special - 60" for ceiling ht. 9'	39.50	46.25
Special - 60" for ceiling ht. 10'	43.50	49.95

All sizes in St. Louis stock for "24 hour" shipment - we pay the shipping charges on all stairways.

Pre-Tested

FOR POUNDAGE PULL

The only disappearing stair
with these EXCLUSIVE Safety features
for your protection.

- **MEETS ALL F.H.A. REQUIREMENTS**
For Ceiling Heights 7'6" to 10'
ORDER HEIGHT DESIRED

Figure from finished floor to
ceiling - Not floor to floor

Special Discounts

Less 10% on 6 or More
Full Freight Paid
Less 20% on 25 or More
F.O.B. Memphis, Tenn.

MORGAN-WIGHTMAN *Supply Company*

1541 SALZMAN AVE.

ST. LOUIS 20, MO.

Phone Flreside 9880

DISAPPEARING METAL FOLD SAFETY STAIR

Simple and Fast to operate! Adds SALES VALUE and BEAUTY to your home. Huntington Products gives you a stair with no counter-weights or slides. Complete SMOOTH FLOWING, FINGER-TIP ACTION. Weighs no more than wood . . . Light enough that a break ALL METAL. Precision en-

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org


BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

TS • NO SLIDES
OWER PRICES
ASSEMBLED



TO INSTALL
MINUTES
EVERY DETAIL

sted

AGE PULL

earing stair
E Safety features

for your protection.

● Non-Skid Treads For SAFETY.

Rough Opening 25 1/2 inches or 31 1/2 inches
By the following lengths

LESS THAN 12" CLEARANCE REQUIRED HEIGHT ADJUSTABLE 6 TO 8 INCHES	25 1/2"		31 1/2"	
	Standard - 46" for ceiling ht. 8'	\$32.95	\$39.50	
	Standard - 54" for ceiling ht. 8'	34.25	40.90	
	Special - 54" for ceiling ht. 9'	35.55	42.25	
	Special - 60" for ceiling ht. 9'	39.50	46.25	
	Special - 60" for ceiling ht. 10'	43.50	49.95	

All sizes in St. Louis stock for "24 hour" shipment - we pay the shipping charges on all stairways.

● MEETS ALL F.H.A. REQUIREMENTS

For Ceiling Heights 7'6" to 10'
ORDER HEIGHT DESIRED

Figure from finished floor to ceiling — Not floor to floor

Special Discounts

Less 10% on 6 or More
Full Freight Paid
Less 20% on 25 or More
F.O.B. Memphis, Tenn.

MORGAN-WIGHTMAN Supply Company

1541 SALZMAN AVE.

ST. LOUIS 20, MO.

Phone Flreside 9880



MORGAN-WIGHTMAN

Supply Co.

Guaranteed Building Products from MORGAN-WIGHTMAN

means **SPEED . . . SAVINGS . . . SERVICE**



Every Order Shipped Within 24 Hours from our complete St. Louis stocks.



Direct at Wholesale Prices! Direct factory distributor on all lines. Our wholesale price is the **DISTRIBUTOR** price . . . Nothing sold by mail to retail customers!



We'll Handle the Detail Work . . . Our staff of trained hardware consultants are always happy to help you with technical points, exacting problems or baffling specifications. Estimates or "specs" can be removed directly from your drawings, releasing the blueprints back to you the same day together with our quotation.



We Back You Up! Liberal Morgan-Wightman **ONE YEAR** guarantee. Every product must satisfy.

An Order Today — by Wire or Phone — Will Show You What We Can Do!

1541 SALZMAN AVE.

ST. LOUIS 20, MO.